Superintendent of Documents U.S. Government Printing Office Washington, D.C. 20402

Official Business
Penalty for Private Use, \$300



POSTAGE AND FEES PAID U.S. DEPARTMENT OF COMMERCE COM-202

Special Fourth-Class
Rate-Book



Census REF HE 18 1982 .B87x 1984 [v.3] no.10 c.1

# 1982 Census of Transportation

TC82-T-10 (Revised)

TRUCK INVENTORY AND USE SURVEY

# Florida



The publications from the 1982 Economic and Agriculture Censuses are dedicated to the memory of Shirley Kallek, Associate Director for Economic Fields. During her career at the Bureau of the Census (1955 to 1983), she continually directed efforts to improve the timeliness and accuracy of economic statistics.

# Census of Transportation

TC82-T-10 (Revised)

TRUCK INVENTORY AND USE SURVEY

## **Florida**

Issued July 1985



U.S. Department of Commerce

Malcolm Baldrige, Secretary
Clarence J. Brown, Deputy Secretary
Sidney Jones, Under Secretary for
Economic Affairs

BUREAU OF THE CENSUS

John G. Keane,

Director



# BUREAU OF THE CENSUS John G. Keane, Director C. L. Kincannon, Deputy Director

Charles A. Waite, Associate Director for Economic Fields John H. Berry, Assistant Director for Economic and Agriculture Censuses

ECONOMIC SURVEYS DIVISION
W. Joel Richardson, Chief

ACKNOWLEDGMENTS—Many persons participated in the various activities of the 1982 Census of Transportation. Primary direction of the program was performed by Shirley Kallek, Associate Director for Economic Fields (until May 1983), Charles A. Waite, her successor, and Michael G. Farrell, Assistant Director for Economic and Agriculture Censuses (until August 1984), and John H. Berry, his successor.

This report was prepared in the Economic Surveys Division under the general direction of W. Joel Richardson, Chief. Robert E. Crowther, Assistant Chief for Census Programs, was responsible for the overall management of the census of transportation. He guided the planning and implementation of the project and coordinated activities with other divisions.

Carmen Campbell, Transportation Branch, assisted by Troy King, Geroid L. Morning, Joseph K. Tintera, Temple Whittington, and Georgeann H. Wright, was directly responsible for the planning, development of specifications and procedures, analysis of data, and preparation of this report.

The computer processing systems were developed and coordinated under the direction of Andrew L. Grieco, Assistant Chief for Methods and Systems. Charles A. Venters, Chief, Economic Programming Branch, and Paul E. Poissant, Chief, Directory and Census Programming Branch, were responsible for implementation of the computer systems, and the computer programs were prepared under the supervision of Arnold L. Braddock and Chuck Fee Lee, assisted by Ernestine Kornegay, Avis W. Buchanan, and Carrie Lee Johnson.

The mathematical techniques and quality control requirements were developed by Mitchell L. Trager, Assistant Chief for Research and Methodology, assisted by Kenneth R. Sausman, Thomas O. Cevis, Nancy H. Dunn, Robert A. Peregoy, and Edwin L. Robison.

Other persons made important contributions in such areas as developing specifications, procedures, and resolving problems. They include Alfred R. Brand, Helen L. Barton, Ellen Kummer, Leonard Tauber, and Mark Grice.

Planning, design, review, and composition of report forms were performed in the Administrative Services Division, Robert L. Kirkland, Chief.

Publication planning, design, editorial review, composition, and printing procurement were performed in the Publications Services Division, Raymond J. Koski, Chief.

Mailout preparation and receipt operations, clerical and analytical review activities, data keying, and geocoding review were performed in the Data Preparation Division, **Don L. Adams**, Chief.

Computer processing was performed in the Computer Services Division, C. Thomas DiNenna, Chief (until February 1984), and John E. Halterman, his successor.

Photocomposition programs for the statistical tables were developed in the Systems Support Division, Larry J. Patin, Chief (until October 1983), and Arnold E. Levin, his successor.

The overall planning and review of the census operations were performed by the staff of the office of the Assistant Director for Economic and Agriculture Censuses.

Special acknowledgment is also due the many businesses whose cooperation has contributed to the publication of these data.

#### Library of Congress Cataloging in Publication Data

Census of transportation (1982)
1982 census of transportation.

"Issued July 1985"

"TC82-ST" (v. 1)

"TC82-CS" (v. 2)

"TC82-T-1-51;TC82-T-52" (v. 3)

Contents: (1) Selected statistics for transportation industries—(2) Commodity transportation survey summary—(3) Truck inventory and use survey (v.), U.S. summary. Supt. of Docs. no.: C 3.223/5: TC82.ST

1. Transportation—United States—Statistics.

I. United States, Bureau of the Census. II. Title. HE203.C44 1982 380.5'0973

83-600222

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

## INTRODUCTION

|  | (Page) |
|--|--------|
| Economic Censuses Over Time                  | . 111  |
| Uses of the Economic Censuses                | . 111  |
| Authority and Scope of the Economic Censuses | . 1V   |
| Census of Transportation                     | . IV   |
| Truck Inventory and Use Survey               | . IV   |
| Total Truck Inventory                        | . IV   |
| Comparability with Previous Surveys          | . IV   |
| Explanation of Terms                         | . v    |
| Sample Design                                | . VI   |
| Survey Method                                | . VI   |
| Reliability of Estimates                     | . VI   |
| Abbreviations and Symbols                    | 1/31   |

#### **ECONOMIC CENSUSES OVER TIME**

The early beginnings of America's industrial output were first measured in the United States in the 1810 Decennial Census and again in 1820, when questions on manufacturing were included with those for population. Beginning with the 1840 Decennial Census, there were enumerations of manufactures and mineral industries at 10-year intervals up to and including the year 1900 for manufactures and 1940 for mineral industries. The latter census was taken again for 1954, 1958, 1963, and 1967.

Because of the increasing dominance of manufacturing in the early 20th century, Congress directed that quinquennial censuses of manufactures be taken beginning in 1905. However, from 1919 through 1939, these censuses were conducted every 2 years. The need for war-related current surveys in the early 1940's postponed the next census of manufactures until 1948 (for 1947). That census was again taken for 1954, 1958, 1963, and 1967.

Retail and wholesale trade data were first collected in 1930, and in 1933 information on selected service industries was added to the data-collection operation. These business censuses, as they were called, were again taken for 1935, 1939 (as part of the 1940 decennial program), 1948, 1954, 1958, 1963, and 1967.

Information on construction industries was first obtained in 1930 and again for 1935 and 1939. Data for the full spectrum of construction industries were not gathered again until 1968 (for 1967).

The need for transportation data to supplement information available from existing governmental or private sources was recognized by Congress in the late 1950's and early 1960's. The census of transportation (consisting of several surveys) was first taken for 1963 and again for 1967.

Since 1967, all of the above censuses have been taken quinquennially as part of the Census Bureau's economic census program. (For the 1977 censuses, the coverage of the service industries was broadened from "selected services" to all services, except religious organizations and private households. A total of 41 additional four-digit standard industrial classifications (SIC's) in 7 SIC major groups was added to the scope of the

census. While most of the industries included for the first time for 1977 were covered again for 1982, some were not, i.e., hospitals; elementary and secondary schools; colleges, universities, and professional schools; junior colleges and technical institutes; labor unions and similar labor organizations; and political organizations.)

The first manufacturing census for an outlying area was conducted in Puerto Rico for the year 1909. Thereafter, with the exception of 1929, a census was taken at 10-year intervals through 1949. The first censuses of retail trade, wholesale trade, and selected service industries in Puerto Rico were conducted for 1939. These censuses also were taken for the years 1949, 1954, 1958, 1963, and 1967. A census of construction industries was first introduced in Puerto Rico for 1967. These censuses of Puerto Rico have been taken since then for the years 1972, 1977, and 1982.

Censuses of manufactures, retail trade, wholesale trade, and selected service industries were conducted in Guam and the Virgin Islands of the United States for 1958, 1963, 1967, 1972, 1977, and 1982. Censuses of mineral industries were taken in the Virgin Islands of the United States for the years 1958, 1963, and 1967 but not since that time. A census of construction industries was also undertaken in these areas for 1972, 1977, and 1982.

Retail trade, wholesale trade, selected service industries, manufacturing, and construction industries were canvassed for the first time in the Northern Mariana Islands in 1983 (for 1982).

For 1982, the economic censuses and agriculture censuses were conducted concurrently.

#### **USES OF THE ECONOMIC CENSUSES**

The economic censuses are the major source for facts about the structure and functioning of the Nation's economy and provide essential information for government, business, industry, and the general public. They provide an important part of the framework for such composite measures as the gross national product, input-output measures, indexes of industrial production, and indexes measuring productivity and price levels. Information from the censuses is used to establish sampling frames and as benchmarks for current surveys of business activity, which are essential for measuring short-term economic conditions.

State and local governments use census data to assess business activities within their jurisdictions. The private sector uses the data to forecast general economic conditions; analyze sales performance; lay out sales territories; allocate funds for advertising; decide on locations for new plants, warehouses, or stores; and measure potential markets in terms of size, geographic areas, kinds of business, and kinds of products made or sold.

Following every census, thousands of businesses and other users purchase reports. Likewise, census facts are widely disseminated by trade associations, business journals, and newspapers. Volumes containing census statistics are available in most major public and college libraries. All 1982 data are

111

<sup>&#</sup>x27;Standard Industrial Classification Manual: 1972. For sale by Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402. Stock No. 041-001-00066-6. 1977 Supplement. Stock No. 003-005-00176-0.

available on microfiche from the U.S. Government Printing Office and most data on computer tape from the Census Bureau. Finally, the more than 50 State Data Centers also are suppliers of economic census statistics.

## AUTHORITY AND SCOPE OF THE ECONOMIC CENSUSES

The economic censuses are required by law under title 13 of the United States Code, sections 131, 191, and 224, which directs that they be taken at 5-year intervals for the years ending in 2 and 7. The 1982 Economic Censuses covered manufacturing, mining, construction industries, retail trade, wholesale trade, service industries, and selected transportation activities. Special programs also cover minority-owned and women-owned businesses. The next economic censuses are scheduled to be taken in 1988 for the year 1987.

#### **CENSUS OF TRANSPORTATION**

The 1982 Census of Transportation consists of three surveys:

- 1. Truck Inventory and Use (TIUS)
- 2. Selected Statistics for Transportation Industries<sup>2</sup>
- 3. Commodity Transportation<sup>3</sup>

These surveys were previously taken in 1967, 1972, and 1977.

#### TRUCK INVENTORY AND USE SURVEY

The Truck Inventory and Use Survey provides data on the physical and operational characteristics of the Nation's truck population. It is based on a probability sample of private and commercial trucks registered (or licensed) in the State during 1982.

Vehicles owned by Federal, State, and local governments, as well as ambulances, buses, and motor homes, were eliminated from the sample before questionnaires were mailed. Various other vehicles which were actually surveyed were subsequently classified as "out-of-scope": Trucks sold prior to 1982, farm tractors, unpowered trailer units, trucks reported to have been junked or wrecked prior to the registration year, etc.

Many States allow pickups and small vans and utility-type vehicles to be registered as cars or trucks; therefore, the passenger car files were searched and any such trucks were included in the sample universe. Some privately or commercially owned vehicles do not have to be licensed, such as "off-highway" trucks used exclusively on private property, and since they had no chance of being drawn in the sample, they are not covered in the survey.

#### TOTAL TRUCK INVENTORY

The estimated number of trucks that were within the scope of the TIUS and registered in the State as of July 1, 1982, was 1,004.1 thousand.

<sup>2</sup> The Selected Statistics for Transportation Industries Program will include some data formerly shown in the Nonregulated Motor Carriers and Public Warehousing Report.

<sup>3</sup> The Commodity Transportation Survey will cover the data year 1983.

This estimate serves as the benchmark to which the survey results were adjusted to produce the more detailed estimates contained in this report. It was developed through a review of the characteristics of each vehicle registered in the State.

Prior to 1977, Truck Inventory and Use Surveys were benchmarked to Federal Highway Administration (FHWA) totals of private and commercial truck registrations as reported in Highway Statistics, table MV-1. These FHWA estimates are based on calendar year summary reports from the individual States that reflect differences in truck definitions used by the States for vehicle registration.

The FHWA estimate of the number of private and commercial trucks registered in the State as of December 31, 1982, was 1,448.4 thousand.

#### **COMPARABILITY WITH PREVIOUS SURVEYS**

Although the basic purpose and scope of the previous Truck Inventory and Use Surveys were essentially identical to this one, some changes were introduced in 1982 that may affect all the data in this report or just specific items.

#### 1982 changes affecting all the data4:

- Stratification was based on body type rather than "small" vs. "large" trucks as in 1977. There were five strata: pickups; vans, panels and utilities; other single-unit trucks weighing less than 26,001 pounds; all other single-unit trucks; and truck tractors. See the section on sample design for an in-depth explanation of the stratification plan.
- 2. Two report forms were used: Form TC-9501 for pickups, panels, vans, and utility type vehicles if we could identify them specifically at the time of sampling. All other sampled vehicles received Form TC-9502. See appendix A for copies of the questionnaires. The difference in the two forms was that those questions which only pertained to heavy trucks were omitted from Form TC-9501.
- Calculation of the standard errors was changed to display relative standard errors in percent rather than the standard error in actual numbers.

#### 1982 changes affecting specific items:

- 1. Length of load space or capacity—Respondents were asked to report overall length of the vehicle instead of checking a box for load space or capacity.
- Axle arrangement of trailers—The pictures of trailer configurations were eliminated to remove any bias which they may have caused in 1977. For 1982, only descriptions of common number of axles for each trailer type were used.
- 3. What is the average weight of this vehicle as most often operated?—Respondents were asked to report average weight rather than maximum gross vehicle weight. Large trucks also were asked to report empty weight and maximum weight at which the vehicle operated.

<sup>&</sup>lt;sup>4</sup> See report forms TC-9501 and TC-9502 reproduced in appendix A for specific information requested for each truck in sample.

- 4. Classification of operator-Because of the Motor Carrier Act of 1980, several changes were made to this item to allow for new types of for-hire operations. We added a category of "mixed" to both the not-for-hire and for-hire operations. In addition, respondents were asked to give the percent (%) of mileage when their operations were mixed or more than one type. The final operator classification was determined in the computer edit using the value corresponding to the highest mileage.
- 5. Products carried-Instead of asking the respondents to select one specific type of product carried most of the time, we requested the percent of mileage for each product carried.

#### **EXPLANATION OF TERMS**

Vehicle size-This size classification is based on the gross vehicle weight (empty weight of the vehicle plus the average load carried) at which the vehicle operated during the past 12 months. The four size classes are:

- 1. Light-Gross vehicle weight of 10,000 pounds or less.
- 2. Medium-Gross vehicle weight of 10,001 to 19,500 pounds.
- 3. Light-heavy-Gross vehicle weight of 19,501 to 26,000 pounds.
- 4. Heavy-heavy-Gross vehicle weight of 26,001 pounds or more.

Operator classification-This item consists of two major sections, never for hire and always for hire:

- 1. Never for hire-Includes a private owner or a company which transports its own materials or merchandise, or uses the vehicle for personal transportation.
- 2. Always for hire-Includes the following:
  - a. Interstate, exempt carrier-Includes those operators who are not required to have an I.C.C. certificate because they transport only exempt commodities or operate in an exempt zone.
  - b. Interstate, I.C.C. certified contract carrier-Includes those operators who carry the goods of someone other than the vehicle owner by individual contract or agreement.
  - c. Interstate, I.C.C. certified common carrier-Includes those operators who offer service to the general public, usually operating a regularly scheduled service between established terminals over a more or less regular route.
  - d. Intrastate, local cartage-Includes those operators who travel only within the state of registration or are engaged in local cartage.
  - e. Daily rental-Includes those operators who offer shortterm truck rental or leasing without a driver.

Major use-This item is based on the answer to the question: How was the vehicle mostly used during the past 12 months? Each of the 12 specific major use categories conforms to the generally accepted meaning of the terms. Responses to the "Other" category were recoded to one of the specific categories

if possible. The following are frequent "Other" responses which were recoded:

- 1. House moving was recoded to "For-hire transportation."
- 2. Trucks used in conjunction with railroads were recoded to "For-hire transportation."
- 3. Armored car services were recoded to "Services,"
- 4. Commercial fishing was recoded to "Agriculture."
- 5. Oilfield services were recoded to "Mining and quarrying."
- 6. Certain specialized activities commonly thought of as services, such as plumbing, painting, plastering, carpentry, and electrical work, were recoded to "Construction."

U.S. mail service when done on a contract basis, antique trucks, and yard tractors were left in "Other."

The category "Not in Use" in the tables includes vehicles which, though licensed, were not used during the survey year, and those vehicles which were wrecked during the entire year.

Products carried-This item includes broad classifications of agricultural, manufacturing, and mineral products, as well as special categories of materials carried by trucks. Responses to the "Other" category were recoded to one of the 26 specific categories if possible. The following are frequent "Other" responses which were recoded:

- 1. Crews of workers and their tools were recoded to "Craftsman's vehicle."
- 2. Flowers, trees, shrubs, etc., were recoded to "Fresh farm products."
- 3. Animal by-products and sewage were recoded to "Scrap, refuse, or garbage."
- 4. Clay was recoded to "Mining products."
- 5. Auto parts (including tires) were recoded to "Transportation equipment and parts."

Rental equipment, water, and personnel were among the major categories left in "Other."

Hazardous materials-This category was designed to identify those trucks which regularly transport hazardous materials in quantities large enough to require a placard under the Code of Federal Regulations, Title 49, Transportation.

Truck fleet size—The size of the truck fleet is based on the number of trucks operated by a truck owner from a single "base of operation." The fleet located at the "base of operation" usually is smaller than the total fleet that an owner has if he operates from more than one base. The data shown in the "Truck Fleet Size" section of the tables are based on the number of trucks found in fleets of specified size and not the number of fleets. (If the item of the survey form was unanswered, the vehicle was assumed to be in a fleet of one, classified in accordance with the reported vehicle type.)

Range of Operation-The area in which the vehicle usually operates is classified as one of the following:

1. Local-Mostly in the local area, i.e., in or around the city and suburbs, or usually within a 50-mile radius of the

farm, factory, mine, or other place where the vehicle is stationed.

- 2. Short range—Mostly over-the-road (beyond the local area), usually within a 50- to 200-mile radius from the place where the vehicle is stationed.
- Long range—Mostly over-the-road, usually more than 200 miles one way to the most distant stop from the place where the vehicle is stationed.
- 4. Off-the-road—Mostly off-the-road operation (usually associated with construction and farming).

Body type—This category includes the type of body that is either permanently attached to the power unit (i.e., straight truck) or most frequently used with a truck tractor as a tractor-trailer combination. Entries in the "Other" category were recoded if possible to a specific category. Those vehicles remaining in the "Other" category included truck tractors used in house moving, mobile home pulling, and boat transport.

Annual miles—Respondents were asked to report the total number of miles the truck was driven during the past 12 months. If the vehicle had less than 1 year's use, the respondent was asked to estimate the probable miles for a full year. If there was no response to the item, the annual miles were estimated (based on lifetime miles, length of time the vehicle was owned, body type, area of operation, vehicle type, and fuel type).

#### SAMPLE DESIGN

The Truck Inventory and Use Survey (at the national level) was based on a stratified probability sample of about 120,000 trucks drawn from an estimated universe of approximately 35 million current registrations on file with the motor vehicle departments in the 50 States and the District of Columbia.

A stratified random sample based on body type was selected in each State. Each State was divided into five strata: "pickup," "van," "single-unit light," "single-unit heavy" and "truck tractor." The "pickup" truck stratum consisted of only pickup trucks. The "van" truck statum consisted of panel trucks, vans, utilities, jeeps, and station wagons on truck chassis. The "single-unit light" truck stratum consisted of all other single-unit trucks with a gross vehicle weight (GVW) of 26,000 pounds or less. The "single-unit heavy" truck stratum consisted of the remaining single-unit trucks. The "truck tractor" stratum consisted of only truck tractors.

Part of the sample (two-thirds) was allocated to meet "minimum" standards of reliability for each stratum in each State. For the "pickup" stratum, a minimum sample size was determined for each State based on the percentage of pickups in that State (the pickup strata usually contains 40 to 75 percent of the trucks in a State). Larger minimum sample sizes were specified for States with a larger percentage of trucks in the "pickup" stratum to decrease the domination of the variances by the "pickup" stratum in these States. For the remaining strata, a constant minimum sample size in each State was set as follows: 60 trucks for the "van" stratum, 700 (except 400 in the District of Columbia) trucks for the "single-unit light" stratum, 250 (except 100 in District of Columbia) trucks for the "single-unit heavy" stratum, and 400 (except 250 in Alabama, Hawaii, Idaho, Maine, Montana, Nevada, New Hampshire, Minnesota, North Dakota, New York, Rhode Island, Vermont, and 25 in the District of Columbia) trucks for the "truck tractor" stratum.

The rest of the sample was allocated to the strata proportionately to the number of trucks in the State to improve the U.S. estimates. The number of total trucks sampled in each State ranged from 1,462 for Rhode Island to 5,016 for California (except 658 for District of Columbia), the mean being 2,352 trucks per State.

#### **SURVEY METHOD**

Report form TC-9501 was mailed to owners of trucks in the pickups and vans strata while report form TC-9502 was mailed to owners of all other trucks selected for the 1982 TIUS sample. The owner was asked to respond only for the vehicle identified by license number in the Registration Information Section of the report form, whether or not he or she was still the owner. These data (make, model year, license number vehicle identification number) were imprinted on the form using information from the State registration records. The information received on the returned questionnaires was data keyed and processed through an extensive computer edit. Reports which contained questionable responses were referred and corrected if necessary. Estimates of the number of trucks with each characteristic were obtained by expanding the sampled units to the State truck population level.

#### **RELIABILITY OF ESTIMATES**

There are two reasons why the estimates based on data from a sample will vary from the unknown population value: Sampling variability and nonsampling error. The accuracy of a survey result depends not only on the sampling variability and nonsampling errors measured, but also on the nonsampling errors not explicitly measured. The following is a description of the sampling variability and nonsampling errors associated with the estimates made from the sample selected for the 1982 TIUS.

Sampling variability—The particular sample selected in this survey is only one of a large number of similar samples of the same size which could have been selected using the same sample design. If all possible samples had been surveyed, under essentially the same conditions, an estimate of an unknown population characteristic or value could have been obtained from each. The different samples give rise to a whole range of estimates for the unknown population value. A statistical measure of the variability among these estimates is the standard deviation, which can be approximated from any one sample.

Sampling variability in these tables is given as the percent relative standard error of estimate (RSE). The RSE is the standard deviation divided by the estimate, and this is converted to percent RSE by multiplying by 100. Except for table 2, the RSE's (in percent) are given only for the top row of estimates and the left column of estimates. The procedure for approximating the RSE's (in percent) for the other estimates is covered in appendix B.

The estimate from a particular sample and the approximation of the standard deviation associated with the estimate can be used to construct interval estimates called confidence intervals. A confidence interval is an expression of how well an estimate from a particular sample represents an unknown population value. Associated with each interval is a percentage of confidence (most commonly 68, 90, or 95 percent), which is interpreted as follows. If, for each possible sample, an estimate of

an unknown population value and the approximate standard deviation were obtained, then:

- 1. For approximately 68 percent of the possible samples, the interval from one standard deviation below to one standard deviation above the estimate would include the unknown population value. We call this a 68-percent confidence interval.
- 2. For approximately 90 percent of the possible samples, the interval from 1.6 standard deviations below to 1.6 standard deviations above the estimate would include the unknown population value. We call this a 90-percent confidence interval.
- 3. For approximately 95 percent of the possible samples, the interval from two standard deviations below to two standard deviations above the estimate would include the unknown population value. We call this a 95-percent confidence interval.

#### Example of a confidence interval calculation:

Assume the number of furniture vans in table 2 is given as 117.4 thousand trucks with a relative standard error of 6.1 percent. Then the standard deviation is:

#### $117.4 \times .061 = 7.16$ thousand trucks

Now, an approximate 90 percent confidence interval (the estimate, plus or minus 1.6 standard deviations) is 117.4 plus or minus 11.5, or 105.9 to 128.9 thousand trucks.

Nonsampling errors-All surveys and censuses are subject to nonsampling errors. Nonsampling errors can be attributed to many sources—The inability to obtain responses from all cases in the sample, the inability or unwillingness on the part of respondents to provide correct information, imputation for item nonresponse, response errors and bias, misinterpretation of questions, mistakes in recording or keying data, errors of collection or processing, and coverage problems because of differing registration practices and implementation in some of the States.

Explicit measures of the effects of these nonsampling errors are not available. However, most of the important operational and response errors were detected and corrected through an automated data edit designed to review the data for reasonableness and consistency and an intensive telephone followup. Quality control techniques were used to verify that operating procedures were carried out as specified.

Nearly all types of nonsampling errors that affect this survey would also occur in a complete census. Since surveys are conducted on a smaller scale than censuses, nonsampling errors can be controlled more tightly. Relatively more funds and effort can be expended toward eliciting responses, detecting and correcting response errors, and reducing processing errors. As a result, survey results can often be more accurate than census results.


Ninety percent of the questionnaires were returned, with an item nonresponse rate of not more than one percent for most of the major questions. For most estimates in these tables, total nonresponse is handled by allocating the unreturned questionnaires in proportion to the responses. For most categories in the tables, the item nonresponse (respondents not answering the item on the questionnaires) is shown on a separate line. For example, respondents who did not indicate the major use of their truck(s) are included in the "not reported" category. The number given represents the number of trucks not allocated to a particular major use. Users should exercise caution in allocating these trucks to the major uses, since the characteristics of item nonrespondents may differ significantly from those of the respondents.

For some questions, a response was generated to complete a blank on the questionnaire. Engine characteristics and body characteristics were frequently determined through analysis of the vehicle identification number (VIN) and charts based on manufacturer's specifications. All missing annual miles data were imputed based on information available about the truck's lifetime miles, its age, its vehicle type, its number of axles, its engine type, its area of operation, and its major use. Any biases introduced by the imputation and correction procedures are thought to be small.

#### ABBREVIATIONS AND SYMBOLS

The following abbreviations and symbols are used in this publication:

- Represents zero.
- (NA) Not available.
- (S) Withheld because estimate did not meet publication standards on the basis of either the response rate, associated standard error, or a consistency review.
- (Z) Represents less than 50 trucks, or 500,000 miles, or .05 percent, as appropriate for the data column.
- RSE Relative standard error.



## Florida

## CONTENTS

[Page numbers listed here omit the prefix that appears as part of the number of each page]

| TA                               | ABLES  |                          |
|----------------------------------|--|--------------------------|
| 2.<br>3.<br>4.<br>5.<br>6.<br>7. | Trucks, Truck Miles, and Average Annual Miles: 1982  Trucks by Major Use: 1982  Trucks by Vehicle Size: 1982  Trucks by Annual Mileage Class: 1982 | 3<br>8<br>18<br>23<br>28 |
| ΑF                               | PPENDIXES  |                          |
| A.<br>B.                         | Survey Forms   | A-1<br>B-1               |

#### Table 1. Trucks-Comparative Summary: 1982 and Earlier Years

[ Percent. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Vehicular and operational characteristics   | 1982                                | 1977                                | 1972                                | 1967  | Vehicular and operational characteristics  | 1982  | 1977   | 1972   | 1967   |
|---|-------------------------------------|-------------------------------------|-------------------------------------|---|--|---|--|--|--|
| Total   | 100.0                               | 100.0                               | 100.0                               | 100.0   | YEAR MODEL   |   |  |  |  |
| MAJOR USE   |                                     |                                     |                                     |   | 1 to 2 years old<br>3 to 4 years old<br>Over 4 years old   | 11.0<br>22.7<br>66.4                          | 14.3<br>16.7<br>68.9                           | 20.1<br>22.0<br>57.8                           | 23.3<br>21.1<br>55.6                               |
| Agriculture   | 8.0<br>.2<br>.1<br>14.8<br>.9       | 9.3<br>.8<br>.3<br>9.5              | 10.2<br>1.6<br>(Z)<br>11.7<br>2.0   | 13.1<br>1.1<br>(Z)<br>13.6<br>2.3                             | VEHICLE ACQUISITION  |   |  |  |  |
| Wholesale and retail trade For-hire transportation Utilities and service Personal transportation      | 7.3<br>1.6<br>12.3<br>53.8          | 10.5<br>3.0<br>11.9<br>52.1         | 13.6<br>4.1<br>14.1<br>40.8         | 17.5<br>4.3<br>10.1   | Purchased new  | 52.9<br>46.2<br>1.0                           | 51.7<br>45.6<br>2.7                            | 59.0<br>40.1<br>.9                             | 59.8<br>38.9<br>1.3                                |
| Other   | 1.0                                 | 1.5                                 | 2.1                                 | 31.9<br>6.1   | 1  | 70.0  | 60.0   | 50.4   | 40.0   |
| BODY TYPE   |                                     |                                     |                                     |   | 2 to 5   | 76.9<br>9.3<br>6.0<br>7.8<br>(Z)              | 69.2<br>14.0<br>8.8<br>7.9<br>(Z)              | 59.4<br>17.2<br>10.8<br>12.6<br>(Z)            | 46.9<br>18.8<br>13.6<br>11.7<br>9.0                |
| Pickup, panel, multistop, or walk-in¹<br>Platform and cattlerack<br>Van<br>Utility<br>Pole or logging | 88.7<br>3.3<br>3.0<br>.8<br>.1      | 85.3<br>4.7<br>4.5<br>1.1<br>(Z)    | 73.7<br>9.2<br>9.2<br>(Z)<br>(Z)    | 72.4<br>10.6<br>7.7<br>(Z)<br>(Z)                             | TRUCK TYPE4  | , ,   |  |  |  |
| Dump Tank for liquids or dry bulk Other  VEHICLE SIZE   | 1.8<br>.5<br>1.8                    | 1.3<br>1.0<br>1.9                   | 2.0<br>1.4<br>4.4                   | 2.0<br>1.8<br>5.5   | Single-unit trucks 2 axles 3 or more axles Combination 3 axles 4 axles 5 or more axles               | 95.1<br>94.2<br>.9<br>4.9<br>.6<br>2.5<br>1.8 | 95.8<br>94.6<br>1.2<br>4.1<br>.1<br>2.0<br>2.0 | 94.6<br>91.7<br>2.9<br>5.4<br>.5<br>2.8<br>2.1 | 78.7<br>66.8<br>11.9<br>21.3<br>2.9<br>11.2<br>7.2 |
| Light Light   | 01.4                                | 86.3                                | 68.3                                | 74.0  | RANGE OF OPERATION <sup>4</sup>  |   |  |  |  |
| Mědium<br>Light-heavy<br>Heavy-heavy  | 91.4<br>3.6<br>1.6<br>3.5           | 4.6<br>3.4<br>5.7                   | 21.4<br>3.1<br>7.2                  | 74.8<br>11.9<br>4.8<br>8.5                                    | Local Short-range (Less than 201 miles) Long-range (201 miles or more) Off-the-road and not reported | 82.1<br>7.3<br>4.5<br>6.1                     | 85.3<br>6.9<br>3.0<br>4.8                      | 80.2<br>8.2<br>3.0<br>8.6                      | 72.0<br>15.8<br>8.7<br>3.5                         |
| ANNUAL MILES <sup>2</sup>   |                                     |                                     |                                     |   | FUEL TYPE4   |   |  |  |  |
| Less than 5,000<br>5,000 to 9,999<br>10,000 to 19,999<br>20,000 to 29,999<br>30,000 miles or more     | 18.0<br>25.8<br>38.6<br>11.5<br>6.1 | 14.1<br>24.2<br>40.7<br>12.0<br>9.1 | 16.9<br>27.7<br>35.6<br>10.4<br>9.4 | <sup>3</sup> (NA)<br><sup>3</sup> (NA)<br>36.2<br>11.1<br>9.0 | Gasoline<br>Diesel and LPG<br>Not reported   | 94.0<br>6.0<br>(Z)                            | 94.7<br>5.3<br>(Z)                             | 86.2<br>6.1<br>7.7                             | 81.1<br>16.5<br>2.4                                |

<sup>&</sup>lt;sup>1</sup>Vans similar to panel trucks are included in pickup, panel, multistop, or walk-in.

<sup>2</sup>Annual miles were imputed if not reported.

<sup>3</sup>For 1967 survey, data were presented for 'Less than 6,000 miles' (22.4 percent) and '6,000 to 9,999 miles' (21.3 percent).

<sup>4</sup>For 1967, data do not include panels and pickups.

| [ Data relate to State of registration. Detail may not add to   | rounding. For  | meaning of abbre  | eviations and syn                                   | nbols, see introd                                  | uctory text]  |   |   |   |  |   |   |  |
|---|--|---|---|--|---|---|---|---|--|---|---|--|
|   | Truc   | ks and truck mi   | les¹  | pickup   | nd truck miles, e<br>s, panels, utilitie<br>station wagons <sup>1</sup> |   | Rela                                    | ative st                                | andard                                 | error                                   | of estin                                | nate                                   |
| Vehicular and operational characteristics   | Trucks<br>(thousands)                                    | Truck miles (millions)  | Average miles<br>per truck<br>(thousands)           | Trucks<br>(thousands)                              | Truck miles (millions)  | Average miles<br>per truck<br>(thousands)           |   | (pei                                    | rcent) f                               | or colu                                 | mn—                                     |  |
|   | А  | В   | С   | D  | E   | F   | Α                                       | В                                       | C                                      | D                                       | Е                                       | F                                      |
| Total trucks  | 1,004.1  | 12,752.8  | 12.7  | 121.8  | 2,435.4   | 20.0  | (Z)                                     | 5                                       | 5                                      | 5                                       | 3                                       | 4                                      |
| MAJOR USE   |  |   |   |  |   |   |   |   |  |   |   |  |
| Agriculture Forestry and lumbering Mining and quarrying Construction. Manufacturing                               | 80.0<br>1.6<br>.6<br>148.8<br>9.3                        | 988.7<br>58.1<br>14.9<br>2,234.8<br>255.2                             | 12.4<br>37.0<br>24.0<br>15.0<br>27.5                | 10.2<br>1.6<br>.6<br>33.7<br>5.2                   | 171.8<br>58.1<br>14.9<br>419.7<br>153.3                                 | 16.9<br>37.0<br>24.0<br>12.5<br>29.4                | 20<br>21<br>36<br>14<br>44              | 22<br>24<br>40<br>17<br>41              | 10<br>18<br>34<br>10<br>8              | 9<br>21<br>36<br>13<br>12               | 12<br>24<br>40<br>7<br>15               | 10<br>18<br>34<br>13<br>12             |
| Wholesale trade   | 37.7<br>35.8<br>13.0<br>26.4<br>97.8                     | 934.1<br>604.4<br>674.2<br>241.5<br>1,445.6                           | 24.8<br>16.9<br>52.1<br>9.1<br>14.8                 | 17.4<br>11.2<br>12.6<br>9.8<br>11.7                | 397.1<br>231.8<br>688.8<br>88.9<br>145.5                                | 22.8<br>20.7<br>53.0<br>9.0<br>12.4                 | 24<br>28<br>6<br>34<br>18               | 41<br>29<br>7<br>35<br>22               | 32<br>14<br>5<br>13                    | 7<br>9<br>6<br>42<br>9                  | 8<br>11<br>7<br>38<br>12                | 6<br>8<br>5<br>8<br>9                  |
| Daily rental<br>Personal transportation<br>Other  | 3.1<br>539.9<br>(Z)                                      | 70.0<br>5,231.1<br>(Z)  | 22.7<br>9.7   | 3.1<br>2.8<br>(Z)<br>1.8                           | 70.0<br>15.3<br>(Z)   | 22.7<br>5.6   | 17<br>5<br>(Z)<br>55                    | 19<br>9                                 | 15<br>7<br>(Z)<br>101                  | 17<br>19<br>(Z)<br>22                   | 19<br>22<br>(Z)<br>86                   | 15<br>11<br>(Z)<br>82                  |
| Not in useNot reported  | 10.4<br>(Z)  | .3<br>(Z)   | (Z)<br>(Z)<br>(Z)                                   | (Z)  | .3<br>(Z)   | (Z)<br>.2<br>(Z)                                    | (Z)                                     | (Z)<br>86<br>(Z)                        | (Z)                                    | (Z)                                     | (Z)                                     | (Z)                                    |
| BODY TYPE   |  |   |   |  |   |   |   |   |  |   |   |  |
| Pickup  | 573.8<br>231.6<br>48.8<br>28.2<br>8.7                    | 6,448.8<br>3,099.8<br>454.6<br>314.1<br>114.1                         | 11.2<br>13.4<br>9.3<br>11.1<br>13.2                 | (Z)<br>(Z)<br>(Z)<br>(Z)<br>8.7                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>114.1                                       | (Z)<br>(Z)<br>(Z)<br>(Z)<br>13.2                    | 1<br>7<br>27<br>36<br>11                | 7<br>14<br>36<br>38<br>14               | 7<br>12<br>23<br>13<br>9               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>11          | (Z)<br>(Z)<br>(Z)<br>(Z)<br>14          | (Z)<br>(X)<br>(X)<br>(X)<br>9          |
| Platform with added devices   | 6.1<br>2.1<br>24.4<br>.5<br>.7                           | 74.9<br>49.0<br>365.6<br>19.0<br>9.7                                  | 12.2<br>23.9<br>15.0<br>36.3<br>14.3                | 6.1<br>2.1<br>24.4<br>.5<br>.7                     | 74.9<br>49.0<br>365.6<br>19.0<br>9.7                                    | 12.2<br>23.9<br>15.0<br>36.3<br>14.3                | 12<br>16<br>6<br>40<br>36               | 16<br>21<br>8<br>47<br>54               | 11<br>15<br>7<br>39<br>51              | 12<br>16<br>6<br>40<br>36               | 16<br>21<br>8<br>47<br>54               | 11<br>15<br>7<br>39<br>51              |
| Insulated refrigerated van  | 7.1<br>2.1<br>.4<br>19.5<br>3.1                          | 316.3<br>78.5<br>16.9<br>521.3<br>47.9                                | 44.5<br>37.9<br>44.2<br>26.8<br>15.4                | 7.1<br>2.1<br>.4<br>19.5<br>3.1                    | 316.3<br>78.5<br>16.9<br>521.3<br>47.9                                  | 44.5<br>37.9<br>44.2<br>26.8<br>15.4                | 9<br>19<br>35<br>6<br>15                | 10<br>21<br>44<br>8<br>19               | 8<br>17<br>27<br>6<br>10               | 9<br>19<br>35<br>6<br>15                | 10<br>21<br>44<br>8<br>19               | 8<br>17<br>27<br>6<br>10               |
| Public utility  | 8.0<br>1.1<br>2.9<br>1.1                                 | 68.0<br>7.9<br>29.5<br>48.5<br>36.6                                   | 8.5<br>7.1<br>10.3<br>43.7<br>48.4                  | 8.0<br>1.1<br>2.9<br>1.1                           | 68.0<br>7.9<br>29.5<br>48.5<br>36.6                                     | 8.5<br>7.1<br>10.3<br>43.7<br>48.4                  | 52<br>28<br>18<br>25<br>31              | 49<br>41<br>24<br>26<br>32              | 7<br>35<br>15<br>17<br>22              | 52<br>28<br>18<br>25<br>31              | 49<br>41<br>24<br>26<br>32              | 7<br>35<br>15<br>17<br>22              |
| Service truck Yard tractor Olifield truck Cargo container chassis Grain body                                      | 4.9<br>.2<br>.3<br>.6                                    | 72.6<br>2.4<br>9.3<br>17.0<br>10.2                                    | 14.9<br>12.8<br>36.3<br>28.7<br>28.2                | 4.9<br>.2<br>.3<br>.6                              | 72.6<br>2.4<br>9.3<br>17.0<br>10.2                                      | 14.9<br>12.8<br>36.3<br>28.7<br>28.2                | 14<br>49<br>54<br>31<br>48              | 19<br>58<br>57<br>34<br>55              | 13<br>31<br>28<br>20<br>50             | 14<br>49<br>54<br>31<br>48              | 19<br>58<br>57<br>34<br>55              | 13<br>31<br>28<br>20<br>50             |
| Garbage hauler  | 1.0<br>17.6<br>4.7<br>.5<br>2.0<br>1.2<br>(Z)            | 20.6<br>257.5<br>170.8<br>19.8<br>25.8<br>25.7<br>(Z)                 | 20.5<br>14.6<br>36.0<br>36.3<br>12.8<br>21.7<br>(Z) | 1.0<br>17.6<br>4.7<br>.5<br>2.0<br>1.2<br>(Z)      | 20.6<br>257.5<br>170.8<br>19.8<br>25.8<br>25.7<br>(Z)                   | 20.5<br>14.6<br>36.0<br>36.3<br>12.8<br>21.7<br>(Z) | 25<br>24<br>13<br>33<br>16<br>29<br>(Z) | 25<br>10<br>15<br>38<br>18<br>37<br>(Z) | 11<br>24<br>12<br>26<br>9<br>29<br>(Z) | 25<br>24<br>13<br>33<br>16<br>29<br>(Z) | 25<br>10<br>15<br>38<br>18<br>37<br>(Z) | 11<br>24<br>12<br>26<br>9<br>29<br>(Z) |
| ANNUAL MILES <sup>1</sup>   |  |   |   |  |   |   |   |   |  |   |   |  |
| Less than 5,000 5,000 to 9,999 10,000 to 19,999 20,000 to 29,999 30,000 to 49,999 50,000 to 74,999 75,000 or more | 180.8<br>259.4<br>387.1<br>115.9<br>35.5<br>13.9<br>11.5 | 355.2<br>1,744.6<br>4,977.7<br>2,577.6<br>1,186.7<br>780.1<br>1,130.9 | 2.0<br>6.7<br>12.9<br>22.2<br>33.4<br>56.1<br>98.0  | 26.8<br>25.6<br>31.3<br>13.9<br>10.9<br>5.7<br>7.5 | 52.3<br>179.3<br>401.4<br>313.3<br>388.7<br>332.0<br>768.5              | 2.0<br>7.0<br>12.8<br>22.5<br>35.7<br>57.7<br>102.4 | 13<br>10<br>7<br>16<br>28<br>42<br>35   | 16<br>11<br>8<br>17<br>27<br>41<br>32   | 10<br>3<br>2<br>2<br>2<br>4<br>3       | 16<br>17<br>5<br>7<br>8<br>9            | 7<br>19<br>5<br>7<br>8<br>9<br>7        | 14<br>3<br>1<br>1<br>1<br>1<br>2       |
| RANGE OF OPERATION  |  |   |   |  |   |   |   |   |  |   |   |  |
| Local Short-range (Less than 201 miles) Long-range (201 miles or more) Off-the-road Not reported                  | 824.2<br>73.6<br>45.3<br>49.4<br>11.7                    | 9,454.5<br>1,850.0<br>1,003.2<br>415.6<br>29.4                        | 11.5<br>25.1<br>22.2<br>8.4<br>2.5                  | 85.7<br>16.0<br>8.7<br>8.2<br>3.1                  | 1,166.0<br>602.7<br>564.0<br>73.3<br>29.4                               | 13.6<br>37.7<br>64.6<br>9.0<br>9.4                  | 3<br>20<br>26<br>26<br>49               | 5<br>26<br>16<br>33<br>25               | 5<br>20<br>14<br>22<br>54              | 7<br>6<br>8<br>10<br>16                 | 5<br>7<br>8<br>14<br>25                 | 6<br>5<br>6<br>11<br>21                |
| BASE OF OPERATION   |  |   |   |  |   |   |   |   |  |   |   |  |
| Percentage of miles traveled outside base-of-operation State: Less than 25 percent                                | 750.0<br>35.3<br>41.3<br>30.8<br>146.7                   | 8,657.8<br>557.4<br>897.3<br>656.3<br>1,983.9                         | 11.5<br>15.8<br>21.7<br>21.3<br>13.5                | 93.8<br>2.7<br>4.5<br>6.4<br>14.4                  | 1,510.3<br>102.1<br>235.4<br>352.7<br>234.9                             | 16.1<br>38.3<br>52.2<br>55.1<br>16.3                | 4<br>32<br>29<br>32<br>15               | 7<br>30<br>30<br>22<br>19               | 6<br>11<br>18<br>17<br>12              | 6<br>17<br>12<br>10<br>8                | 4<br>19<br>13<br>11<br>10               | 6<br>16<br>9<br>8<br>8                 |
| VEHICLE SIZE  |  |   |   |  |   |   |   |   |  |   |   |  |
| Light   | 917.6<br>35.7<br>16.1<br>34.7                            | 10,686.0<br>389.9<br>238.9<br>1,437.9                                 | 11.6<br>10.9<br>14.8<br>41.4                        | 47.4<br>23.5<br>16.1<br>34.7                       | 458.2<br>300.4<br>238.9<br>1,437.9                                      | 9.7<br>12.8<br>14.8<br>41.4                         | 1<br>20<br>7<br>2                       | 6<br>16<br>9<br>3                       | 6<br>10<br>6<br>3                      | 13<br>6<br>7<br>2                       | 9<br>8<br>9<br>3                        | 9<br>6<br>6<br>3                       |

[ Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|  | Truc  | ks and truck mi                                     | les¹  | Trucks and truck miles, excluding<br>pickups, panels, utilities, and<br>station wagons <sup>1</sup> |   |   |   | ative st                                | andard                                   | l error                                 | of estin                                | mate                                     |
|--|---|---|---|---|---|---|---|---|--|---|---|--|
| Vehicular and operational characteristics  | Trucks<br>(thousands)                       | Truck miles (millions)                              | Average miles<br>per truck<br>(thousands)           | Trucks<br>(thousands)   | Truck miles (millions)                            | Average miles<br>per truck<br>(thousands)           | 1101                                    |   |  | ior coiu                                |   | ilato                                    |
|  | Α   | В   | С   | D   | E   | F   | Α                                       | В                                       | С  | D                                       | Е                                       | F  |
| AVERAGE WEIGHT (POUNDS)  |   |   |   |   |   |   |   |   |  |   |   |  |
| Less than 6,001  | 837.1<br>80.5<br>19.1<br>9.3<br>7.2         | 9,479.5<br>1,206.6<br>174.5<br>111.8<br>103.5       | 11.3<br>15.0<br>9.1<br>12.0<br>14.3                 | 17.1<br>30.3<br>11.0<br>5.2<br>7.2  | 149.6<br>308.6<br>125.8<br>71.1<br>103.5          | 8.8<br>10.2<br>11.4<br>13.6<br>14.3                 | 2<br>18<br>30<br>44<br>11               | 6<br>33<br>24<br>38<br>14               | 5<br>26<br>16<br>11<br>9                 | 25<br>14<br>9<br>14<br>11               | 12<br>13<br>13<br>18<br>14              | 25<br>5<br>9<br>12<br>9                  |
| 19,501 to 26,000   | 16.0<br>6.3<br>3.7<br>4.5<br>4.1            | 238.3<br>99.3<br>90.8<br>169.3<br>138.0             | 14.8<br>15.8<br>24.4<br>37.7<br>33.3                | 16.0<br>6.3<br>3.7<br>4.5<br>4.1  | 238.3<br>99.3<br>90.8<br>169.3<br>138.0           | 14.8<br>15.8<br>24.4<br>37.7<br>33.3                | 7<br>10<br>11<br>10<br>11               | 9<br>15<br>17<br>14<br>13               | 6<br>11<br>13<br>11<br>9                 | 7<br>10<br>11<br>10<br>11               | 9<br>15<br>17<br>14<br>13               | 6<br>11<br>13<br>11<br>9                 |
| 60,001 to 80,000   | 15.7<br>.3<br>.1<br>(Z)<br>(Z)              | 923.0<br>13.3<br>3.6<br>1.4<br>(Z)                  | 58.8<br>44.3<br>37.5<br>30.0<br>(Z)                 | 15.7<br>.3<br>.1<br>(Z)<br>(Z)  | 923.0<br>13.3<br>3.6<br>1.4<br>(Z)                | 58.8<br>44.3<br>37.5<br>30.0<br>(Z)                 | 4<br>48<br>70<br>99<br>(Z)              | 5<br>50<br>70<br>99<br>(Z)              | 4<br>40<br>5<br>(Z)<br>(Z)               | 4<br>48<br>70<br>99<br>(Z)              | 5<br>50<br>70<br>99<br>(Z)              | 4<br>40<br>5<br>(X)<br>(X)               |
| TOTAL LENGTH (FEET)  |   |   |   |   |   |   |   |   |  |   |   |  |
| Less than 7.0  | (Z)<br>(Z)<br>74.9<br>237.2<br>551.9        | (Z)<br>(Z)<br>613.5<br>2,971.3<br>6,326.8           | (Z)<br>(Z)<br>8.2<br>12.5<br>11.5                   | (Z)<br>(Z)<br>1.0<br>4.9<br>37.3  | (Z)<br>(Z)<br>12.3<br>58.5<br>374.7               | (Z)<br>(Z)<br>12.6<br>11.9<br>10.1                  | (Z)<br>(Z)<br>22<br>11<br>5             | (Z)<br>30<br>15<br>9                    | (Z)<br>(Z)<br>21<br>10<br>8              | (Z)<br>33<br>14<br>16                   | (Z)<br>(Z)<br>45<br>20<br>11            | (Z)<br>(Z)<br>31<br>14<br>12             |
| 20.0 to 27.9   | 78.7<br>33.4<br>6.9<br>1.7<br>19.4<br>(Z)   | 1,183.5<br>425.7<br>111.9<br>33.8<br>1,086.3<br>(Z) | 15.0<br>12.7<br>16.3<br>19.7<br>56.1<br>(Z)         | 41.6<br>13.2<br>2.8<br>1.7<br>19.4<br>(Z)   | 567.8<br>226.9<br>75.3<br>33.8<br>1,086.3<br>(Z)  | 13.7<br>17.2<br>27.0<br>19.7<br>56.1<br>(Z)         | 15<br>27<br>60<br>20<br>3<br>(Z)        | 20<br>24<br>36<br>25<br>4<br>(Z)        | 10<br>13<br>29<br>18<br>4<br>(Z)         | 4<br>7<br>15<br>20<br>3<br>(Z)          | 5<br>10<br>22<br>25<br>4<br>(Z)         | 4<br>7<br>19<br>18<br>4<br>(Z)           |
| YEAR MODEL   |   |   |   |   |   |   |   |   |  |   |   |  |
| 1983   | 4.1<br>49.7<br>56.2<br>94.2<br>133.4        | 93.7<br>833.1<br>1,030.5<br>1,591.3<br>2,156.9      | 23.0<br>16.7<br>18.3<br>16.9<br>16.2                | (Z)<br>4.9<br>7.4<br>8.7<br>11.5  | (Z)<br>210.3<br>202.7<br>283.5<br>297.9           | (Z)<br>42.7<br>27.5<br>32.6<br>26.0                 | 100<br>26<br>24<br>19<br>15             | 100<br>25<br>24<br>21<br>21             | (Z)<br>12<br>9<br>13<br>16               | (Z)<br>12<br>10<br>9<br>8               | (Z)<br>14<br>12<br>11<br>10             | (Z)<br>10<br>8<br>9<br>7                 |
| 1978   | 124.1<br>105.7<br>64.9<br>37.9<br>80.0      | 2,040.1<br>1,342.4<br>762.8<br>393.4<br>788.6       | 16.4<br>12.7<br>11.8<br>10.4<br>9.9                 | 10.1<br>7.7<br>3.6<br>4.9<br>10.5   | 277.4<br>209.8<br>95.8<br>102.2<br>190.3          | 27.5<br>27.2<br>26.5<br>20.8<br>18.2                | 16<br>18<br>24<br>30<br>20              | 20<br>19<br>25<br>28<br>22              | 12<br>11<br>13<br>13                     | 9<br>10<br>15<br>13                     | 10<br>12<br>19<br>17<br>17              | 7<br>9<br>15<br><b>1</b> 4               |
| 1973   | 48.2<br>205.8<br>(Z)                        | 400.4<br>1,319.7<br>(Z)                             | 8.3<br>6.4<br>(Z)                                   | 10.6<br>42.0<br>(Z)   | 145.1<br>420.4<br>(Z)                             | 13.7<br>10.0<br>(Z)                                 | 25<br>11<br>(Z)                         | 25<br>13<br>(Z)                         | 16<br>9<br>(Z)                           | 9<br>14<br>(Z)                          | 12<br>10<br>(Z)                         | 10<br>11<br>(Z)                          |
| Purchased new  | 531.0<br>463.4<br>3.1<br>6.6                | 7,486.7<br>5,127.1<br>75.3<br>63.6                  | 14.1<br>11.1<br>24.1<br>9.7                         | 65.9<br>50.7<br>3.1<br>2.0  | 1,548.7<br>767.2<br>75.3<br>44.2                  | 23.5<br>15.1<br>24.1<br>22.0                        | 6<br>7<br>17<br>62                      | 8<br>10<br>22<br>34                     | 6<br>8<br>16<br>41                       | 7<br>9<br>17<br>21                      | 4<br>5<br>22<br>32                      | 5<br>9<br>16<br>28                       |
| LEASE CHARACTERISTICS <sup>2</sup>   |   |   |   |   |   |   |   |   |  |   |   |  |
| Leased without driver  | 3.0<br>(Z)<br>(Z)<br>2.9<br>2.1<br>.2<br>.6 | 72.8<br>(Z)<br>2.2<br>72.3<br>38.7<br>8.5<br>25.1   | 24.1<br>(Z)<br>45.0<br>24.9<br>18.1<br>41.6<br>44.0 | 3.0<br>(Z)<br>(Z)<br>2.9<br>2.1<br>.2<br>.6   | 72.8<br>(Z)<br>2.2<br>72.3<br>38.7<br>8.5<br>25.1 | 24.1<br>(Z)<br>45.0<br>24.9<br>18.1<br>41.6<br>44.0 | 17<br>(Z)<br>99<br>17<br>21<br>62<br>38 | 22<br>(Z)<br>99<br>22<br>28<br>71<br>41 | 17<br>(Z)<br>(Z)<br>17<br>20<br>58<br>31 | 17<br>(Z)<br>99<br>17<br>21<br>62<br>38 | 22<br>(Z)<br>99<br>22<br>28<br>71<br>41 | 17<br>(Z)<br>(Z)<br>17<br>20<br>58<br>31 |
| OPERATOR CLASSIFICATION  |   |   |   |   |   |   |   |   |  |   |   |  |
| Not for hire: Private owner or individual For hire Motor camer Owner-operator Daily rental Mixed—for hire/not for hire | 988.0<br>16.1<br>8.2<br>4.8<br>3.1<br>(Z)   | 12,006.6<br>746.2<br>452.8<br>223.4<br>70.0<br>(Z)  | 46.4<br>22.7<br>(Z)                                 | 106.0<br>15.8<br>8.1<br>4.6<br>3.1<br>(Z)   | 1,694.8<br>740.7<br>448.3<br>222.4<br>70.0<br>(Z) | 16.0<br>46.8<br>55.2<br>48.4<br>22.7<br>(Z)         | (Z)<br>6<br>8<br>11<br>17<br>(Z)<br>8   | 5<br>6<br>9<br>12<br>19<br>(Z)          | 5<br>5<br>7<br>8<br>15<br>(Z)            | 6<br>6<br>8<br>11<br>17<br>(Z)          | 4<br>6<br>9<br>12<br>19<br>(Z)          | 5<br>5<br>7<br>8<br>15<br>(Z)            |
| For-hire interstate Exempt camer Contract carrier Common carrier Common carrier For-hire intrastate For-hire local     | 6.5<br>3.0<br>2.8<br>7.3<br>2.4<br>6.0      | 472.5<br>104.6<br>104.4<br>401.6<br>125.5<br>116.9  | 37.7<br>54.7<br>52.1                                | 6.4<br>3.0<br>2.7<br>7.2<br>2.4<br>5.7  | 467.9<br>104.6<br>99.9<br>400.5<br>125.5<br>113.5 | 72.9<br>35.2<br>37.5<br>55.3<br>52.1<br>19.8        | 16<br>15<br>9<br>15<br>12               | 18<br>17<br>10<br>17<br>13              | 14<br>12<br>7<br>11<br>8                 | 8<br>16<br>15<br>9<br>15<br>12          | 18<br>18<br>10<br>17<br>14              | 14<br>12<br>7<br>11<br>8                 |

| [ Data relate to State of registration. Detail may not add to   | total because of                        | rounding. For                                     | meaning of abbre                            |                                       |   |   |                                   |                                   |                                   |                                   |                                   |                             |
|---|---|---|---|---------------------------------------|---|---|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------|
|   | Truc                                    | ks and truck mi                                   | iles¹                                       | pickup                                | nd truck miles, e<br>s, panels, utilitie<br>station wagons <sup>1</sup> | excluding<br>s, and                       | Dol                               | ativo et                          | ondore                            | Lorror                            | of estin                          |                             |
| Vehicular and operational characteristics   | Trucks (thousands)                      | Truck miles (millions)                            | Average miles<br>per truck<br>(thousands)   | Trucks (thousands)                    | Truck miles (millions)  | Average miles<br>per truck<br>(thousands) | нек                               |                                   | rcent) f                          |                                   |                                   | nate                        |
|   | А                                       | В   | С   | D                                     | Е   | F   | Α                                 | В                                 | С                                 | D                                 | Ε                                 | F                           |
| PRODUCTS CARRIED  |   |   |   |                                       |   |   |                                   |                                   |                                   |                                   |                                   |                             |
| Farm products Live animals Mining products Logs and other forest products Lumber and fabricated wood products   | 26.4<br>17.5<br>.4<br>1.7<br>16.7       | 488.4<br>149.3<br>16.2<br>51.7<br>319.3           | 18.5<br>8.5<br>38.6<br>30.5<br>19.1         | 9.7<br>1.2<br>.4<br>1.7<br>4.5        | 227.5<br>31.2<br>16.2<br>51.7<br>95.1                                   | 23.5<br>25.8<br>38.6<br>30.5<br>21.3      | 31<br>46<br>44<br>21<br>42        | 27<br>47<br>60<br>25<br>48        | 9<br>26<br>52<br>20<br>27         | 9<br>27<br>44<br>21<br>14         | 12<br>33<br>60<br>25<br>18        | 10<br>27<br>52<br>20<br>14  |
| Processed foods   | 26.7<br>5.0<br>38.3<br>3.1              | 912.0<br>60.5<br>597.1<br>43.4                    | 34.2<br>12.1<br>15.6<br>14.0                | 14.3<br>1.0<br>17.6<br>3.1            | 409.1<br>20.2<br>352.5<br>43.4  | 28.6<br>21.2<br>20.0<br>14.0              | 26<br>81<br>24<br>18              | 41<br>68<br>21<br>19              | 27<br>16<br>12<br>9               | 7<br>32<br>6<br>18                | 9<br>34<br>8<br>19                | 7<br>22<br>6<br>9           |
| Furniture or hardware   | 6.7<br>2.0<br>20.5<br>4.4               | 80.3<br>86.6<br>368.5<br>128.0                    | 12.0<br>44.0<br>18.0<br>29.0                | 2.7<br>2.0<br>4.2<br>4.3              | 48.1<br>86.6<br>149.1<br>127.4  | 18.1<br>44.0<br>35.3<br>29.6              | 61<br>20<br>40<br>14              | 43<br>21<br>32<br>16              | 24<br>15<br>16<br>11              | 19<br>20<br>14<br>14              | 26<br>21                          | 20<br>15<br>14<br>11        |
| Plastics and/or rubber Primary metal products   | 1.2                                     | 28.8<br>36.9                                      | 23.4<br>27.0                                | 1.1<br>1.3                            | 27.1<br>32.4  | 24.2<br>25.7                              | 28<br>26                          | 33<br>35                          | 23<br>30                          | 30<br>27                          | 16<br>35<br>37                    | 25<br>33                    |
| Fabricated metal products Machinery   | 10.7<br>11.5<br>17.2<br>22.9<br>6.3     | 174.4<br>111.9<br>316.8<br>160.2<br>215.2         | 16.2<br>9.7<br>18.4<br>7.0<br>34.0          | 2.5<br>3.3<br>4.9<br>10.7<br>6.3      | 63.4<br>38.5<br>93.0<br>72.7<br>215.2                                   | 25.0<br>11.5<br>18.9<br>6.8<br>34.0       | 54<br>50<br>41<br>35<br>10        | 59<br>49<br>45<br>39<br>12        | 39<br>16<br>19<br>29<br>8         | 19<br>15<br>13<br>39<br>10        | 24<br>18<br>17<br>14<br>12        | 19<br>12<br>13<br>38<br>8   |
| Craftsman's equipment Personal transportation No load carried Not in use  | 136.8<br>539.9<br>55.2<br>10.4          | 1,934.7<br>5,231.1<br>850.3                       | 14.1<br>9.7<br>15.4                         | 17.5<br>2.8<br>2.0<br>1.8             | 172.6<br>15.3<br>29.4   | 9.9<br>5.6<br>14.7                        | 15<br>5<br>26<br>55               | 18<br>9<br>33<br>86               | 9<br>7<br>20<br>101               | 24<br>19<br>21<br>22              | 21<br>22<br>27<br>86              | 8<br>11<br>21<br>82         |
| OtherNot reported   | 21.3<br>(Z)                             | 391.1<br>(Z)                                      | (Z)<br>18.4<br>(Z)                          | .9<br>(Z)                             | 17.5<br>(Z)   | 19.5<br>(Z)                               | 42<br>(Z)                         | 45<br>(Z)                         | 16<br>(Z)                         | 31<br>(Z)                         | 38<br>(Z)                         | 21<br>(Z)                   |
| HAZARDOUS MATERIALS CARRIED   |   | 0.00  | 21.0  |                                       |   |   |                                   |                                   |                                   |                                   |                                   |                             |
| Hazardous materials carried  Less than 25 percent of time 25 to 49 percent of time 50 to 74 percent of time 75 to 100 percent of time No percent reported | 11.3<br>7.6<br>1.9<br>.3<br>1.5<br>(Z)  | 349.9<br>217.1<br>66.6<br>10.4<br>55.7<br>(Z)     | 31.0<br>28.7<br>36.0<br>30.0<br>37.0<br>(Z) | 7.2<br>3.5<br>1.9<br>.3<br>1.5<br>(Z) | 313.2<br>180.5<br>66.6<br>10.4<br>55.7                                  | 43.5<br>51.6<br>36.0<br>30.0<br>37.0      | 37<br>54<br>20<br>43<br>22<br>(Z) | 14<br>21<br>24<br>60<br>25<br>(Z) | 27<br>38<br>16<br>50<br>18<br>(Z) | 10<br>13<br>20<br>43<br>22<br>(Z) | 11<br>15<br>24<br>60<br>25<br>(Z) | 8<br>11<br>16<br>50<br>18   |
| Types of hazardous materials <sup>2</sup> Flammables or combustibles Acids, poisons, caustics, etc. Explosives  | (Z)<br>6.1<br>6.7<br>.5                 | (Z)<br>262.9<br>144.7<br>28.0                     | (Z)<br>43.1<br>21.7<br>58.3                 | (Z)<br>6.1<br>2.6<br>.5               | (Z)<br>262.9<br>108.0<br>28.0   | (Z)<br>(Z)<br>43.1<br>41.6<br>58.3        | (Z)<br>11<br>61<br>31             | (Z)<br>12<br>29<br>41             | (Z)<br>9<br>37<br>27              | (Z)<br>11<br>16<br>31             | (Z)<br>12<br>18                   | (Z)<br>(Z)<br>9<br>11<br>27 |
| Radioactive materials<br>Hazardous waste<br>Hazardous materials not listed above<br>Not reported  | .3<br>.3<br>.5<br>(Z)                   | 21.7<br>13.1<br>23.6<br>(Z)                       | 64.6<br>44.8<br>47.5<br>(Z)                 | .3<br>.3<br>.5<br>(Z)                 | 21.7<br>13.1<br>23.6<br>(Z)   | 64.6<br>44.8<br>47.5<br>(Z)               | 37<br>40<br>35<br>(Z)             | 48<br>55<br>42<br>(Z)             | 30<br>38<br>31<br>(Z)             | 37<br>40<br>35<br>(Z)             | 41<br>48<br>55<br>42<br>(Z)       | 27<br>30<br>38<br>31<br>(Z) |
| No hazardous materials carried  | 687.4<br>305.5                          | 9,377.3<br>3,025.6                                | 13.6<br>9.9                                 | 110.7<br>3.8                          | 2,067.8<br>54.4   | 18.7<br>14.3                              | 4 9                               | 7 12                              | 6 8                               | 5<br>15                           | 3 21                              | 5<br>17                     |
| 1 2 to 5 6 to 19 20 or more 20 or more  | 772.1<br>93.3<br>60.0<br>78.8           | 8,190.4<br>1,983.2<br>1,114.2<br>1,465.0          | 10.6<br>21.3<br>18.6<br>18.6                | 37.8<br>23.6<br>22.7<br>37.7          | 586.6<br>359.6<br>472.1<br>1,017.1                                      | 15.5<br>15.2<br>20.8<br>27.0              | 3<br>17<br>20<br>17               | 6<br>25<br>20<br>11               | 5<br>16<br>8<br>9                 | 12<br>6<br>6<br>11                | 6<br>8<br>7<br>6                  | 12<br>6<br>6<br>9           |
| MILES PER GALLON  |   |   |   |                                       |   |   |                                   |                                   |                                   |                                   |                                   |                             |
| Less than 5 5 5 10 6.9 9 10 11.9 9 12 to 14.9 9 10 12.5 12 to 14.9 9 10 12.5 12 to 14.9 9 10 12.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5                      | 15.5<br>42.5<br>71.0<br>188.3<br>207.0  | 452.8<br>1,129.6<br>836.0<br>2,121.7<br>2,297.8   | 29.3<br>26.6<br>11.8<br>11.3<br>11.1        | 15.4<br>34.4<br>25.7<br>24.1<br>6.3   | 451.5<br>1,065.7<br>395.9<br>248.5<br>78.7                              | 29.4<br>31.0<br>15.4<br>10.3<br>12.4      | 6<br>14<br>19<br>13<br>12         | 8<br>7<br>21<br>16<br>14          | 6<br>11<br>14<br>10<br>8          | 6<br>4<br>17<br>18<br>13          | 8<br>5<br>11<br>9                 | 6<br>4<br>9<br>18<br>11     |
| 15 to 19.9  | 226.7<br>135.2<br>118.0                 | 2,725.5<br>1,972.5<br>1,216.9                     | 12.0<br>14.6<br>10.3                        | 1.9<br>.2<br>13.7                     | 18.3<br>3.3<br>173.6  | 9.7<br>15.0<br>12.6                       | 12<br>15<br>16                    | 18<br>21<br>20                    | 14<br>14<br>11                    | 23<br>70<br>8                     | 35<br>74<br>10                    | 26<br>23<br>8               |
| EQUIPMENT TYPE  Transmission  | 1,004.1                                 | 12,752.8  | 12.7  | 121.8                                 | 2,435.4   | 20.0                                      | (7)                               | 5                                 | _                                 | _                                 | 2                                 | 4                           |
| Manual<br>Automatic<br>Not reported   | 482.2<br>515.7<br>6.3                   | 5,981.9<br>6,686.6<br>84.3                        | 12.4<br>13.0<br>13.3                        | 102.1<br>14.7<br>4.9                  | 2,144.0<br>215.1<br>76.3  | 21.0<br>14.6<br>15.6                      | (Z)<br>6<br>6<br>12               | 8<br>9<br>16                      | 5<br>6<br>7<br>12                 | 5<br>6<br>8<br>13                 | 3<br>10<br>18                     | 5<br>6<br>13                |
| Braking system Hydraulic Hydraulic (power) Air Not reported   | 1,004.1<br>43.5<br>918.3<br>33.6<br>8.7 | 12,752.8<br>411.9<br>10,850.3<br>1,388.3<br>102.3 | 12.7<br>9.5<br>11.8<br>41.3<br>11.7         | 121.8<br>33.1<br>48.6<br>33.5<br>6.6  | 2,435.4<br>365.4<br>596.3<br>1,385.5<br>88.2                            | 20.0<br>11.0<br>12.3<br>41.4<br>13.4      | (Z)<br>10<br>1<br>2<br>10         | 5<br>6<br>6<br>4<br>14            | 5<br>11<br>5<br>3<br>10           | 5<br>12<br>2<br>12                | 3<br>7<br>8<br>4<br>16            | 4<br>5<br>10<br>3<br>12     |
| Power steering <sup>2</sup>   | 529.2<br>433.4<br>3.0<br>14.7           | 7,434.6<br>6,343.5<br>102.7<br>400.1              | 14.0<br>14.6<br>34.4<br>27.1                | 52.3<br>18.7<br>3.0<br>14.4           | 1,222.5<br>887.2<br>102.7<br>394.8                                      | 23.4<br>47.5<br>34.4<br>27.4              | 6<br>7<br>15<br>7                 | 8<br>9<br>18<br>9                 | 6<br>7<br>13<br>7                 | 3<br>6<br>15<br>7                 | 4<br>6<br>18<br>9                 | 4<br>5<br>13<br>7           |
| FUEL CONSERVATION EQUIPMENT <sup>2</sup>  |   |   |   |                                       |   |   |                                   |                                   |                                   |                                   |                                   |                             |
| Aerodynamic features  | 6.7<br>21.3<br>16.4<br>355.4<br>30.3    | 327.6<br>725.9<br>839.7<br>5,801.5<br>936.6       | 48.7<br>34.0<br>51.3<br>16.3<br>31.0        | 6.7<br>17.2<br>16.4<br>25.3<br>30.1   | 327.6<br>677.4<br>839.7<br>1,098.8<br>935.5                             | 48.7<br>39.4<br>51.3<br>43.4<br>31.0      | 10<br>20<br>5<br>8<br>4           | 11<br>9<br>6<br>11<br>5           | 8<br>13<br>5<br>8<br>4            | 10<br>6<br>5<br>5<br>4            | 11<br>7<br>6<br>5                 | 8<br>6<br>5<br>4<br>4       |
| Variable fan drives<br>Other fuel conservation devices<br>Not reported  | 14.5<br>2.7<br>615.0                    | 689.6<br>160.4<br>6,331.8                         | 47.6<br>60.3<br>10.3                        | 14.5<br>2.4<br>66.8                   | 689.6<br>156.1<br>765.4   | 47.6<br>63.9<br>11.5                      | 6<br>16<br>5                      | 7<br>17<br>7                      | 5<br>12<br>6                      | 6<br>16<br>9                      | 7<br>17<br>6                      | 5<br>11<br>7                |

[ Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|   | Truc                    | cks and truck mil             | les¹                                      | plckup                | nd truck miles, e<br>s, panels, utilitie<br>station wagons <sup>1</sup> |   | Rela            | ative s                  | tandard         | d error                  | of estir                 | mate              |
|---|-------------------------|-------------------------------|---|-----------------------|---|---|-----------------|--------------------------|-----------------|--------------------------|--------------------------|-------------------|
| Vehicular and operational characteristics                 | Trucks<br>(thousands)   | Truck miles (millions)        | Average miles<br>per truck<br>(thousands) | Trucks<br>(thousands) | Truck miles (millions)  | Average miles<br>per truck<br>(thousands) |                 |                          |                 | for colu                 |                          |                   |
|   | А                       | В                             | С   | D                     | E   | F   | Α               | В                        | С               | D                        | Е                        | F                 |
| MAINTENANCE   |                         |                               |   |                       |   |   |                 |                          |                 |                          |                          |                   |
| General maintenance: Owner                                | 577.1                   | 6,446.2                       | 11.2                                      | 36.4                  | 624.6   | 17.1                                      | 5               | 8                        | 6               | 12                       | 6                        | 12                |
| Dealership's service department                           | 130.7<br>113.5          | 2,340.5<br>1,350.5            | 17.9<br>11.9                              | 48.5<br>7.4           | 1,271.0<br>133.0  | 26.2<br>17.9                              | 13<br>17        | 13<br>19                 | 9               | 11                       | 14                       | 10                |
| Leasing companyIndependent garage                         | 1.0<br>286.5            | 37.4<br>3,439.7               | 35.7<br>12.0                              | 1.0<br>33.1           | 37.4<br>546.3   | 35.7<br>16.5                              | 28<br>10        | 32<br>12                 | 22<br>7         | 28<br>13                 | 14<br>32<br>9            | 22<br>8           |
| Component distributorshipOther                            | .2                      | 2.8<br>7.1                    | 17.2<br>19.5                              | .2<br>.4              | 2.8<br>7.1  | 17.2<br>19.5                              | 74<br>48<br>30  | 79<br>59<br>55           | 61<br>51        | 74<br>48<br>12           | 79<br>59<br>15           | 61<br>51<br>11    |
| Not reported Major overhauls:                             | 32.5                    | 692.9                         | 21.3                                      | 6.2                   | 99.5  | 16.0                                      | 30              | 55                       | 43              | 12                       | 15                       | "                 |
| OwnerCompany's maintenance facilities                     | 176.5<br>87.6           | 2,164.9<br>1,614.3            | 12.3<br>18.4                              | 12.1<br>34.4          | 244.9<br>971.0  | 20.3<br>28.3                              | 13<br>16        | 21<br>12                 | 17<br>8         | 8 4 8                    | 11<br>5                  | 9<br>4<br>7       |
| Dealership's service department<br>Leasing company        | 69.0                    | 1,193.5<br>34.7               | 17.3<br>33.1                              | 11.5                  | 342.6<br>34.7   | 29.7<br>33.1                              | 21<br>28        | 12<br>22<br>33<br>13     | 13<br>25<br>9   | 28<br>13                 | 11<br>5<br>10<br>33<br>8 | 7<br>25<br>8      |
| Independent garage Component distributorship              | 260.2                   | 3,572.3<br>25.9               | 13.7<br>31.6                              | 34.4                  | 630.4<br>25.9   | 18.3<br>31.6                              | 10<br>30        | 34                       | 22              | 30                       | 34                       | 22<br>37          |
| OtherNot reported   | 4.5<br>423.2            | 65.1<br>4,465.1               | 14.5<br>10.5                              | .4<br>33.1            | 16.2<br>391.2   | 39.9<br>11.8                              | 91<br>7         | 76<br>10                 | 19<br>7         | 40<br>13                 | 47<br>7                  | 37<br>13          |
| ENGINE TYPE AND SIZE                                      |                         |                               |   |                       |   |   |                 |                          |                 |                          |                          |                   |
| EngineGasoline  | 1,004.1<br>944.0        | 12,752.8<br>10,892.7          | 12.7<br>11.5                              | 121.8<br>82.0         | 2,435.4<br>864.6  | 20.0<br>10.5                              | (Z)<br>1        | 5<br>6<br>7<br>43<br>(Z) | 5<br>5          | 5 7                      | 3<br>5<br>3<br>21<br>(Z) | 4                 |
| Diesel<br>LPG or other                                    | 47.6<br>12.5            | 1,694.8<br>165.2              | 35.6<br>13.2                              | 35.4<br>4.3           | 1,499.3<br>71.6   | 42.4<br>16.5                              | 15<br>46<br>(Z) | 7<br>43                  | 9<br>15<br>(Z)  | 5<br>7<br>2<br>15<br>(Z) | 21<br>21                 | 3<br>15<br>(Z)    |
| Not reported  | (Z)<br>1,004,1          | (Z)<br>12,752.8               | (Z)<br>12.7                               | (Z)<br>121.8          | (Z)<br>2,435,4  | (Z)<br>20.0                               |                 | 5                        | (2)             | (2)                      | (2)                      | 4                 |
| 4   | 155.9<br>267.9          | 1,971.8<br>3,816.5            | 12.6<br>14.2                              | .6<br>48.7            | 10.9<br>1,424.4   | 17.3<br>29.2                              | (Z)<br>14<br>10 | 20<br>10                 | 14<br>7         | 38                       | 52<br>4                  | 31<br>7           |
| 8Other  | 579.9<br>.2<br>.3       | 6,954.4<br>7.8<br>2,2         | 12.0<br>49.9<br>6.8                       | 72.2                  | 992.3<br>7.8  | 13.7<br>49.9<br>(Z)                       | 5<br>76<br>57   | 8<br>71<br>70            | 7<br>36<br>41   | 76<br>(Z)                | 71<br>(Z)                | 6<br>36<br>(Z)    |
| Not reported Cubic inch displacement                      | 1 004 1                 | 12,752.8                      | 12.7                                      | (Z)<br>121.8          | (Z)<br>2,435.4  | 20.0                                      | (Z)             | 5 6                      | 5               | 5                        |                          | 4                 |
| Gasoline engines.  Less than 200. 200 to 299. 300 to 349. | 944.0<br>139.5          | 10,892.7<br>1,816.7           | 11.5<br>13.0                              | 82.0<br>.7            | 864.6<br>10.4   | 10.5<br>16.0                              | 15              | 21                       | 5<br>15         | 7 41                     | 3<br>5<br>54<br>14<br>20 | 6<br>35           |
| 300 to 349<br>350 to 399                                  | 144.1<br>243.7<br>311.3 | 1,608.8<br>3,094.4<br>3,438.9 | 11.2<br>12.7<br>11.0                      | 8.9<br>19.0<br>37.3   | 80.3<br>185.2<br>417.3  | 9.0<br>9.7<br>11.2                        | 15<br>11<br>9   | 18<br>17<br>11           | 11<br>13<br>7   | 10<br>22<br>12<br>13     | 20<br>6                  | 9<br>7<br>12      |
| 400 or more   | 25.8<br>79.7            | 257.8<br>676.1                | 10.0<br>8.5                               | 5.2<br>10.9           | 76.2<br>95.2  | 14.5                                      | 35<br>20        | 36<br>25                 | 20              | 13                       | 16<br>14                 | 9<br>11           |
| Diesel engines  | 47.6<br>14.9            | 1,694.8<br>270.4              | 35.6<br>18.1                              | 35.4<br>2.7           | 1,499.3<br>74.9   | 42.4<br>27.7                              | 15<br>47        |                          | 9 8             | 16<br>9                  | 3                        | 3<br>12           |
| Less than 400   | 6.8<br>8.4              | 231.7<br>351.4                | 34.1<br>41.8                              | 6.8<br>8.4            | 231.7<br>351.4  | 34.1<br>41.8                              | 9 7             | 7<br>42<br>10<br>10      | 6 7             | 9 7                      | 20<br>10<br>10           | 6 7               |
| 800 or moreNot reported                                   | 6.7                     | 462.1<br>379.2                | 69.1<br>35.1                              | 6.7<br>10.8           | 462.1<br>379.2  | 69.1<br>35.1                              | 7 7             | 9                        | 5 7             | 7 7                      | 9                        | 6<br>7<br>5<br>7  |
| Other engines Less than 400                               | 12.5<br>12.0            | 165.2<br>159.9                | 13.2<br>13.3                              | 4.3<br>3.9            | 71.6<br>66.3  | 16.5<br>17.0                              | 46<br>48<br>53  | 43                       | 15<br>16<br>14  | 15                       | 21                       | 15<br>16          |
| 400 or moreNot reported                                   | .3                      | 3.4<br>2.0                    | 10.4<br>18.0                              | .3                    | 3.4<br>2.0  | 10.4                                      | 53              | 44<br>56<br>100          | 14<br>(Z)       | 16<br>53<br>100          | 23<br>56<br>100          | 16<br>14<br>(Z)   |
| HorsepowerGasoline engines                                |                         | 12,752.8<br>10,892.7          | 12.7<br>11.5                              | 121.8<br>82.0         | 2,435.4<br>864.6  | 20.0<br>10.5                              | (Z)             | 5                        | 5 5             | 5<br>7                   | 3 5                      | 4 6               |
| Less than 100   | 123.0                   | 1,741.5<br>7,828.5            | 14.2<br>11.7                              | .4<br>55.7            | 6.9<br>560.3  | 18.2                                      | 17              | 22                       | 14              | 51<br>11                 | 73<br>8                  | 49<br>8           |
| 200 to 249<br>250 or more                                 | 57.5<br>9.8             | 556.3<br>65.3                 | 9.7<br>6.7                                | 12.5<br>1.7           | 162.6<br>22.6   | 13.0<br>13.6                              | 59              | 24<br>63                 | 12              | 8<br>25                  | 11<br>28                 | 13                |
| Not reported  | 84.9<br>47.6            | 701.0<br>1,694.8              | 8.3<br>35.6                               | 11.8<br>35.4          | 112.3<br>1,499.3  | 9.5<br>42.4                               | 19              | 24<br>7                  | 15              | 9                        | 13<br>3                  | 10                |
| Diesel engines<br>Less than 250<br>250 to 349             | 9.9                     | 580.7<br>603.5                | 24.6<br>61.0                              | 15.4<br>9.9           | 458.6<br>603.5  | 29.7<br>61.0                              | 25<br>6         | 16                       | 10              | 5<br>6                   | 7 7                      | 3<br>5<br>5<br>6  |
| 350 to 449450 or more                                     | .4                      | 260.5<br>13.8                 | 79.4<br>39.5                              | 3.3                   | 260.5<br>13.8   | 79.4<br>39.5                              | 12<br>37        | 13<br>56<br>32           | 41<br>10        | 12<br>37<br>10           | 13<br>56<br>13           | 41<br>10          |
| Not reported Other engines                                | 12.5                    | 236.3<br>165.2                | 22.5                                      | 6.4<br>4.3            | 162.9<br>71.6   | 25.3<br>16.5                              | 39<br>46        | 43                       | 15              | 15                       | 21                       | 15                |
| Less than 250   | 12.0                    | 157.1<br>1.5                  | 13.1<br>13.7                              | 3.8                   | 63.4<br>1.5   | 16.5<br>13.7                              | 100<br>51       | 45<br>100<br>54          | 16<br>(Z)<br>18 | 16<br>100<br>51          | 23<br>100                | 16<br>(Z)<br>18   |
| Not reported  | .4                      | 6.7                           | 17.6                                      | .4                    | 6.7   | 17.6                                      | 51              | 54                       | 18              | 51                       | 54                       | 18                |
| TRUCK TYPE AND AXLE ARRANGEMENT                           | 054.5                   | 11 004 4                      | 110                                       | 06.5                  | 1 010 5   | 12.6                                      | ١,              | _                        | 5               | 6                        | 4                        | 5                 |
| Single-unit trucks 2 axles 3 axles                        | 954.5<br>945.4<br>8,7   | 11,294.4<br>11,113.8<br>167.4 | 11.8<br>11.8<br>19.3                      | 96.5<br>87.3<br>8.7   | 1,212.5<br>1,031.8<br>167.4   | 11.8                                      | 1 7             | 5<br>5<br>10             | 5 8             | 7 7                      | 5<br>10                  | 6 8               |
| 4 axles or more   | .5                      | 13.3                          | 27.9                                      | .5                    | 13.3  | 19.3<br>27.9                              | 33              | 10<br>39<br>8            | 22              | 33                       | 39                       | 22                |
| Combinations Single-unit truck with trailer 3 axles       | 29.1                    | 1,458.3<br>323.7<br>34.7      | 29.4<br>11.1<br>6.8                       | 25.3<br>4.7<br>1.0    | 1,222.9<br>88.3<br>14.4   | 48.4<br>18.6<br>14.2                      | 20<br>34<br>80  | 33<br>61                 | 14<br>16<br>26  | 14<br>30                 | 19                       | 16                |
| 4 axles<br>5 axles or more                                | 18.7                    | 216.8<br>72.2                 | 11.6<br>13.7                              | 2.5<br>1.2            | 42.5<br>31.5  | 16.7<br>26.4                              | 43 78           | 45<br>59                 | 26<br>20<br>25  | 19<br>26                 | 42<br>27<br>36           | 32<br>22<br>30    |
| Truck-tractor with single trailer                         | 20.2                    | 1,111.4<br>27.7               | 54.9<br>21.3                              | 20.2                  | 1,111.4<br>27.7   | 54.9<br>21.3                              | 19              | 4                        | 4 21            | 2                        | 4                        | 4                 |
| 3 axles<br>4 axles<br>5 axles or more                     | 6.8                     | 278.2<br>805.5                | 41.0<br>66.2                              | 6.8<br>12.2           | 278.2<br>805.5  | 41.0<br>66.2                              | 7 5             | 28<br>10<br>6            | 7 4             | 19<br>7<br>5             | 28<br>10<br>6            | 21<br>7<br>4      |
| Truck-tractor with double trailers                        | .2                      | 14.7                          | 76.9                                      | .2                    | 14.7  | 76.9<br>76.9                              | 49              | 50<br>50                 | 6               | 49<br>49                 | 50<br>50                 | 6                 |
| 5 axles<br>6 axles<br>7 axles or more                     | (Z)                     | 14.7<br>(Z)<br>(Z)            | 76.9<br>(Z)<br>(Z)                        |                       | 14.7<br>(Z)<br>(Z)  | (Z)                                       | (Z)<br>(Z)      | 50<br>(Z)<br>(Z)         | (3)             | (Z)<br>(Z)               | (Z)                      | (X)<br>(X)<br>(X) |

[ Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|  | Truc                                     | cks and truck mi                                 | les¹                                      | Trucks and truck miles, excluding pickups, panels, utilities, and station wagons <sup>1</sup> |  |   |                            | Relative standard error of estimate (percent) for column— |                          |                         |                          |                          |  |
|--|--|--|---|---|--|---|----------------------------|---|--------------------------|-------------------------|--------------------------|--------------------------|--|
| Vehicular and operational characteristics                    | Trucks<br>(thousands)                    | Truck miles (millions)                           | Average miles<br>per truck<br>(thousands) | Trucks<br>(thousands)   | Truck miles (millions)                       | Average miles<br>per truck<br>(thousands) |                            | (pe   | cent) f                  | or colu                 | mn—                      |                          |  |
|  | А  | В  | С   | D   | E  | F   | Α                          | В   | С                        | D                       | E                        | F                        |  |
| TRUCK TYPE AND AXLE ARRANGEMENT—Con.                         |  |  |   |   |  |   |                            |   |                          |                         |                          |                          |  |
| Truck-tractor with triple trailers 7 axles 8 axles or more   | .1<br>(Z)<br>.1                          | 8.5<br>(Z)<br>8.5                                | 88.6<br>(Z)<br>88.6                       | .1<br>(Z)<br>.1   | 8.5<br>(Z)<br>8.5                            | 88.6<br>(Z)<br>88.6                       | 70<br>(Z)<br>70            | 70<br>(Z)<br>70   | 1<br>(Z)<br>1            | 70<br>(Z)<br>70         | 70<br>(Z)<br>70          | (Z)<br>1                 |  |
| Trailer not specified  | (Z)                                      | (Z)  | (Z)                                       | (Z)   | (Z)  | (Z)                                       | (Z)                        | (Z)   | (Z)                      | (Z)                     | (Z)                      | (Z)                      |  |
| Powered axles  | 1,004.1<br>879.2<br>100.2<br>3.1<br>21.6 | 12,752.8<br>10,844.6<br>1,680.4<br>45.7<br>182.0 | 12.7<br>12.3<br>16.8<br>14.8<br>8.4       | 121.8<br>82.3<br>19.1<br>3.1<br>17.2  | 2,435.4<br>1,331.9<br>898.4<br>45.7<br>159.4 | 20.0<br>16.2<br>47.0<br>14.8<br>9.3       | (Z)<br>2<br>17<br>14<br>33 | 5<br>6<br>13<br>19<br>23                                  | 5<br>11<br>15<br>21      | 5<br>2<br>5<br>14<br>34 | 3<br>4<br>6<br>19<br>23  | 4<br>3<br>5<br>15<br>25  |  |
| CAB TYPE4  |  |  |   |   |  |   |                            |   |                          |                         |                          |                          |  |
| Cab forward of engine  | 3.9<br>19.6<br>27.3<br>41.4<br>15.0      | 44.6<br>780.0<br>462.1<br>776.8<br>236.1         | 11.3<br>39.8<br>16.9<br>18.7<br>15.7      | 3.9<br>19.3<br>25.5<br>39.9<br>10.7   | 44.5<br>776.1<br>440.9<br>763.3<br>185.3     | 11.5<br>40.3<br>17.3<br>19.1<br>17.4      | 15<br>5<br>5<br>4<br>28    | 20<br>6<br>7<br>5<br>23                                   | 13<br>5<br>5<br>4<br>10  | 16<br>5<br>4<br>9       | 20<br>6<br>7<br>6<br>12  | 13<br>5<br>5<br>5<br>10  |  |
| Cab beside engine  | 1.2<br>15.1<br>880.5                     | 11.5<br>112.3<br>10,329.4                        | 9.7<br>7.4<br>11.7                        | 1.2<br>4.9<br>16.5  | 11.5<br>63.9<br>150.0                        | 9.7<br>13.0<br>9.1                        | 29<br>38<br>1              | 37<br>28<br>6   | 25<br>28<br>6            | 29<br>14<br>35          | 37<br>18<br>25           | 25<br>12<br>26           |  |
| PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS         |  |  |   |   |  |   |                            |   |                          |                         |                          |                          |  |
| Total Pickups Panels or vans Utilities Station wagons        | 882.4<br>573.8<br>231.6<br>48.8<br>28.2  | 10,317.3<br>6,448.8<br>3,099.8<br>454.6<br>314.1 | 11.7<br>11.2<br>13.4<br>9.3<br>11.1       | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)              |   | 1<br>1<br>7<br>27<br>36    | 6<br>7<br>14<br>36<br>38                                  | 6<br>7<br>12<br>23<br>13 | NNNNN                   |                          |                          |  |
| Driving wheels 4-wheel drive 2-wheel drive Front-wheel drive | 878.0<br>77.0<br>788.7<br>12.2           | 10,294.7<br>761.7<br>9,455.6<br>77.4             | 11.7<br>9.9<br>12.0<br>6.3                | (Z)<br>(Z)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)                     | (Z)<br>(Z)<br>(Z)<br>(Z)                  | 1<br>22<br>2<br>57         | 6<br>27<br>7<br>60  | 6<br>16<br>6<br>17       | NNNN                    | (X)<br>(X)<br>(X)<br>(X) | (Z)<br>(Z)<br>(Z)<br>(Z) |  |

¹When no response was obtained for annual miles, data were imputed.
²Detail does not add to totals because items were not applicable or multiple responses were possible.
³When no response was obtained, one truck was imputed based on body type of sampled vehicle.
²Pickups, panels, and vans are not included.

## Table 3. Trucks by Major Use: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| [11100                                 |   | Dotair may not add                               | tail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]  Major use |  |   |   |  |  |  |  |
|--|---|--|--|--|---|---|--|--|--|--|
|  | Vehicular and operational characteristics   | Total  | Agriculture  | Forestry and lumbering                               | Mining and quarrying                          | Construction                                  | Manufacturing                              | Wholesale trade                                | Retail trade                                 |  |
| 1 2                                    | TotalRelative standard error (percent)  | 1,004.1<br>(Z)                                   | 80.0<br>20.1   | 1.6<br>20.7  | .6<br>35.6                                    | 148.8<br>13.7                                 | 9.3<br>44.3                                | 37.7<br>24.0                                   | 35.8<br>27.5                                 |  |
| 3<br>4<br>5<br>6<br>7                  | Pickup  | 573.8<br>231.6<br>48.8<br>28.2<br>8.7            | 57.7<br>(S)<br>(S)<br>(S)<br>(S)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | 90.9<br>20.1<br>(S)<br>(Z)<br>2.2             | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)            | (S)<br>(S)<br>(Z)<br>(Z)<br>2.7                | (S)<br>(S)<br>(S)<br>(Z)<br>1.2              |  |
| 8<br>9<br>10<br>11<br>12               | Platform with added devices   | 6.1<br>2.1<br>24.4<br>.5<br>.7                   | 1.0<br>(S)<br>4.6<br>(S)<br>(S)  | (S)<br>(S)<br>.5<br>(Z)<br>(Z)                       | (S)<br>(Z)<br>(S)<br>(Z)<br>(Z)               | 2.1<br>1.2<br>8.2<br>(Z)<br>(S)               | .3<br>(S)<br>.7<br>(Z)<br>(Z)              | .6<br>(S)<br>1.8<br>(Z)<br>(S)                 | .8<br>.3<br>2.0<br>(Z)<br>(S)                |  |
| 13<br>14<br>15<br>16<br>17             | Insulated refrigerated van  | 7.1<br>2.1<br>.4<br>19.5<br>3.1                  | .9<br>(Z)<br>.3<br>.5<br>(Z)   | (Z)<br>(Z)<br>(S)<br>(S)<br>(Z)                      | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>1.4<br>(Z)               | .5<br>(S)<br>(Z)<br>1.7<br>(S)             | 2.9<br>.2<br>(Z)<br>4.4<br>2.6                 | 1.0<br>.6<br>(Z)<br>2.3<br>(S)               |  |
| 18<br>19<br>20<br>21<br>22             | Public utility Winch or crane Wrecker Pole or logging Auto transport  | (S)<br>1.1<br>2.9<br>1.1<br>.8                   | (Z)<br>(S)<br>(S)<br>(Z)<br>(Z)  | (Z)<br>(S)<br>(Z)<br>.7<br>(Z)                       | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | .7<br>.5<br>(Z)<br>(S)<br>(Z)                 | (Z)<br>(S)<br>(Z)<br>(Z)<br>(S)            | (Z)<br>(Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)         | (Z)<br>(Z)<br>(S)<br>(S)<br>(S)              |  |
| 23<br>24<br>25<br>26<br>27             | Service truck   | 4.9<br>.2<br>(S)<br>.6<br>.4                     | (Z)<br>(Z)<br>(Z)<br>(S)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 2.7<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (S)<br>(S)<br>(Z)<br>(S)<br>(Z)            | (Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)         | (S)<br>(Z)<br>(Z)<br>.2<br>(Z)               |  |
| 28<br>29<br>30<br>31<br>32<br>33<br>34 | Garbage hauler Dump truck Tank truck (liquids or gases) Tank truck (dry bulk) Concrete mixer Other Not reported                                     | 1.0<br>17.6<br>4.7<br>.5<br>2.0<br>1.2<br>(Z)    | (Z)<br>,8<br>(S)<br>,2<br>(Z)<br>(Z)<br>(Z)  | (Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(3)<br>(3)<br>(9)<br>(2)<br>(2)<br>(2) | (Z)<br>12.2<br>.8<br>(S)<br>1.4<br>(S)<br>(Z) | (Z)<br>.7<br>.2<br>(Z)<br>.3<br>(S)<br>(Z) | (Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)<br>(Z)  | (Z)<br>.4<br>.8<br>(Z)<br>(S)<br>.5<br>(Z)   |  |
| 35<br>36<br>37<br>38<br>39<br>40<br>41 | ANNUAL MILES¹  Less than 5,000  | 180.8<br>259.4<br>387.1<br>115.9<br>35.5<br>13.9 | 11.9<br>(S)<br>39.5<br>(S)<br>.9<br>.5   | (9)<br>(9)<br>(9)<br>(9)<br>(9)<br>(9)<br>(9)<br>(9) | (5)<br>(5)<br>(5)<br>(5)<br>(6)<br>(6)<br>(7) | 15.4<br>34.8<br>54.3<br>32.4<br>(S)<br>(S)    | .9<br>1.0<br>1.3<br>(S)<br>.4<br>(S)<br>.9 | (S)<br>(S)<br>10.1<br>(S)<br>2.3<br>1.2<br>(S) | (S)<br>(S)<br>12.1<br>(S)<br>(S)<br>.7<br>.2 |  |
| 42<br>43<br>44<br>45<br>46             | Local Short-range (Less than 201 miles) Long-range (201 miles or more) Off-the-road Not reported  BASE OF OPERATION                                 | 824.2<br>73.6<br>45.3<br>49.4<br>11.7            | 63.1<br>(S)<br>.4<br>(S)<br>(Z)  | .8<br>.7<br>(Z)<br>(S)<br>(Z)                        | .5<br>(S)<br>(Z)<br>(S)<br>(Z)                | 131.1<br>(S)<br>(S)<br>(S)<br>2.0<br>(Z)      | 3.6<br>.6<br>.5<br>(S)<br>(Z)              | 28.0<br>(S)<br>.9<br>1.0<br>(Z)                | 29.0<br>(S)<br>.4<br>.5<br>(Z)               |  |
| 47<br>48<br>49<br>50<br>51             | Percentage of miles traveled outside base-of-operation State: Less than 25 percent 25 to 49 percent 50 to 74 percent 75 to 100 percent Not reported | 750.0<br>35.3<br>41.3<br>30.8<br>146.7           | 61.3<br>(S)<br>.4<br>.4<br>.(S)  | 1.3<br>(Z)<br>(S)<br>(S)<br>(S)                      | .5<br>(Z)<br>(S)<br>(S)<br>(Z)                | 103.0<br>20.9<br>(S)<br>(S)<br>11.7           | 4.0<br>(S)<br>(S)<br>.3<br>.3              | 34.6<br>(S)<br>.3<br>.4<br>2.2                 | 21.5<br>(S)<br>.2<br>(S)<br>(S)              |  |
| 52<br>53<br>54<br>55                   | Light   | 917.6<br>35.7<br>16.1<br>34.7                    | 72.0<br>3.1<br>1.7<br>3.2  | (S)<br>(S)<br>(S)<br>.9                              | (Z)<br>(S)<br>(S)<br>.3                       | 131.6<br>6.0<br>2.7<br>8.5                    | (S)<br>1.1<br>.8<br>2.6                    | 25.1<br>3.7<br>4.3<br>4.6                      | 28.7<br>3.0<br>1.6<br>2.5                    |  |
| 56<br>57<br>58<br>59<br>60             | AVERAGE WEIGHT (POUNDS)  Less than 6,001  | 837.1<br>80.5<br>19.1<br>9.3<br>7.2              | 58.2<br>(S)<br>1.3<br>1.1  | (Z)<br>(S)<br>(S)<br>(Z)<br>(S)                      | (Z)<br>(Z)<br>(S)<br>(Z)<br>(Z)               | 123.3<br>8.3<br>2.7<br>1.4<br>1.9             | (S)<br>.6<br>.6<br>(S)<br>(S)              | 17.7<br>(S)<br>1.6<br>.9<br>1.2                | 25.8<br>2.9<br>1.6<br>.5                     |  |
| 61<br>62<br>63<br>64<br>65             | 19,501 to 26,000  | 16.0<br>6.3<br>3.7<br>4.5<br>4.1                 | 1.7<br>.6<br>.5<br>.4<br>(S)   | (S)<br>(Z)<br>(Z)<br>(S)<br>(S)                      | (S)<br>(S)<br>(Z)<br>(S)<br>(Z)               | 2.7<br>2.1<br>.9<br>.8<br>1.2                 | .8<br>.6<br>(S)<br>.3<br>.5                | 4.3<br>1.4<br>.4<br>.5                         | 1.6<br>.4<br>.3<br>.5<br>.2                  |  |
| 66<br>67<br>68<br>69<br>70             | 60,001 to 80,000<br>80,001 to 100,000<br>100,001 to 130,000<br>130,001 or more<br>Not reported  | 15.7<br>.3<br>(S)<br>(S)<br>(Z)                  | 1.6<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | .7<br>(S)<br>(Z)<br>(Z)<br>(Z)                       | .2<br>(Z)<br>(Z)<br>(Z)<br>(Z)                | 3.2<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)        | 1.0<br>(S)<br>(Z)<br>(Z)<br>(Z)            | 1.8<br>(S)<br>(Z)<br>(Z)<br>(Z)                | 1.1<br>(Z)<br>(Z)<br>(Z)<br>(Z)              |  |

|          |  |  |  | Major us                                  | <del></del>  |  |  |   | Relative standard error                                 |  |
|----------|--|--|--|---|--|--|--|---|---|--|
| For-hire | transpor-<br>tation                          | Utilities                                      | Services   | Daily rental                              | Personal transportation  | Other                                    | Not in use   | Not reported                                  | Relative standard error of estimate (percent) for total |  |
|          | 13.0<br>6.2                                  | 26.4<br>34.0                                   | 97.6<br>18.1                                     | 3.1<br>16.7                               | 539.9<br>5.4   | (Z)<br>(Z)                               | (S)<br>55.2  | (Z)<br>(Z)                                    | (Z)<br>(Z)  | 1 2                                    |
|          | (S)<br>(Z)<br>(S)<br>(Z)<br>.4               | (S)<br>(S)<br>(Z)<br>(Z)<br>(S)                | 45.6<br>32.2<br>(S)<br>(S)                       | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)           | 345.7<br>139.0<br>32.3<br>20.1                                     | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)          | (S)<br>(S)<br>(Z)<br>(Z)<br>(S)                                    | (Z)<br>(Z)<br>(Z)<br>(Z)                      | 1.4<br>6.6<br>26.8<br>36.2<br>10.6                      | 3<br>4<br>5<br>6<br>7                  |
|          | (S)<br>(S)<br>1.4<br>(S)<br>(S)              | (S)<br>(Z)<br>.7<br>(Z)<br>(Z)                 | .5<br>(S)<br>2.0<br>(S)<br>(Z)                   | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)           | (S)<br>(Z)<br>1.5<br>(Z)<br>(Z)                                    | SSSSS                                    | (Z)<br>(Z)<br>7<br>(X)<br>(S)                                      | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 12.1<br>16.2<br>5.5<br>40.3<br>35.5                     | 8<br>9<br>10<br>11<br>12               |
|          | 1.7<br>1.0<br>(S)<br>3.9<br>(Z)              | (X)<br>(X)<br>(S)<br>(X)                       | (Z)<br>(S)<br>(Z)<br>1.7<br>(S)                  | (S)<br>(Z)<br>(Z)<br>2.8<br>(Z)           | NONNO  | SSSSS                                    | (S)<br>(Z)<br>(S)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 9.4<br>18.5<br>34.7<br>6.2<br>15.4                      | 13<br>14<br>15<br>16<br>17             |
|          | (Z)<br>(S)<br>(S)<br>(S)<br>.4               | (S)<br>(S)<br>(X)<br>(X)<br>(X)                | (Z)<br>(S)<br>1.9<br>(Z)<br>(S)                  | NNNNN                                     | NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN | (X)(X)(X)(X)                             | (N)                            | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 51.7<br>28.3<br>18.3<br>25.1<br>30.9                    | 18<br>19<br>20<br>21<br>22             |
|          | (Z)<br>(X)<br>(S)<br>(S)<br>(S)              | .4<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)          | .9<br>(S)<br>(S)<br>(S)<br>(Z)                   | (Z)<br>(X)<br>(X)<br>(X)                  | NNNNN  | NON NON                                  | (S)                            | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 14.4<br>49.3<br>53.4<br>31.3<br>48.0                    | 23<br>24<br>25<br>26<br>27             |
|          | (Z)<br>1.3<br>.9<br>(S)<br>(Z)<br>(S)<br>(Z) | (S)<br>(S)<br>(S)<br>(Z)<br>(Z)<br>(Z)         | 1.0<br>1.1<br>.5<br>(Z)<br>(S)<br>(Z)            | (Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)    | SSSSSSS  | SSSSSSS                                  | NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN<br>NGN | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 24.8<br>23.8<br>12.6<br>32.9<br>16.2<br>28.6<br>(Z)     | 28<br>29<br>30<br>31<br>32<br>33<br>34 |
|          | .3<br>1.1<br>1.8<br>1.9<br>2.0<br>1.6<br>4.2 | 1.7<br>17.8<br>(S)<br>(S)<br>(S)<br>(Z)<br>(Z) | (S)<br>19.3<br>44.1<br>18.0<br>(S)<br>(S)<br>(S) | (S)<br>1.2<br>.9<br>.4<br>.3<br>(S)<br>.2 | 121.3<br>157.2<br>216.5<br>32.6<br>(S)<br>(S)                      | NS N | (S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)                             | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 12.6<br>10.2<br>7.4<br>16.4<br>27.8<br>41.5<br>35.2     | 35<br>36<br>37<br>38<br>39<br>40<br>41 |
|          | 5.8<br>3.0<br>3.9<br>(S)<br>(Z)              | 26.1<br>(S)<br>(Z)<br>(S)<br>(Z)               | 74.2<br>1.1<br>(S)<br>(S)<br>(Z)                 | .4<br>(S)<br>1.1<br>(S)<br>1.4            | 461.4<br>33.2<br>20.4<br>24.9<br>(Z)                               | (A)  | <u>9</u> 0000  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 2.7<br>19.9<br>26.3<br>25.5<br>49.2                     | 42<br>43<br>44<br>45<br>46             |
|          | 7.1<br>.8<br>1.7<br>2.4<br>.8                | 25.6<br>(Z)<br>(S)<br>(S)<br>.5                | 65.8<br>(Z)<br>(S)<br>(S)<br>(S)                 | .9<br>(Z)<br>(S)<br>1.0<br>1.2            | 415.2<br>(S)<br>(S)<br>(S)<br>95.4                                 | (Z)<br>(Z)<br>(Z)<br>(Z)                 | (9)<br>(Z)<br>(Z)<br>(9)<br>1.0                                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 3.5<br>32.1<br>28.9<br>31.9<br>14.5                     | 47<br>48<br>49<br>50<br>51             |
|          | 1.6<br>1.2<br>.9<br>9.2                      | 22.8<br>1.4<br>1.3<br>.9                       | 87.6<br>(S)<br>1.4<br>1.7                        | 1.7<br>.8<br>(S)                          | 531.6<br>(S)<br>(S)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)                 | (S)<br>(S)<br>.2<br>(S)  | (Z)<br>(Z)<br>(Z)<br>(Z)                      | .8<br>20.0<br>7.0<br>2.3                                | 52<br>53<br>54<br>55                   |
|          | .5<br>1.0<br>.6<br>(S)<br>(S)                | 17.1<br>(S)<br>.7<br>(S)<br>.5                 | 74.6<br>13.0<br>(S)<br>.7                        | (Z)<br>1.7<br>(Z)<br>(S)<br>.7            | 506.5<br>25.1<br>(S)<br>(S)<br>(Z)                                 | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | (S)<br>(S)<br>(Z)<br>(S)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 1.9<br>17.6<br>30.4<br>44.4<br>11.0                     | 56<br>57<br>58<br>59<br>60             |
|          | .9<br>.3<br>.9<br>1.4<br>1.2                 | 1.3<br>.5<br>(S)<br>(S)<br>(Z)                 | 1.4<br>.2<br>.4<br>.2<br>.4                      | (S)<br>(S)<br>(Z)<br>(Z)                  | <u>®</u> 8000000   | SSSSS                                    | .2<br>(S)<br>(Z)<br>(Z)<br>(Z)                                     | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 7.0<br>10.4<br>11.4<br>10.1<br>10.9                     | 61<br>62<br>63<br>64<br>65             |
|          | 5.5<br>(Z)<br>(Z)<br>(Z)<br>(Z)              |  | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                  | .2<br>(Z)<br>(Z)<br>(Z)<br>(Z)            | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                             | SOSOS                                    | <u> </u>   | (Z)<br>(Z)<br>(Z)<br>(Z)                      | 4.0<br>47.8<br>69.9<br>99.0<br>(Z)                      | 66<br>67<br>68<br>69<br>70             |

## Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| THOU                                   | Vehicular and operational  | on. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]  Major use |   |  |  |   |   |  |  |
|--|--|--|---|--|--|---|---|--|--|
|  | characteristics  | Total  | Agriculture                             | Forestry and lumbering   | Mining and quarrying                   | Construction                                    | Manufacturing                           | Wholesale trade                            | Retail trade   |
|  | TOTAL LENGTH (FEET)  |  |   |  |  |   |   |  |  |
|  | Less than 7.0  |  | (Z)<br>(Z)<br>16.2<br>(S)<br>39.7       | (X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)        | (Z)<br>(Z)<br>(S)<br>(S)<br>103.9               | (Z)<br>(Z)<br>(S)<br>(S)<br>(S)         | (Z)<br>(Z)<br>(S)<br>(S)<br>14.8           | (Z)<br>(Z)<br>(S)<br>(S)<br>16.2                                   |
| 6<br>7<br>8<br>9<br>10                 | 20.0 to 27.9   | 78.7<br>33.4<br>(S)<br>1.7<br>19.4<br>(Z)  | (S)<br>(S)<br>(S)<br>(S)<br>2.0<br>(Z)  | (S)<br>(S)<br>(S)<br>(Z)<br>.8<br>(Z)                              | (S)<br>(S)<br>(S)<br>(Z)<br>(S)<br>(Z) | 24.9<br>3.7<br>.7<br>.4<br>1.9<br>(Z)           | 2.3<br>.9<br>.2<br>(Z)<br>1.4<br>(Z)    | 8.5<br>2.3<br>.8<br>.2<br>2.3<br>(Z)       | 3.6<br>1.0<br>(S)<br>(S)<br>1.8<br>(Z)                             |
|  | YEAR MODEL   |  |   |  |  |   |   |  |  |
| 12<br>13<br>14<br>15<br>16             | 1983   | (S)<br>49.7<br>56.2<br>94.2<br>133.4   | (Z)<br>(S)<br>(S)<br>(S)<br>(S)         | (Z)<br>(S)<br>(S)<br>(S)   | (Z)<br>(Z)<br>(Z)<br>(S)<br>(Z)        | (S)<br>(S)<br>(S)<br>(S)<br>18.9                | (Z)<br>.5<br>(S)<br>(S)<br>.8           | (Z)<br>.9<br>(S)<br>1.5<br>(S)             | (Z)<br>(S)<br>.7<br>(S)<br>(S)                                     |
| 17<br>18<br>19<br>20<br>21             | 1978   | 124.1<br>105.7<br>64.9<br>37.9<br>80.0   | .6<br>(S)<br>(S)<br>(S)<br>(S)          | (S)<br>(S)<br>(Z)<br>(S)   | (S)<br>(Z)<br>(Z)<br>(S)<br>(S)        | 23.1<br>(S)<br>.4<br>1.3<br>24.0                | .3<br>.2<br>(S)<br>(S)<br>.4            | (S)<br>1.6<br>1.0<br>(S)<br>(S)            | .9<br>(S)<br>.4<br>.8<br>1.2                                       |
| 22<br>23<br>24                         | 1973   | 48.2<br>205.8<br>(Z)   | .8<br>25.1<br>(Z)                       | .2<br>.4<br>(Z)  | (S)<br>(S)<br>(Z)                      | 11.7<br>38.6<br>(Z)                             | (S)<br>1.3<br>(Z)                       | 1.3<br>4.0<br>(Z)                          | .7<br>2.9<br>(Z)   |
| 25<br>26<br>27<br>28                   | Purchased new  | 531.0<br>463.4<br>3.1<br>(S)   | 41.6<br>38.0<br>(S)<br>(S)              | .9<br>.6<br>(Z)<br>(S)   | (S)<br>.4<br>(Z)<br>(Z)                | 82.9<br>64.9<br>.8<br>(S)                       | 3.4<br>(S)<br>.2<br>(Z)                 | 30.3<br>6.3<br>.8<br>(S)                   | 27.5<br>(S)<br>.5<br>(S)   |
|  | LEASE CHARACTERISTICS <sup>2</sup>   |  |   |  |  |   |   |  |  |
| 29<br>30<br>31<br>32<br>33<br>34<br>35 | Leased without driver Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other  | 3.0<br>(Z)<br>(S)<br>2.9<br>2.1<br>(S)<br>.6   | (S)<br>(Z)<br>(S)<br>(S)<br>(Z)<br>(Z)  | NANANANA<br>NANANANA   |  | 8 (X)(X) <sup>89</sup> 55 (X)(S)                | 2<br>(Z)<br>(Z) ·2<br>(S)<br>(S)<br>(S) | .7<br>(Z)<br>(Z)<br>.6<br>.6<br>(Z)<br>(Z) | .5<br>(Z)<br>(Z)<br>(S)<br>(S)<br>(S)                              |
|  | OPERATOR CLASSIFICATION  |  |   |  |  |   |   | 1  |  |
| 36<br>37<br>38<br>39<br>40<br>41       | Not for hire: Private owner or individual For hire Motor carrier Owner-operator Daily rental Mixed—for hire/not for hire   | 988.0<br>16.1<br>8.2<br>4.8<br>3.1<br>(Z)  | 80.0<br>(S)<br>(Z)<br>(S)<br>(Z)<br>(Z) | 1.6<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                             | .6<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | 148.8<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 9.3<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | 37.7<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)    | 35.8<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                            |
| 42<br>43<br>44<br>45<br>46             | For-hire interstate Exempt carrier Contract carrier Common carrier For-hire intrastate   | 6.5<br>3.0<br>2.8<br>7.3<br>2.4  | (S)<br>.5<br>(Z)<br>(Z)                 | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                    | (S)<br>(Z)<br>(Z)<br>(S)<br>(Z)        | (S)<br>(A)<br>(S)<br>(S)<br>(Z)                 | (Z)<br>(S)<br>(Z)<br>(S)<br>(S)<br>(Z)  | (Z)<br>(S)<br>(S)<br>(S)<br>(Z)            | (X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X) |
| 47                                     | PRODUCTS CARRIED   | 6.0  | (Z)<br>(S)                              | (Z)<br>(Z)   | (Z)<br>(Z)                             | · .9  | (Z)                                     | .4   | (S)  |
| 48<br>49<br>50<br>51<br>52             | Farm products  | 26.4<br>17.5<br>.4<br>1.7<br>16.7  | 21.9<br>(S)<br>(Z)<br>(S)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>1.1<br>.2                                     | (Z)<br>(Z)<br>(S)<br>(Z)<br>(Z)        | (S)<br>(S)<br>(S)<br>(S)<br>(S)                 | (S)<br>(Z)<br>(Z)<br>(S)<br>.5          | 1.2<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)     | .9<br>(Z)<br>(Z)<br>(Z)<br>1.3                                     |
| 53<br>54<br>55<br>56<br>57             | Processed foods  | 007  | (S)<br>(Z)<br>(S)<br>(Z)<br>(Z)         | (X)(X)(X)  | (Z)<br>(Z)<br>(S)<br>(Z)<br>(Z)        | (Z)<br>(S)<br>28.8<br>(Z)<br>(Z)                | .9<br>(Z)<br>.7<br>(Z)<br>(S)           | 12.4<br>(S)<br>.8<br>(Z)<br>.4             | (S)<br>(S)<br>.9<br>(Z)<br>(S)                                     |
| 58<br>59<br>60<br>61<br>62             | Paper products   | 2.0<br>20.5<br>4.4<br>1.2  | (Z)<br>(S)<br>(S)<br>(Z)<br>(Z)         | (Z)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)                             | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)        | (Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>.5           | .2<br>.5<br>(S)<br>(S)<br>(S)           | .6<br>.4<br>1.3<br>.5<br>.4                | (S)<br>(S)<br>.8<br>(Z)<br>(S)                                     |
| 63<br>64<br>65<br>66<br>67             | Fabricated metal products  | (S)  | (Z)<br>(S)<br>(S)<br>(S)<br>(Z)         | (Z)<br>(S)<br>(Z)<br>(S)<br>(Z)                                    | (Z)<br>(X)<br>(X)<br>(X)<br>(X)        | 1.2<br>1.4<br>.6<br>(S)<br>(S)                  | (S)<br>(S)<br>(S)<br>.9<br>(S)          | (S)<br>(S)<br>,8<br>(S)<br>(S)             | (S)<br>(S)<br>(S)<br>(S)   |
| 68<br>69<br>70<br>71<br>72<br>73       | Craftsman's equipment Personal transportation No load carried Not in use Other Not reported Provided Not reported Provided Not reported Provided Pr | 539.9<br>55.2<br>(S)   | .7<br>(Z)<br>16.7<br>(Z)<br>(S)<br>(Z)  | (Z)<br>(Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                      | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 76.8<br>(Z)<br>(S)<br>(Z)<br>.4<br>(Z)          | (S)<br>(Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)  | (S)<br>(Z)<br>(S)<br>(Z)<br>(S)<br>(Z)     | (S)<br>(Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)                             |

| (Z) (Z) (S) (S) (S) 1.4 1.0 .5 .3 7.8 (Z)   | Utilities  (XX) (S)(S)(S) (X) (X) (X) (X) (X) (X) (X) (X) (X) (X | (Z)<br>(Z)<br>(Z)<br>(S)<br>(S)<br>(24.9<br>49.7<br>4.6<br>(S)<br>(S)<br>(S)<br>(S)    | Daily rental  (Z) (Z) (Z) 9 (S) 1.1 .7 (Z) (S) 2.2 (Z)        | (Z) (Z) (Z) (45.4 163.6 301.8 20.9 (S) (S) (Z) (Z) (Z) (Z) (Z) (Z) | Other                           | (Z)<br>(Z)<br>(Z)<br>(S)<br>(S)  | Not reported (Z) (Z) (Z) (Z) (Z) (Z)    | Relative standard error of estimate (percent) for total  (Z) (Z) (2.1) 11.1 5.4  | 1<br>2<br>3<br>4<br>5  |
|---|--|--|---|--|---------------------------------|--|---|--|--|
| 1.4<br>1.0<br>.5<br>.3<br>7.8<br>(Z)  | 2.6<br>.5<br>(S)<br>(S)<br>(S)                                   | 4.6<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)   | i   |  |                                 |  |   | (Z)<br>(Z)<br>22.1<br>11.1<br>5.4  | 1<br>2<br>3<br>4<br>5  |
|   |  |  | 1.1<br>.7<br>(Z)<br>(S)<br>.2<br>(Z)                          | 20.9<br>(S)<br>(S)<br>(Z)<br>(Z)                                   | (Z)<br>(X)<br>(Z)               | .4   | ,                                       |  |  |
| (Z)<br>1.0  | (Z)<br>.7<br>(S)   | (Z)  |   | (2)  | (Z)<br>(Z)<br>(Z)               | ,4<br>(S)<br>(S)<br>(S)<br>(S)<br>-2<br>(Z)  | NONNON                                  | 15.3<br>27.1<br>59.7<br>20.0<br>2.6<br>(Z)   | 6<br>7<br>8<br>9<br>10<br>11   |
| (Z)<br>1.0<br>.8<br>1.2<br>1.2  | (š)  | (Z)<br>(S)<br>(S)<br>17.1<br>17.6  | (Z)<br>.8<br>(S)<br>(S)<br>1.5                                | (Z)<br>28.7<br>20.3<br>44.9<br>60.8                                | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(S)<br>(S)   | (Z) | 100.0<br>26.4<br>24.2<br>18.9<br>15.4  | 12<br>13<br>14<br>15<br>16   |
| 1.6<br>.9<br>.6<br>.9   | .5<br>(S)<br>(S)<br>(S)  | 20.9<br>(S)<br>(S)<br>(S)<br>(S)   | (Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)                               | 65.2<br>69.3<br>52.9<br>24.9<br>28.8                               |                                 | (Z)<br>(S)<br>(X)<br>(S)<br>(S)  | (X)<br>(X)<br>(X)<br>(X)                | 16.1<br>17.7<br>23.5<br>29.8<br>20.2   | 17<br>18<br>19<br>20<br>21   |
| .8<br>3.0<br>(Z)  | (S)<br>(Z)   | 2.0<br>(S)<br>(Z)  | (S)<br>(Z)<br>(Z)   | 28.9<br>115.2<br>(Z)   | (Z)<br>(Z)<br>(Z)               | .4<br>1.6<br>(Z)   | (X)<br>(X)                              | 24.8<br>11.2<br>(Z)  | 22<br>23<br>24   |
| 7.3<br>5.4<br>.2<br>(S)   | 25.6<br>.8<br>(Z)<br>(S)   | 58.8<br>38.0<br>.5<br>(S)  | 2.8<br>(S)<br>(Z)<br>(S)                                      | 244.9<br>290.5<br>(Z)<br>(S)                                       | (Z)<br>(Z)<br>(Z)<br>(Z)        | (S)<br>(S)<br>(Z)<br>(S)   | (Z)<br>(Z)<br>(Z)<br>(Z)                | 5.6<br>6.5<br>16.7<br>61.6   | 25<br>26<br>27<br>28   |
| (2)<br>(2)<br>(5)<br>(2)<br>(5)<br>(6)<br>(6)   | SOSSOSOS   | .5<br>(Z)<br>(Z)<br>.4<br>.4<br>(Z)<br>(Z)   | NNNNNNN   | NNNNNNN  | 8888888                         | \(\text{SQ}\)  | SARSSAR                                 | 17.0<br>(Z)<br>99.0<br>17.2<br>20.5<br>62.2<br>37.9  | 29<br>30<br>31<br>32<br>33<br>34<br>35                               |
| (Z)<br>13.0<br>8.2<br>4.7<br>(Z)<br>(Z)<br>6.2<br>1.5<br>2.5<br>6.5<br>2.4<br>3.8   | 26.4<br>(2)<br>(2)<br>(2)<br>(2)<br>(2)<br>(3)<br>(3)<br>(5)     | 97.6<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)             | (Z) 3.1<br>(Z) 3.1<br>(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) | 539.9<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)<br>(S)      | NANNA NANNA NA                  | NS @80.00 NS @80 | SS SSS SSSSS                            | .1<br>5.8<br>8.1<br>11.0<br>16.7<br>(Z)<br>8.2<br>15.8<br>15.0<br>8.9<br>15.1  | 36<br>37<br>38<br>39<br>40<br>41<br>42<br>43<br>44<br>45<br>46<br>47 |
| 1.0<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>1.8<br>1.2<br>(Z)<br>5.7<br>4<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S) | හටගහල හටමගල අමතමම අහමහග  | 1.1<br>(S)<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S | OUNTS OUGHS COUNTS OUGS OUGS                                  | NUNUN NUNUN NUNUN N.           | NOON NOON NOON NOON NOON        | SOSSO SOSSO SOSSO SOSSO SOSSOS   | BBBBB BBBBB BBBBB BBBBB                 | 30.7<br>46.1<br>43.6<br>21.4<br>42.0<br>26.4<br>81.0<br>23.7<br>17.6<br>60.6<br>20.1<br>39.6<br>13.8<br>28.4<br>25.6<br>53.5<br>50.2<br>40.9<br>35.1<br>10.4<br>15.2<br>5.4<br>25.8<br>55.2<br>41.7<br>(Z) | 48 49 50 51 52 53 54 55 56 56 60 61 62 63 64 65 66 67 70 71 72 73 73 |

## Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relete to Stete of registretion. Detail mey not edd to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|                            | sands. Data relete to Stete of registretion.   | L L   | o total Booksoo o                  | Trounding. To the                      | aring or approvide                     | Major use                             | - doc maddatory                              | ionij                                |                                       |
|----------------------------|--|---|------------------------------------|--|--|---------------------------------------|--|--------------------------------------|---------------------------------------|
|                            | Vehicular end operational characteristics  | Total                                       | Agriculture                        | Forestry end lumbering                 | Mining end quarrying                   | Construction                          | Manufacturing                                | Wholesale trede                      | Retail trade                          |
|                            | HAZARDOUS MATERIALS<br>CARRIED   |   |                                    |  |  |                                       |  |                                      |                                       |
| 1<br>2<br>3<br>4<br>5<br>6 | Hazardous materiels carried Less than 25 percent of time 25 to 49 percent of time 50 to 74 percent of time 75 to 100 percent of time No percent reported | 11.3<br>(S)<br>1.9<br>.3<br>1.5<br>(Z)      | (S)<br>(S)<br>(S)<br>(S)<br>(Z)    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | .8<br>(S)<br>(S)<br>(S)<br>(S)<br>(S) | .2<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z) | 1.2<br>(S)<br>.6<br>(S)<br>.3<br>(Z) | .9<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z) |
| 7<br>8<br>9<br>10<br>11    | Types of hazardous materials  Flammables or combustibles  Acids, poisons, caustics, etc.  Explosives  Radioective meterials                              | (Z)<br>6.1<br>(S)<br>.5                     | (Z)<br>(S)<br>.2<br>(Z)<br>(Z)     | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>.8<br>(S)<br>(Z)<br>(Z)        | (Z)<br>-2<br>(S)<br>(Z)<br>(Z)               | (Z)<br>(S)<br>(S)<br>(Z)<br>(Z)      | (Z)<br>.7<br>(S)<br>(Z)<br>(Z)        |
| 12<br>13<br>14<br>15<br>16 | Hazardous waste  | .3<br>.5<br>(Z)<br>687.4<br>305.5           | (Z)<br>(Z)<br>(Z)<br>79.5<br>(S)   | (Z)<br>(Z)<br>(Z)<br>1.6<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>.6<br>(S)         | (Z)<br>(Z)<br>(Z)<br>147.1<br>.9      | (S)<br>(S)<br>(Z)<br>8.9<br>(S)              | (Z)<br>(S)<br>(Z)<br>35.7<br>.7      | (Z)<br>(Z)<br>(Z)<br>34.7<br>(S)      |
|                            | TRUCK FLEET SIZE <sup>3</sup>  |   |                                    |  |  |                                       |  |                                      |                                       |
| 17<br>18<br>19<br>20       | 1 2 to 5   | 772.1<br>93.3<br>60.0<br>78.8               | 52.5<br>15.6<br>1.7<br>(S)         | .5<br>.5<br>.4<br>.2                   | .2<br>(Z)<br>(S)<br>(S)                | 65.3<br>32.4<br>35.9<br>15.2          | 1.0<br>(S)<br>1.5<br>1.9                     | 15.9<br>(S)<br>8.5<br>5.4            | 19.4<br>(S)<br>(S)<br>3.1             |
| 04                         | MILES PER GALLON   | 455   |                                    |  | (6)                                    | 20                                    | 1.4  | 2.4                                  | 1.4                                   |
| 21<br>22<br>23<br>24<br>25 | Less then 5  | 15.5<br>42.5<br>71.0<br>188.3<br>207.0      | 1.1<br>3.5<br>(S)<br>22.5<br>20.9  | .3<br>.9<br>(S)<br>(Z)<br>(Z)          | (S)<br>(S)<br>(S)<br>(Z)<br>(Z)        | 3.0<br>7.1<br>14.7<br>39.4<br>(S)     | 1.4<br>1.9<br>.7<br>.4<br>(S)                | 2.4<br>5.4<br>4.4<br>(S)<br>.4       | 1.4<br>3.3<br>2.0<br>2.4<br>(S)       |
| 26<br>27<br>28             | 15 to 19.9<br>20 or more<br>Not reported   | 226.7<br>135.2<br>118.0                     | (S)<br>(S)<br>(S)                  | (Z)<br>(Z)<br>(S)                      | (Z)<br>(Z)<br>(S)                      | 41.3<br>16.4<br>15.5                  | (S)<br>(Z)<br>.5                             | (S)<br>(Z)<br>(S)                    | 16.2<br>(S)<br>1.8                    |
|                            | EQUIPMENT TYPE   | 10044                                       | 00.0                               | 4.0                                    |  | 140.0                                 | 0.0  | 07.7                                 | 05.9                                  |
| 29<br>30<br>31<br>32       | Transmission Manual Automatic Not reported   | 1,004.1<br>482.2<br>515.7<br>6.3<br>1,004.1 | 80.0<br>42.7<br>36.8<br>.5         | 1.6<br>1.6<br>(Z)<br>(Z)<br>1.6        | .6<br>.6<br>(Z)<br>(Z)                 | 148.8<br>78.9<br>68.7<br>1.2<br>148.8 | 9.3<br>4.5<br>(S)<br>(S)<br>9.3              | 37.7<br>18.2<br>18.7<br>.8<br>37.7   | 35.8<br>17.1<br>17.9<br>.8<br>35.8    |
| 33<br>34<br>35<br>36<br>37 | Braking system   | 43.5<br>918.3<br>33.6<br>8.7                | 4.0<br>72.8<br>2.7<br>.6           | .4<br>(S)<br>1.0<br>(Z)                | .6<br>(S)<br>(S)<br>.2<br>(S)          | 10.0<br>129.0<br>7.7<br>2.1           | 9.3<br>.7<br>(S)<br>2.3<br>(S)               | 57.7<br>5.7<br>25.9<br>4.9<br>1.1    | 4.2<br>28.6<br>2.2<br>.9              |
| 38<br>39<br>40<br>41       | Power steering <sup>2</sup> Air conditioning <sup>2</sup> Engine retarder <sup>2</sup> Reflective materials <sup>2</sup>                                 | 529.2<br>433.4<br>3.0<br>14.7               | 36.4<br>29.8<br>(S)<br>1.1         | .6<br>(S)<br>(S)                       | (S)<br>(Z)<br>(S)<br>(S)               | 63.2<br>48.2<br>.3<br>3.2             | (S)<br>(S)<br>.7<br>.7                       | 25.8<br>(S)<br>.4<br>1.5             | 17.7<br>(S)<br>(S)<br>1.1             |
|                            | FUEL CONSERVATION EQUIPMENT2   |   |                                    |  |  |                                       |  |                                      |                                       |
| 42<br>43<br>44<br>45<br>46 | Aerodynemic feetures   | 6.7<br>21.3<br>16.4<br>355.4<br>30.3        | .3<br>1.1<br>1.1<br>14.2<br>2.4    | (Z)<br>.2<br>.3<br>.3<br>.3            | (Z)<br>(S)<br>(Z)<br>.2<br>(S)         | .4<br>4.0<br>3.3<br>41.0<br>6.0       | .3<br>1.3<br>1.2<br>(S)<br>2.4               | .6<br>3.0<br>2.6<br>17.0<br>6.3      | (S)<br>1.4<br>1.1<br>19.1<br>2.8      |
| 47<br>48<br>49             | Veriable fen drives<br>Other fuel conservetion devices<br>Not reported   | 14.5<br>2.7<br>615.0                        | 1.2<br>(S)<br>63.8                 | .2<br>(S)                              | (S)<br>(Z)<br>(S)                      | 2.7<br>(S)<br>99.3                    | 1.2<br>(S)<br>1.7                            | 1.8<br>.3<br>15.5                    | .7<br>(S)<br>14.0                     |
|                            | MAINTENANCE General maintenence:   |   |                                    |  |  |                                       |  |                                      |                                       |
| 50<br>51<br>52<br>53<br>54 | Owner Company's maintenance facilities Dealership's service department Leasing company Independent garage  | 110.01                                      | 40.5<br>20.3<br>(S)<br>(Z)<br>22.7 | .8<br>.5<br>(Z)<br>(Z)<br>.4           | (S)<br>.5<br>(Z)<br>(Z)<br>(Z)         | 62.9<br>41.0<br>(S)<br>(S)<br>40.0    | .4<br>3.6<br>(S)<br>(S)<br>.8                | (S)<br>10.6<br>1.6<br>(S)<br>18.7    | (S)<br>5.7<br>(S)<br>(S)<br>15.7      |
| 55<br>56<br>57             | OtherNot reported  | (S)<br>.4<br>32.5                           | (Z)<br>(S)<br>.4                   | (Z)<br>(Z)<br>(Z)                      | (S)<br>(Z)<br>(S)                      | (S)<br>(S)<br>(S)                     | (Z)<br>(S)<br>(S)                            | (Z)<br>(S)<br>(S)                    | (Z)<br>(Z)<br>.7                      |
| 58<br>59<br>60<br>61<br>62 | Leesing company  | 176.5<br>87.6<br>69.0<br>1.0<br>260.2       | (S)<br>(S)<br>(S)<br>(Z)<br>22.5   | .4<br>.4<br>(S)<br>(Z)<br>.3           | (S)<br>(S)<br>(Z)<br>(S)<br>(S)        | 16.7<br>36.5<br>(S)<br>(S)<br>44.9    | (Z)<br>2.5<br>(S)<br>(S)<br>1.4              | (S)<br>5.0<br>2.1<br>(S)<br>17.3     | (S)<br>3.4<br>(S)<br>(S)<br>4.1       |
| 63<br>64<br>65             | Component distributorship<br>Other<br>Not reported   | .8<br>(S)<br>423.2                          | (Z)<br>(S)<br>28.1                 | (S)<br>(Z)<br>.5                       | (Z)<br>(Z)<br>.2                       | (Z)<br>(S)<br>45.2                    | (S)<br>(S)<br>.7                             | .3<br>(S)<br>8.3                     | (S)<br>(Z)<br>18.3                    |

| For-hire transpor- For-hire transpor- Tables Senices Daily central Personal transpor- Tables Other Not In use Not reported for total for |   |  |  |   |  |   |  |  |   |  |  |  |
|--|---|--|--|---|--|---|--|--|---|--|--|--|
| For-hire trans   | por-<br>tion  | Utilities  | Services   | Daily rental  | Personal transportation  | Other   | Not In use   | Not reported   | of estimate (percent) for total   |  |  |  |
|  | 3.1<br>2.5.4<br>(Z) .2<br>(Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z)                       | 6.0000000 Q.6.0000 0000 0000 0000 00000 00000 00000 0000                     | (S)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>96.8<br>.6              | 2000000 200000000000000000000000000000                                    | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z                | <u> </u>                                      | \(\text{UN}(\tex | \\ \text{\tince{\text{\te}\text{\tetx{\text{\text{\text{\texi}\text{\text{\text{\texi}\text{\text{\texititt{\text{\text{\text{\text{\texi}\tint{\tiint{\text{\texititit{\text{\tii}}\tinttitt{\text{\texi}\texititt{\text{\tet | 36.6<br>54.2<br>20.1<br>43.4<br>22.1<br>(Z)<br>10.5<br>61.4<br>31.0<br>37.2<br>40.3<br>34.8<br>(Z)<br>9.3 | 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16                               |  |  |
|  | 4.3   | (S)  | 74.8   | .5  | 527.3  | (Z)   | (S)  | (Z)  | 2.9   | 17   |  |  |
|  | 1.3   | (S)  | (S)  | (S)   | (S)  | (Z)   | (S)  | (Z)  | 17.3  | 18   |  |  |
|  | 1.9   | 1.0  | 2.2  | (S)   | (Z)  | (Z)   | (S)  | (Z)  | 19.9  | 19   |  |  |
|  | 5.5   | 24.7   | (S)  | 2.5   | (Z)  | (Z)   | (Z)  | (Z)  | 16.8  | 20   |  |  |
|  | 3.3   | 1.3  | 1.1  | (S)   | (Z)  | (Z)   | (S)  | (Z)  | 6.1   | 21   |  |  |
|  | 6.6   | (S)  | 3.1  | .4  | (S)  | (Z)   | (S)  | (Z)  | 13.9  | 22   |  |  |
|  | 1.2   | (S)  | 14.2   | (S)   | 21.1   | (Z)   | (S)  | (Z)  | 19.4  | 23   |  |  |
|  | .7  | .4   | 23.2   | 1.5   | 86.3   | (Z)   | (S)  | (Z)  | 12.5  | 24   |  |  |
|  | (Z)   | (S)  | 25.2   | .4  | 135.3  | (Z)   | (Z)  | (Z)  | 12.1  | 25   |  |  |
|  | (Z)   | (S)  | (S)  | (Z)   | 131.8  | (Z)   | (S)  | (Z)  | 11.5  | 26   |  |  |
|  | (S)   | (Z)  | (S)  | (Z)   | 98.3   | (Z)   | (Z)  | (Z)  | 15.4  | 27   |  |  |
|  | 1.1   | .9   | (S)  | .6  | 62.7   | (Z)   | (S)  | (Z)  | 16.0  | 28   |  |  |
|  | 13.0<br>12.1<br>(S)<br>.5<br>13.0<br>1.0<br>2.2<br>9.3<br>.5<br>5.0<br>5.2<br>.8<br>1.5 | 26.4<br>(S)<br>18.4<br>(S)<br>26.4<br>1.5<br>24.0<br>.9<br>(S)<br>(S)<br>(S) | 97.6<br>33.4<br>63.3<br>.8<br>97.6<br>4.1<br>90.7<br>1.9<br>1.0<br>54.4<br>45.9<br>(Z) | 3.1<br>1.2<br>(Z)<br>3.1<br>1.1,<br>1.7<br>.3<br>(C)<br>1.3<br>1.1<br>(Z) | 539.9<br>257.4<br>281.4<br>1.0<br>539.9<br>5.6<br>532.7<br>(Z)<br>1.6<br>305.7<br>272.9<br>(Z) |   | (9)<br>(9)<br>(9)<br>(9)<br>(9)<br>(9)<br>(9)<br>(9)<br>(9)  | \(\text{SQSQ}\) \(\text{SQSQS}\) \(\text{SQSQS}\) \(\text{SQSQS}\)   | (Z)<br>6.1<br>5.7<br>11.9<br>(Z)<br>9.9<br>.5<br>2.4<br>10.1<br>5.6<br>6.8<br>15.4<br>7.1                 | 29<br>30<br>31<br>32<br>33<br>34<br>35<br>36<br>37<br>38<br>39<br>40 |  |  |
|  | 2.3<br>3.8<br>4.6<br>6.9<br>4.4   | (Z)<br>(Z)<br>(S)<br>1.1   | (S)<br>.9<br>.8<br>41.7<br>2.1   | 2.5<br>1.3<br>1.2<br>.5<br>2.0  | (Z)<br>(S)<br>(Z)<br>204.2<br>(S)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(S)<br>(S)<br>(S)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | 10.3<br>19.5<br>5.2<br>8.1<br>4.2   | 42<br>43<br>44<br>45<br>46   |  |  |
|  | 4.0   | (S)  | 1.0  | 1.1   | (S)  | (Z)   | (S)  | (Z)  | 6.0   | 47   |  |  |
|  | 1.0   | (S)  | (S)  | .2  | (S)  | (Z)   | (Z)  | (X)  | 15.6  | 48   |  |  |
|  | 3.8   | 21.0   | 53.3   | (S)   | 331.2  | (Z)   | (S)  | (Z)  | 4.7   | 49   |  |  |
|  | 4.5<br>6.2<br>.7<br>(S)<br>2.4<br>(Z)<br>(S)  | (S)<br>20.0<br>.4<br>(Z)<br>(S)<br>(Z)<br>(Z)<br>(S)                         | 53.5<br>16.1<br>(S)<br>(Z)<br>35.9<br>(Z)<br>(Z)                                       | (S)                                   | 383.6<br>(S)<br>77.4<br>(Z)<br>138.4<br>(Z)<br>(Z)<br>17.7                                     | \(\text{QQQQ}\) \(\text{QQQ}\) \(\text{QQQ}\) | (9)<br>(9)<br>(9)<br>(2)<br>(2)<br>7,  | 2000<br>2000<br>2000<br>2000   | 5.0<br>13.3<br>17.0<br>28.4<br>9.5<br>74.4<br>47.8<br>30.4  | 50<br>51<br>52<br>53<br>54<br>55<br>56<br>57                         |  |  |
|  | 1.3   | (S)  | (S)  | (S)   | 115.6  | (Z)   | (S)  | (Z)  | 13.2  | 58   |  |  |
|  | 5.3   | 19.4   | 2.2  | 1.9   | (S)  | (Z)   | (S)  | (Z)  | 16.3  | 59   |  |  |
|  | 1.8   | (S)  | (S)  | (S)   | 32.8   | (Z)   | (Z)  | (Z)  | 21.4  | 60   |  |  |
|  | (S)   | (Z)  | (Z)  | (S)   | (Z)  | (Z)   | (Z)  | (Z)  | 28.4  | 61   |  |  |
|  | 3.6   | (S)  | 35.5   | .9  | 118.9  | (Z)   | (S)  | (Z)  | 10.1  | 62   |  |  |
|  | (S)   | (Z)  | (Z)  | (Z)   | (S)  | (Z)   | (Z)  | (Z)  | 29.5  | 63   |  |  |
|  | (S)   | (Z)  | (Z)  | (Z)   | (Z)  | (Z)   | (Z)  | (Z)  | 91.0  | 64   |  |  |
|  | 2.1   | .7   | 40.7   | (S)   | 272.7  | (Z)   | (S)  | (Z)  | 7.1   | 65   |  |  |

## Table 3. Trucks by Major Use: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Vehicular and operational   |  |   | 1  |   | Major use   |   |   |  |
|---|--|---|--|---|---|---|---|--|
| characteristics   | Total  | Agriculture   | Forestry and lumbering                             | Mining and quarrying                                | Construction  | Manufacturing   | Wholesale trade   | Retail trade                                       |
| ENGINE TYPE AND SIZE  |  |   |  |   |   |   |   |  |
| Engine<br>Gasoline<br>Diesel<br>LP gas or other<br>Not reported   | 944.0<br>47.6<br>12.5<br>(Z)   | 80.0<br>77.0<br>2.9<br>(S)<br>(Z)                       | 1.6<br>.6<br>1.0<br>(Z)<br>(Z)                     | .6<br>(S)<br>.3<br>(Z)<br>(Z)                       | 148.8<br>137.1<br>11.0<br>.7<br>(Z)                           | 9.3<br>(S)<br>2.5<br>(S)<br>(Z)                         | 37.7<br>30.4<br>6.6<br>.7<br>(Z)                              | 35.<br>32.<br>3.<br>,<br>(Z                        |
| Cylinders   | 267.9<br>579.9<br>(S)  | 80.0<br>(S)<br>11.8<br>55.8<br>(S)<br>(Z)               | 1.6<br>(Z)<br>1.1<br>.5<br>(Z)<br>(Z)              | .6<br>(Z)<br>.3<br>(S)<br>(Z)<br>(Z)                | 148.8<br>(S)<br>55.3<br>81.0<br>(Z)<br>(Z)                    | 9.3<br>(Z)<br>2.1<br>(S)<br>(Z)<br>(Z)                  | 37.7<br>(S)<br>11.0<br>26.6<br>(Z)<br>(Z)                     | 35.<br>(S<br>(S<br>16.<br>(S                       |
| Cubic inch displacement Gasoline engines Less than 200 200 to 299 300 to 349 350 to 399 400 or more Not reported                              | 1,004.1<br>944.0<br>139.5<br>144.1<br>243.7<br>311.3<br>25.8<br>79.7 | 80.0<br>77.0<br>(S)<br>(S)<br>21.9<br>32.0<br>(S)       | 1.6<br>.6<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)       | .6<br>(S)<br>(Z)<br>(Z)<br>(S)<br>(S)<br>(Z)<br>(S) | 148.8<br>137.1<br>16.7<br>28.0<br>36.9<br>39.5<br>1.0<br>15.0 | 9.3<br>(S)<br>(Z)<br>(S)<br>(S)<br>1.3<br>.2            | 37.7<br>30.4<br>(S)<br>(S)<br>(S)<br>(S)<br>8.4<br>1.0<br>(S) | 35.<br>32.<br>(S<br>(S<br>(S)<br>(S)<br>(S)<br>(S) |
| Diesel engines  | 47.6<br>14.9<br>6.8<br>8.4<br>6.7<br>10.8                            | 2.9<br>.4<br>.5<br>.5<br>.6<br>.9                       | 1.0<br>(S)<br>.2<br>.2<br>.2<br>.3<br>.2           | 3<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)         | 11.0<br>(S)<br>1.2<br>2.3<br>.5<br>2.6                        | 2.5<br>.4<br>.6<br>.2<br>.5<br>.8                       | 6.6<br>.7<br>1.5<br>1.5<br>.6<br>2.4                          | 3.<br>(S<br>1.                                     |
| Other engines Less than 400 400 or more Not reported Horsepower Gasoline engines Less than 100 100 to 199 200 to 249 250 or more Not reported | 12.5<br>12.0<br>(S)<br>(S)<br>1,004.1<br>123.0<br>668.9<br>57.5      | (S)<br>(S)<br>(Z)<br>(Z)<br>80.0<br>77.0<br>(S)<br>53.5 | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\             |   | .4<br>(S)<br>(S)<br>148.8<br>137.1<br>(S)<br>109.6            | (S)<br>(S)<br>(Z)<br>9.3<br>(S)<br>(Z)<br>(S)<br>6.6    | .7<br>.7<br>(2)<br>(2)<br>37.7<br>30.4<br>(2)<br>26.3         | (S<br>(S<br>35.<br>32.<br>(S<br>17.                |
| 250 or more   | (S)<br>84.9<br>47.6<br>23.6<br>9.9<br>9.9<br>3.3<br>10.5             | (S)<br>(Z)<br>14.1<br>2.9<br>1.4<br>.8<br>.2<br>(S)     | (2)<br>(2)<br>(3)<br>1.0<br>.4<br>.5<br>(3)<br>(2) | (Z)<br>(S)<br>(S)<br>(S)<br>(Z)<br>(S)              | 3.3<br>(S)<br>19.4<br>11.0<br>3.7<br>1.3<br>.4<br>(Z)         | .5)<br>(Z)<br>.4<br>2.5<br>1.2<br>.5<br>.2<br>(S)<br>.5 | 2.2<br>(S)<br>1.6<br>6.6<br>3.4<br>1.3<br>.4<br>(Z)           | (\$<br>(\$<br>3.<br>1.<br>(\$                      |
| Other engines<br>Less than 250<br>250 or more<br>Not reported   | 12.5<br>12.0<br>12.0<br>(S)<br>(S)                                   | (S)<br>(S)<br>(Z)<br>(Z)                                | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                     | .7<br>.5<br>(Z)<br>(S)  | (S)<br>(S)<br>(Z)<br>(Z)                                | .7<br>.5<br>(Z)<br>(S)  | ()<br>()   |
| TRUCK TYPE AND AXLE ARRANGEMENT   |  |   |  |   |   |   |   |  |
| Single-unit trucks  | 945.4  | 73.4<br>72.9<br>.4<br>(S)                               | .8<br>.6<br>(S)<br>(Z)                             | .4<br>(S)<br>(S)<br>(Z)                             | 145.0<br>140.3<br>4.3<br>.3                                   | (S)<br>(S)<br>.6<br>(Z)                                 | 34.9<br>33.9<br>1.0<br>(S)                                    | 33<br>33<br>(                                      |
| Combinations Single-unit truck with trailer 3 axles 4 axles 5 axles or more   | 18.7<br>(S)  | (S)<br>(S)<br>(S)<br>(S)<br>(Z)                         | .8<br>(S)<br>(Z)<br>(S)<br>(S)                     | .2<br>(X)<br>(X)<br>(X)<br>(X)                      | 3.9<br>1.8<br>.4<br>.9<br>.5                                  | 1.6<br>(S)<br>(Z)<br>(S)<br>(Z)                         | 2.8<br>(S)<br>(Z)<br>(Z)<br>(S)                               | 2<br>()<br>()                                      |
| Truck-tractor with single trailer 3 axles 4 4xles 5 axles or more Truck-tractor with double trailers  | 1.3<br>6.8<br>12.2   | 2.1<br>(S)<br>1.0<br>1.1                                | .7<br>(Z)<br>.2<br>.5                              | .2<br>(Z)<br>(S)<br>(S)                             | 2.1<br>(S)<br>.7<br>1.3                                       | 1.6<br>(S)<br>.7<br>.7                                  | 2.6<br>.4<br>.7<br>1.4  | 1.<br>(G   |
| 5 axles 6 axles 7 axles or more  Truck-tractor with triple trailers   | .2<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                         | (Z)<br>(X)<br>(X)<br>(Z)<br>(Z)                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                     | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                         | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                               | (2<br>(2<br>(2<br>(2                               |
| 7 axles 8 axles or more 7 Trailer not specified   | (Z)<br>(S)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)                                | (Z)<br>(Z)<br>(Z)<br>(Z)                           | (Z)<br>(Z)<br>(Z)<br>(Z)                            | (Z)<br>(Z)<br>(Z)<br>(Z)                                      | (Z)<br>(Z)<br>(Z)<br>(Z)                                | (Z)<br>(Z)<br>(Z)<br>(Z)                                      | (2<br>(2<br>(2                                     |
| Powered axles   | 100.2  | 80.0<br>61.7<br>17.5<br>(S)                             | 1.6<br>.7<br>.8<br>(S)<br>(Z)                      | .6<br>.5<br>(S)<br>(Z)<br>(S)                       | 148.8<br>123.9<br>16.9<br>1.2<br>(S)                          | 9.3<br>(S)<br>.9<br>.4<br>(S)                           | 37.7<br>30.3<br>(S)<br>.5<br>1.0                              | 35<br>33<br>1<br>(5                                |
| CAB TYPE4   |  |   |  |   |   |   |   |  |
| B Cab forward of engine Cab over engine S Short-hood conventional Long-hood conventional  | 19.6<br>27.3<br>41.4   | .4<br>1.3<br>2.2<br>3.6<br>1.4                          | (Z)<br>.2<br>.3<br>.5                              | (Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)              | 1.1<br>2.9<br>6.2<br>12.2<br>3.6                              | (S)<br>1.4<br>.9<br>1.6<br>.8                           | .4<br>2.9<br>3.9<br>6.5<br>1.4                                | 1<br>3<br>3  |
| Cab beside engine   | 1.2<br>15.1<br>880.5   | (Z)<br>.8<br>70.3                                       | (Z)<br>(S)<br>(S)                                  | (Z)<br>(Z)<br>(Z)                                   | .7<br>1.8<br>120.3  | (Z)<br>(Z)<br>(S)                                       | (S)<br>.9<br>21.5   | (2<br>25   |

| 13.0   | 130  |  | Major use — Con.  **Relative of estation  |   |   |   |   |  |   |   |  |  |
|--|--|--|---|---|---|---|---|--|---|---|--|--|
| 13.0   28.4   97.6   31   539.9   C2   C3   C3   C3   143.8   18.3   18.4   7.7   121.2   C3   C3   C3   C3   C3   C3   C3   C   | 13.0   | or-hire transpor-<br>tation  | Utilities   | Services  | Daily rental  | Personal transportation   | Other   | Not in use                               | Not reported                            | of estimate (percent)<br>for total  |  |  |
| (Z) (S) (S) (S) (S) (Z) (S) (Z) (S) (Z) (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z   | (Z) (S) (S) (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z                 | 13.0<br>(S)<br>9.1<br>3.8<br>(Z)<br>(Z)<br>13.0<br>3.8<br>(Z)<br>5.5<br>1.7<br>9.2<br>4.4<br>7.2<br>2.3<br>3.2<br>2.1<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)<br>6.6 | 26.4<br>(II) 18.3<br>(IX) 26.4<br>(IX) 26.4<br>(IX) 26.4<br>(IX) 26.4<br>(IX) 26.5<br>(IX) 26.4<br>(IX) 26.4<br>(IX) 26.4<br>(IX) 26.4<br>(IX) 26.4<br>(IX) 26.4<br>(IX) 26.5<br>(IX) 26.5<br>( | 1.7<br>(S)<br>(Z)<br>97.6<br>16.3<br>19.7<br>61.4<br>(Z)<br>(S)<br>97.6<br>95.8<br>16.3<br>(S)<br>14.1<br>49.6<br>.8<br>1.9<br>1.7<br>(S)<br>(S)<br>(S)<br>(S)<br>7.7<br>(S)<br>(S)<br>(S)<br>2.7<br>(S)<br>2.7<br>(S)<br>3.8<br>(S)<br>1.7<br>(S)<br>3.8<br>(S)<br>3.8<br>(S)<br>4.1<br>4.1<br>4.1<br>4.1<br>4.1<br>5.5<br>(S)<br>5.5<br>(S)<br>5.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6.5<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S)<br>6<br>(S) | 4.00       3.10.7400       3.1600       9.99       4.0949       9.00 </td <td>527.6<br/>(S)<br/>(Z)<br/>539.9<br/>102.2<br/>121.5<br/>316.0<br/>(Z)<br/>(S)<br/>539.9<br/>527.6<br/>90.1<br/>74.3<br/>135.5<br/>167.3<br/>20.6<br/>39.6<br/>(S)<br/>(Z)<br/>(Z)<br/>(Z)<br/>(Z)<br/>(Z)<br/>(Z)<br/>(Z)<br/>(Z)<br/>(S)<br/>(S)<br/>(S)<br/>(S)<br/>(S)<br/>(S)<br/>(S)<br/>(S)<br/>(S)<br/>(S</td> <td>SSSSSS SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS</td> <td>4.00 000°.00 000000000000000000000000000</td> <td>BURNER BURNERS BURNERS BURNERS</td> <td>14.8<br/>46.3<br/>(Z)<br/>(Z)<br/>14.3<br/>9.6<br/>5.1<br/>75.4<br/>57.4<br/>(Z)<br/>10<br/>15.0<br/>14.5<br/>10.8<br/>8.9<br/>35.0<br/>19.7<br/>14.8<br/>47.0<br/>8.5<br/>7.1<br/>7.4<br/>6.8<br/>46.3<br/>47.9<br/>52.6<br/>99.5<br/>(Z)<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10<br/>10</td> | 527.6<br>(S)<br>(Z)<br>539.9<br>102.2<br>121.5<br>316.0<br>(Z)<br>(S)<br>539.9<br>527.6<br>90.1<br>74.3<br>135.5<br>167.3<br>20.6<br>39.6<br>(S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S | SSSSSS SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS                      | 4.00 000°.00 000000000000000000000000000 | BURNER BURNERS BURNERS BURNERS          | 14.8<br>46.3<br>(Z)<br>(Z)<br>14.3<br>9.6<br>5.1<br>75.4<br>57.4<br>(Z)<br>10<br>15.0<br>14.5<br>10.8<br>8.9<br>35.0<br>19.7<br>14.8<br>47.0<br>8.5<br>7.1<br>7.4<br>6.8<br>46.3<br>47.9<br>52.6<br>99.5<br>(Z)<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10<br>10 |  |  |
|  | (S) (S) (S) (S) (S) (S) (S) (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>4.4<br>3.6<br>.8<br>(Z)   | (S)<br>(S)<br>(S)<br>(S)<br>(S)<br>25.7<br>25.4<br>.3<br>(Z)  | 84.1<br>83.4<br>.7<br>(Z)   | (X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)   | (S)<br>(S)<br>(Z)<br>(Z)<br>531.7<br>531.7<br>(Z)<br>(Z)  | (2)<br>(2)<br>(3)<br>(3)<br>(3)<br>(3)<br>(3)<br>(3)<br>(3) | (S)  | (X) | 11.5<br>37.3<br>39.2<br>46.3<br>48.2<br>99.5<br>51.3  |  |  |
| (S) (Z) .4 (Z) .4 (Z) (S) (Z) 15.3 (A) 4.9 (S) 1.7 1.2 7 (Z) .3 (Z) 5.4 (Z) 5.4 (Z) 13.4 2.9 1.0 2.1 (Z) (S) (Z) 5.1 (Z) 5.4 ( |  | (S)<br>.5<br>.5  | (S)<br>.4<br>20.4   | (S)<br>.7<br>86.8   | (Z)<br>(Z)<br>(Z)   | (Z)<br>(S)<br>526.3   | (Z)<br>(Z)<br>(Z)   | (Z)<br>(S)<br>(S)                        | (Z)<br>(Z)<br>(Z)                       | 28.6<br>37.7<br>.8  |  |  |

#### Table 3. Trucks by Major Use: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|                       | Vehicular and operational                                    |   |                                   |                          |                          | Major use                           |                                 |                                  |                                  |
|-----------------------|--|---|-----------------------------------|--------------------------|--------------------------|-------------------------------------|---------------------------------|----------------------------------|----------------------------------|
|                       | characteristics  | Total                                   | Agriculture                       | Forestry and lumbering   | Mining and quarrying     | Construction                        | Manufacturing                   | Wholesale trade                  | Retail trade                     |
|                       | PICKUPS, PANELS, VANS,<br>UTILITIES, AND STATION<br>WAGONS   |   |                                   |                          |                          |                                     |                                 |                                  |                                  |
| 1<br>2<br>3<br>4<br>5 | Total Pickups Panels or vans Utilities Station wagons        | 882.4<br>573.8<br>231.6<br>48.8<br>28.2 | 69.9<br>57.7<br>(S)<br>(S)<br>(S) | NONNN                    | 30000<br>30000           | 115.1<br>90.9<br>20.1<br>(S)<br>(Z) | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z) | 20.2<br>(S)<br>(S)<br>(Z)<br>(Z) | 24.6<br>(S)<br>(S)<br>(S)<br>(Z) |
| 6<br>7<br>8<br>9      | Driving wheels 4-wheel drive 2-wheel drive Front-wheel drive | 878.0<br>77.0<br>788.7<br>(S)           | 69.9<br>16.2<br>53.6<br>(Z)       | (X)<br>(X)<br>(X)<br>(X) | (Z)<br>(Z)<br>(Z)<br>(Z) | 115.1<br>(S)<br>102.9<br>(S)        | (S)<br>(Z)<br>(S)<br>(Z)        | 20.2<br>(S)<br>16.2<br>(Z)       | 24.6<br>(Z)<br>24.6<br>(Z)       |

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Florida, 54.8 of the cells have RSEs greater than 10 percent, and 42.3 of the cells have RSEs greater than 25 percent.

<sup>&</sup>lt;sup>1</sup>When no response was obtained for annual miles data were imputed.

<sup>2</sup>Detail does not add to totals because items were not applicable or multiple responses were possible.

<sup>3</sup>When no response was obtained, one truck was imputed based on body type of sampled vehicle.

<sup>4</sup>Pickups, panels, and vans are not included.

|                 |   |                            | Major us                              | se-Con.   |  |                            |  |   |            |
|-----------------|---|----------------------------|---------------------------------------|---|--|----------------------------|--|---|------------|
| For-hire transp | or-<br>ion Utilities  | Services                   | Daily rental                          | Personal transportation   | Other  | Not in use                 | Not reported   | Relative standard error of estimate (percent) for total       |            |
|                 | (S) 16.6<br>(S) (S)<br>(S) (Z)<br>(S) (Z)<br>(Z) (Z)<br>(S) 16.6<br>(Z) 16.6<br>(Z) (Z) | 45.6<br>32.2<br>(S)<br>(S) | \(QQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQ | 537.1<br>345.7<br>139.0<br>32.3<br>20.1<br>536.9<br>40.5<br>488.3 | \(\text{SUSUS}\) \(\text{SUSUS}\) \(\text{SUSUS}\) | <i>୭୭୭</i> ସସ <u>୭</u> ସଚସ | \(\frac{1}{2}\)\(\frac{1}\)\(\frac{1}{2}\)\(\frac{1}{2}\)\(\frac{1}{2}\)\(\frac{1}{2}\)\(\frac{1}{2}\)\(\frac{1}{2}\)\(\frac{1}\)\(\frac{1}\)\(\frac{1}\)\(\frac{1}\)\(\frac{1}\2\)\(\frac{1}\2\)\(\frac{1}\2\)\(1 | .7<br>1.4<br>6.6<br>26.8<br>36.2<br>.8<br>22.0<br>2.4<br>57.3 | 12345 6789 |

## Table 4. Trucks by Vehicle Size: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Vehicular and operational  | ,   |  | Vehicl  |   |  | Relative standard error                             |
|--|---|--|---|---|--|---|
| characteristics  | Total   | Light                                  | Medium  | Light-heavy                                   | Heavy-heavy                            | of estimate (percent) for total                     |
| Total  | 1,004.1<br>(Z)                                | 917.6<br>.8                            | 35.7<br>20.0                                  | 18.1<br>7.0                                   | 34.7<br>2.3                            | (Z)<br>(Z)  |
| Agriculture  | 80.0<br>1.6<br>.6<br>148.8<br>9.3             | 72.0<br>(S)<br>(Z)<br>131.6<br>(S)     | 3.1<br>(S)<br>(S)<br>(6.0<br>1.1              | 1.7<br>(S)<br>(S)<br>(S)<br>2.7<br>.8         | 3.2<br>.9<br>.3<br>8.5<br>2.6          | 20.1<br>20.7<br>35.6<br>13.7<br>44.3                |
| Wholesale trade  | 37.7<br>35.8<br>13.0<br>26.4<br>97.6          | 25.1<br>28.7<br>1.6<br>22.8<br>87.6    | 3.7<br>3.0<br>1.2<br>1.4<br>(S)               | 4.3<br>1.6<br>.9<br>1.3<br>1.4                | 4.6<br>2.5<br>9.2<br>.9<br>1.7         | 24.0<br>27.5<br>6.2<br>34.0<br>18.1                 |
| Daily rental Personal transportation Other Not in use Not reported   | 3.1<br>539.9<br>(Z)<br>(S)<br>(Z)             | 1.7<br>531.6<br>(Z)<br>(S)<br>(Z)      | .8<br>(S)<br>(Z)<br>(S)<br>(Z)                | (S)<br>(S)<br>(Z)<br>.2<br>(Z)                | .3<br>(Z)<br>(X)<br>(S)<br>(Z)         | 16.7<br>5.4<br>(Z)<br>55.2<br>(Z)                   |
| BODY TYPE Pickup Panel or van Utility  | 573.8<br>231.6<br>48.8                        | 565.6<br>227.6<br>48.8                 | (S)<br>(S)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)                             | (Z)<br>(Z)                             | 1.4<br>6.6<br>26.8                                  |
| Station wagon<br>Multistop or walk-in<br>Platform with added devices   | 28.2<br>8.7<br>6.1                            | 28.2<br>7.9<br>1.5                     | .7  | (2)(X)(X)(S)<br>(S)<br>1.3(                   | (2)<br>(2)<br>(2)<br>(2)<br>(2)        | 20.0<br>36.2<br>10.6<br>12.1<br>16.2                |
| Low boy or depressed center  | 2.1<br>24.4<br>.5<br>.7                       | (Z)<br>11.7<br>(S)<br>(S)              | 2.0<br>(Z)<br>5.0<br>(Z)<br>(S)<br>.8         | 1.3<br>(S)<br>2.9<br>(S)<br>(Z)<br>1.4        | 1.9<br>4.8<br>.3<br>.2<br>4.3          | 5.5<br>40.3<br>35.5<br>9.4                          |
| Drop-frame van   | 2.1<br>.4<br>19.5<br>3.1                      | .4<br>(Z)<br>6.3<br>(Z)                | (S)<br>(Z)<br>5.6<br>.5                       | (S)<br>(Z)<br>2.6<br>1.3                      | 1.2<br>.4<br>4.9<br>1.3                | 18.5<br>34.7<br>6.2<br>15.4                         |
| Public utility   | (S)<br>1.1<br>2.9<br>1.1<br>.8                | (S)<br>.5<br>1.9<br>(S)<br>(Z)         | 1.0<br>(S)<br>.8<br>(Z)<br>(S)                | .5<br>(S)<br>(S)<br>(S)<br>(S)                | .7<br>(S)<br>(S)<br>.6<br>.4           | 51.7<br>28.3<br>18.3<br>25.1<br>30.9                |
| Service truck Yard tractor Olifield truck Cargo container chassis Grain body   | 4.9<br>.2<br>(S)<br>.6<br>.4                  | 3.8<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | .9<br>(Z)<br>(Z)<br>(S)<br>(S)                | (S)<br>(S)<br>(S)<br>(Z)<br>(S)               | (Z)<br>(S)<br>(S)<br>.5<br>(S)         | 14.4<br>49.3<br>53.4<br>31.3<br>48.0                |
| Garbage hauler Dump truck Tank truck (liquids or gases) Tank truck (dry bulk) Concrete mixer Other Not reported      | 1.0<br>17.6<br>4.7<br>.5<br>2.0<br>1.2<br>(Z) | (Z)<br>(S)<br>(S)<br>(Z)<br>.8<br>(Z)  | (Z)<br>3.8<br>1.1<br>(S)<br>(Z)<br>(S)<br>(Z) | (S)<br>2.5<br>1.1<br>(Z)<br>(S)<br>(S)<br>(Z) | .8<br>5.9<br>2.2<br>.4<br>1.9<br>(S)   | 24.6<br>23.6<br>12.6<br>32.9<br>16.2<br>28.6<br>(Z  |
| ANNUAL MILES <sup>1</sup> Less than 5,000  | 180.8<br>259.4                                | 164.3<br>243.6                         | 10.1<br>9.7                                   | 3.3<br>2.6                                    | 3.0<br>3.5                             | 12.6<br>10.2  |
| 10,000 to 19,999<br>20,000 to 29,999<br>30,000 to 49,999<br>50,000 to 74,999<br>75,000 or more                       | 387.1<br>115.9<br>35.5<br>13.9<br>11.5        | 364.8<br>105.8<br>26.7<br>(S)          | 10.7<br>3.0<br>1.8<br>.3<br>(S)               | 5.0<br>2.7<br>2.0<br>(S)<br>(S)               | 6.6<br>4.4<br>4.9<br>4.9<br>7.4        | 12.6<br>10.2<br>7.4<br>16.4<br>27.6<br>41.5<br>35.2 |
| RANGE OF OPERATION  Local Short-range (Less than 201 miles) Long-range (201 miles or more) Off-the-road Not reported | 824.2<br>73.6<br>45.3<br>49.1                 | 776.6<br>61.2<br>25.7<br>43.7<br>(S)   | 17.3<br>2.7<br>(S)<br>2.3<br>8                | 11.9<br>1.5<br>.8<br>1.7<br>.2                | 18.3<br>8.2<br>6.4<br>1.8<br>(S)       | 2.7<br>19.9<br>26.3<br>25.1<br>49.2                 |
| BASE OF OPERATION Percentage of miles traveled outside base-of-operation   |   | (3)                                    |   |   | (0)                                    |   |
| State:  Less than 25 percent 25 to 49 percent 50 to 74 percent 75 to 100 percent Not reported                        | 750.0<br>35.3<br>41.3<br>30.8<br>146.7        | 695.0<br>33.2<br>37.6<br>(S)<br>137.9  | 18.9<br>(S)<br>(S)<br>(S)<br>(S)<br>3.5       | 12.6<br>.5<br>(S)<br>.4<br>2.2                | 23.6<br>1.3<br>3.1<br>3.7<br>3.1       | 3.5<br>32.1<br>28.9<br>31.9<br>14.5                 |
| AVERAGE WEIGHT (POUNDS)  Less than 6,001   | 837.1<br>80.5<br>19.1<br>9.3                  | 837.1<br>80.5<br>(Z)<br>(Z)<br>(Z)     | (Z)<br>(Z)<br>19.1<br>9.3                     | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 1.5<br>17.6<br>30.4<br>44.4<br>11.0                 |
| 16,001 to 19,500   | 7.2<br>16.0<br>6.3<br>3.7<br>4.5<br>4.1       | (2)<br>(2)<br>(2)<br>(2)<br>(2)<br>(2) | 7.2<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | 16.0<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)       | (Z)<br>6.3<br>3.7<br>4.5<br>4.1        | 7.0<br>10.4<br>11.4<br>10.1                         |
| 60,001 to 80,000   | 15.7<br>.3<br>(S)<br>(S)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 15.7<br>.3<br>(S)<br>(S)<br>(Z)        | 4.0<br>47.8<br>69.9<br>99.0<br>(Z)                  |

## Table 4. Trucks by Vehicle Size: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Thousands. Data relate to State of registration. Detail may  Vehicular and operational  | not add to total because  | or rounding. For mean                                       | Vehicle siz  |   | Addition y texts   | Relative standard error   |
|---|---|---|--|---|--|---|
| characteristics   | Total   | Light   | Medium   | Light-heavy   | Heavy-heavy  | of estimate (percent) for total                                       |
| TOTAL LENGTH (FEET)   |   |   |  |   |  |   |
| Less than 7.0 7.0 to 9.9 10.0 to 12.9 13.0 to 15.9 16.0 to 19.9   | (Z)<br>(Z)<br>74.9<br>237.2<br>551.9                                  | (Z)<br>(Z)<br>74.7<br>236.5<br>544.3                        | (Z)<br>(Z)<br>(S)<br>.6<br>5.1                     | (Z)<br>(Z)<br>(Z)<br>(S)<br>1.8                     | (Z)<br>(Z)<br>(Z)<br>(Z)<br>.7                             | (Z)<br>(Z)<br>22.1<br>11.1<br>5.4                                     |
| 20.0 to 27.9 28.0 to 35.9 36.0 to 40.9 41.0 to 44.9 45.0 or more Not reported   | 78.7<br>33.4<br>(S)<br>1.7<br>19.4<br>(Z)                             | 48.7<br>(S)<br>(S)<br>(Z)<br>(Z)<br>(Z)                     | 13.5<br>11.8<br>(S)<br>(S)<br>(Z)<br>(Z)           | 9.3<br>3.4<br>.7<br>(S)<br>.5<br>(Z)                | 7.2<br>5.0<br>1.6<br>1.3<br>18.9<br>(Z)                    | 15.3<br>27.1<br>59.7<br>20.0<br>2.6<br>(Z)                            |
| YEAR MODEL  |   |   |  |   |  |   |
| 1983  | (S)<br>49.7<br>56.2<br>94.2<br>133.4                                  | (S)<br>46.1<br>51.2<br>88.6<br>126.4                        | (Z)<br>.9<br>1.5<br>.8<br>2.4                      | (Z)<br>.8<br>1.0<br>1.3<br>1.1                      | (Z)<br>1.9<br>2.5<br>3.5<br>3.6                            | 100.0<br>26.4<br>24.2<br>18.9<br>15.4                                 |
| 1978  | 124.1<br>105.7<br>64.9<br>37.9<br>80.0                                | 117.2<br>96.8<br>62.1<br>34.5<br>69.0                       | 1.6<br>(S)<br>1.0<br>1.1<br>(S)                    | 2.2<br>1.6<br>.5<br>.6<br>1.5                       | 3.2<br>2.2<br>1.2<br>1.6<br>3.1                            | 16.1<br>17.7<br>23.5<br>29.8<br>20.2                                  |
| 1973<br>Pre-1973<br>Not reported  | 48.2<br>205.8<br>(Z)  | 40.9<br>180.7<br>(Z)  | 2.9<br>12.2<br>(Z)                                 | 1.4<br>4.0<br>(Z)                                   | 3.0<br>8.9<br>(Z)  | 24.8<br>11.2<br>(Z)   |
| VEHICLE ACQUISITION   |   |   |  |   |  |   |
| Purchased new   | 531.0<br>463.4<br>3.1<br>(S)  | 481.3<br>429.7<br>1.0<br>(S)                                | 19.8<br>15.1<br>.5<br>(S)                          | 9.3<br>5.6<br>.9<br>(S)                             | 20.6<br>13.0<br>.7<br>.4                                   | 5.6<br>6.5<br>16.7<br>61.6  |
| LEASE CHARACTERISTICS <sup>2</sup>  |   |   |  |   |  |   |
| Leased without driver Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other                   | 3.0<br>(Z)<br>(S)<br>2.9<br>2.1<br>(S)                                | 1.0<br>(Z)<br>(Z)<br>1.0<br>.9<br>(Z)<br>(S)                | .5<br>(Z)<br>(Z)<br>(S)<br>(S)<br>(S)              | .8<br>(Z)<br>(Z)<br>.8<br>.6<br>(Z)<br>(S)          | .6<br>(Z)<br>(S)<br>.7<br>.4<br>(S)<br>.2                  | 17.0<br>(Z)<br>99.0<br>17.2<br>20.5<br>62.2<br>37.9                   |
| OPERATOR CLASSIFICATION   |   |   |  |   |  |   |
| Not for hire: Private owner or individual For hire Motor carrier Owner-operator Daily rental Mixed—for hire/not for hire Exempt carrier Contract carrier Common carrier | 988.0<br>16.1<br>8.2<br>4.8<br>3.1<br>(Z)<br>6.5<br>3.0<br>2.8<br>7.3 | 914.3<br>3.3<br>.8<br>.8<br>1.7<br>(Z)<br>(S)<br>1.0<br>(S) | 33.6<br>2.0<br>.7<br>.5<br>.8<br>(Z)<br>(S)<br>(S) | 14.8<br>1.3<br>.8<br>(S)<br>(S)<br>(Z)<br>.5<br>(S) | 25.2<br>9.5<br>5.9<br>3.4<br>3<br>(Z)<br>5.7<br>1.5<br>1.9 | .1<br>5.8<br>8.1<br>11.0<br>16.7<br>(Z)<br>8.2<br>15.8<br>15.0<br>8.9 |
| For-hire intrastate For-hire local  | 2.4<br>6.0  | (S)<br>2.1  | (S)<br>1.2   | (S)<br>.7   | 2.0<br>2.0   | 15.1<br>11.7  |
| PRODUCTS CARRIED  |   |   |  |   |  |   |
| Farm products Live animals Mining products Logs and other forest products Lumber and fabricated wood products   | 26.4<br>17.5<br>.4<br>1.7<br>16.7                                     | 18.8<br>16.5<br>(Z)<br>(S)<br>14.1                          | 2.2<br>.4<br>(S)<br>(S)<br>.6                      | 1.6<br>(S)<br>(S)<br>(S)<br>(S)                     | 3.8<br>.4<br>.2<br>.8<br>.8                                | 30.7<br>46.1<br>43.6<br>21.4<br>42.0                                  |
| Processed foods   | 26.7<br>(S)<br>38.3<br>3.1<br>(S)                                     | 16.1<br>(S)<br>24.0<br>2.1<br>(S)                           | 1.7<br>(S)<br>3.5<br>(S)<br>.8                     | 3.2<br>(S)<br>2.1<br>.5<br>(S)                      | 5.7<br>(S)<br>8.7<br>.4<br>.4                              | 26.4<br>81.0<br>23.7<br>17.6<br>60.6                                  |
| Paper products Chemicals Petroleum Plastics and/or rubber Primary metal products  | 2.0<br>20.5<br>4.4<br>1.2<br>1.4                                      | .7<br>16.9<br>.9<br>.7                                      | .4<br>1.5<br>1.2<br>(S)                            | (S)<br>5. 9.<br>(S)<br>(S)                          | .6<br>1.6<br>1.4<br>(S)                                    | 20.1<br>39.6<br>13.8<br>28.4<br>25.6                                  |
| Fabricated metal products Machinety   | (S)<br>(S)<br>17.2<br>22.9<br>6.3                                     | (S)<br>(S)<br>14.1<br>18.2<br>1.4                           | .8<br>1.1<br>1.4<br>1.9<br>1.7                     | .4<br>.4<br>.6<br>1.1                               | .5<br>1.6<br>1.1<br>1.7<br>2.7                             | 53.5<br>50.2<br>40.9<br>35.1<br>10.4                                  |
| Craftsman's equipment Personal transportation No load carried Not in use Other Not reported   | 136.8<br>539.9<br>55.2<br>(S)<br>21.3<br>(Z)                          | 128.7<br>531.6<br>54.3<br>(S)<br>20.5<br>(Z)                | (S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)             | .8<br>(S)<br>.3<br>.2<br>(S)<br>(Z)                 | .8<br>(Z)<br>.4<br>(S)<br>.2<br>(Z)                        | 15.2<br>5.4<br>25.8<br>55.2<br>41.7<br>(Z)                            |

## Table 4. Trucks by Vehicle Size: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Vehicular and operational  |                               |                                 | Vehicle siz                      | ze .                            |                    | Relative standard error              |
|--|-------------------------------|---------------------------------|----------------------------------|---------------------------------|--------------------|--------------------------------------|
| characteristics  | Total                         | Light                           | Medlum                           | Light-heavy                     | Heavy-heavy        | of estimate (percent) for total      |
| HAZARDOUS MATERIALS CARRIED  |                               |                                 |                                  |                                 |                    |                                      |
| Hazardous materials carried<br>Less than 25 percent of time              | 11.3<br>(S)                   | (S)<br>(S)                      | 1.2                              | 1.2<br>(S)                      | 3.9<br>2.2         | 36.6<br>54.2                         |
| 25 to 49 percent of time   | (S)<br>1.9                    | j <u>s</u>                      |                                  | (Å<br>(S)                       |                    | 20.1                                 |
| 25 to 49 percent of time   | 1.5<br>(Z)                    | (S)<br>(S)<br>(S)<br>(S)<br>(Z) | (S)<br>(Z)<br>(S)<br>(Z)         | .4                              | .8<br>.2<br>.7     | 554.2<br>20.1<br>43.4<br>22.1<br>(Z) |
| No percent reported  |                               |                                 |                                  | (Z)                             | (Z)                |                                      |
| Types of hazardous materials <sup>2</sup> Flammables or combustibles     | (Z)<br>6.1<br>(S)<br>.5<br>.3 | (Z)<br>.7<br>(S)<br>(Z)<br>(Z)  | (Z)<br>1.1<br>(S)<br>(Z)<br>(Z)  | (Z)<br>1.0                      | (Z)<br>3.3         | (Z)<br>10.5                          |
| Acids, poisons, caustics, etc  | (S)<br>.5                     | (S)  <br>(Z)                    | (S)                              | .4<br>(S)<br>(S)                | 1.6<br>.4          | 61.4<br>31.0                         |
| Radioactive materials  | .3                            |                                 |                                  |                                 | .4                 | 37.2                                 |
| Hazardous wasteHazardous materials not listed above                      | .3                            | (Z)<br>(Z)<br>(Z)               | (Z)<br>(S)<br>(Z)                | (S)<br>(Z)<br>(Z)               | .2<br>.3           | 40.3<br>34.8                         |
| Not reported   | .5<br>(Z)                     |                                 |                                  | ( <del>Z</del> )                | (Z)                | (Z)                                  |
| No hazardous materials carriedNot reported                               | 687.4<br>305.5                | 617.7<br>295.0                  | 25.8<br>(S)                      | 14.2                            | 29.8<br>1.1        | 4.2<br>9.3                           |
| TRUCK FLEET SIZE <sup>3</sup>  |                               |                                 |                                  |                                 |                    |                                      |
| 1  | 772.1                         | 742.7                           | 18.7<br>5.7<br>5.4<br>5.8        | 3.1                             | 7.6                | 2.9                                  |
| 2 to 5<br>6 to 19<br>20 or more  | 93.3<br>60.0                  | 79.0<br>42.6                    | 5.4                              | 4.4<br>4.2                      | 7.6<br>4.2<br>7.7  | 2.9<br>17.3<br>19.9                  |
| 20 or more   | 78.8                          | 53.4                            | 5.8                              | 4.4                             | 15.2               | 16.8                                 |
| MILES PER GALLON   |                               |                                 |                                  |                                 |                    |                                      |
| Less than 5  | 15.5<br>42.5                  | (S)<br>12.5                     | 2.6<br>7.5                       | 2.9<br>5.4                      | 9.7<br>17.1        | 6.1                                  |
| 7 to 8.9   | 71.0                          | 50.1                            | 13.1                             | 4.2                             | 3.6                | 13.9<br>19.4<br>12.5<br>12.1         |
| 5 to 6.9   | 188.3<br>207.0                | 177.6<br>205.9                  | (S)<br>.9                        | 1.5<br>(S)                      | 1.3<br>(S)         | 12.5<br>12.1                         |
| 15 to 19.9   | 226.7<br>135.2                | 226.2<br>135.2<br>109.9         | .5<br>(Z)<br>3.1                 | (Z)<br>(Z)<br>2.0               | (Z)<br>(Z)<br>3.0  | 11.5<br>15.4                         |
| Not reported   | 118.0                         | 109.9                           | 3.1                              | 2.0                             | 3.0                | 16.0                                 |
| EQUIPMENT TYPE   |                               |                                 |                                  |                                 |                    | _                                    |
| Transmission   | 1,004.1<br>482.2              | 917.6<br>416.0                  | 35.7<br>20.3                     | 16.1<br>13.8                    | 34.7<br>32.0       | (Z)<br>6.1<br>5.7                    |
| AutomaticNot reported  | 515.7<br>6.3                  | 498.7<br>2.9                    | 14.1                             | 1.2<br>1.1                      | 1.6<br>1.1         | 5.7<br>11.9                          |
| Braking system   | 1.004.1                       | 917.6                           | 35.7                             | 16.1                            | 34.7               |                                      |
| Hydraulic Hydraulic (power)  | 43.5<br>918.3                 | 29.8                            | 7.6                              | 4.4<br>7.6                      | 1.7<br>3.7         | (Z)<br>9.9<br>.5<br>2.4<br>10.1      |
| Not reported   | 33.6                          | 882.2<br>.7                     | 24.7<br>2.1                      | 2.9                             | 28.0               | 2.4                                  |
| Not reported   | 8.7                           | 5.0                             | 1.2                              | 1.2                             | 1.3                |                                      |
| Air conditioning <sup>2</sup>  | 529.2<br>433.4                | 482.1<br>408.7                  | 20.3<br>(S)                      | 8.9<br>.9                       | 17.9<br>10.5       | 5.6<br>6.8                           |
| Power steering <sup>2</sup>  | 3.0<br>14.7                   | (S)<br>4.4                      | (S)<br>(S)<br>3.4                | 2.1                             | 1.9<br>4.8         | 15.4<br>7.1                          |
| FUEL CONSERVATION EQUIPMENT <sup>2</sup>                                 |                               |                                 |                                  |                                 |                    |                                      |
| Aerodynamic features   | 6.7                           | 2.1<br>(S)                      | 1.3                              | .4                              | 2.9                | 10.3                                 |
| Fuel economy engine  | 21.3<br>16.4                  | 1.5                             | 2.8                              | 2.6<br>1.6                      | 12.5               | 19.5<br>5.2                          |
| Radial tiresRoad speed governor  | 355.4<br>30.3                 | 326.8<br>4.7                    | .8<br>(S)<br>4.8                 | 3.2<br>4.9                      | 14.7<br>15.9       | 5.2<br>8.1<br>4.2                    |
| Variable fan drives  | 14.5                          | 2.1                             | 1.1                              | .9                              | 10.4               | 6.0                                  |
| Variable fan drives Other fuel conservation devices Not reported         | 2.7<br>615.0                  | .4<br>579.8                     | 1.1<br>(S)<br>18.4               | .9<br>(S)<br>7.8                | 10.4<br>1.7<br>9.0 | 15.6<br>4.7                          |
| MAINTENANCE  |                               |                                 |                                  |                                 |                    |                                      |
| General maintenance:   |                               |                                 |                                  |                                 |                    |                                      |
| OwnerCompany's maintenance facilities                                    | 577.1<br>130.7                | 545.0<br>94.0                   | 19.3<br>9.2                      | 3.7<br>7.3                      | 9.1<br>20.3        | 5.0<br>13.3                          |
| Dealership's service department {  | 113.5<br>1.0                  | 94.0<br>109.3<br>(S)            | 19.3<br>9.2<br>1.3<br>(S)<br>7.3 | 3.7<br>7.3<br>1.2<br>(S)<br>3.5 | 1.7<br>.4          | 17.0<br>28.4                         |
| Leasing company<br>Independent garage                                    | 286.5                         | (S)<br>270.2                    | 7.3                              | 3.5                             | 5.5                | 9.5                                  |
| Component distributorship  | (S)                           | (Z)                             | (Z)                              | (S)                             | (S)                | 74.4                                 |
| Other Not reported   | 32.5                          | (Z)<br>(Z)<br>28.7              | (Z)<br>(Z)<br>1.0                | (S)<br>(S)<br>1.1               | (S)<br>(S)<br>1.6  | 47.8<br>30.4                         |
| Major overhauls:   | 32.3                          | 20.7                            | 100                              | 1.1                             | 1.0                |                                      |
| Major overhauls: Owner Company's maintenance facilities                  | 176.5<br>87.6                 | 168.7<br>61.3                   | 2.5<br>5.6<br>2.0                | 1.6<br>4.9                      | 3.7<br>15.8        | 13.2                                 |
| Dealership's service department  | 69.0                          | 60.6                            | 2.0                              | 1.8                             | 4.5                | 21.4                                 |
| Dealership's service department<br>Leasing company<br>Independent garage | 1.0<br>260,2                  | (S)<br>240.4                    | (S)<br>8.4                       | .5<br>4.0                       | .3<br>7.4          | 13.2<br>16.3<br>21.4<br>28.4<br>10.1 |
| Component distributorship  | .8                            |                                 | (7)                              | 4                               | 3                  |                                      |
| Other  | (S)<br>423.2                  | (S)<br>(S)<br>396.2             | (Z)<br>(Z)<br>17.9               | (S)<br>3.5                      | .3<br>.3<br>5.6    | 29.5<br>91.0<br>7.1                  |

## Table 4. Trucks by Vehicle Size: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Vehicular and operational                       |                           |  | Vehicle size                    | 20                              |                          | Relative standard erro        |
|---|---------------------------|--|---------------------------------|---------------------------------|--------------------------|-------------------------------|
| characteristics                                 | Total                     | Light                                  | Medium                          | Light-heavy                     | Heavy-heavy              | of estimate (percent) fo tota |
| ENGINE TYPE AND SIZE                            |                           |  |                                 |                                 |                          |                               |
| Engine  | 1,004.1                   | 917.6                                  | 35.7                            | 16.1                            | 34.7                     | (Z<br>1.0                     |
| Gasoline  | 944.0<br>47.6             | 894.6<br>(S)                           | 32.2<br>2.3                     | 11.0                            | 6.2<br>28.5              | 14.8                          |
| LP gas or otherNot reported                     | 12.5<br>(Z)               | (S)<br>(S)<br>(Z)                      | 1.2<br>(Z)                      | .9<br>(Z)                       | (S)<br>(Z)               | 46.3<br>(Z                    |
| Cylinders                                       | 1,004.1<br>155.9          | 917.6<br>155.7                         | 35.7<br>(Z)                     | 16.1<br>(Z)                     | 34.7<br>.2               | (Z<br>14.3                    |
| 6<br>8  | 267.9<br>579.9            | 237.2<br>524.4                         | (Z)<br>4.5<br>31.1              | (Z)<br>2.9<br>13.2              | 23.3<br>11.2             | 9.6<br>5.1                    |
| Other<br>Not reported                           | (S)<br>(S)                | (Z)<br>(S)                             | (S)<br>(Z)                      | (Z)<br>(Z)                      | (S)<br>(Z)               | 75.4<br>57.4                  |
| Cubic inch displacement                         | 1,004.1<br>944.0          | 917.6<br>894.6                         | 35.7<br>32.2                    | 16.1<br>11.0                    | 34.7<br>6.2              | (Z<br>1.0                     |
| Gasoline engines                                | 139.5<br>144.1            | 139.4<br>141.9                         | (S)<br>1.7                      | (Z)<br>(S)                      | (Z)<br>(S)               | 15.0<br>15.0<br>14.5          |
| 300 to 349<br>350 to 399                        | 243.7<br>311.3            | 235.7<br>284.5                         | 5.7<br>17.1                     | 1.6<br>6.8                      | .6<br>2.9                | 10.8                          |
| 400 or more                                     | 25.8<br>79.7              | 18.7<br>74.4                           | (S)<br>2.6                      | .6<br>1.7                       | 1.5                      | 35.0<br>19.7                  |
| Diesel engines                                  | 47.6                      |  | 2.3                             | 4.2                             | 28.5                     | 14.8                          |
| Less than 400                                   | 14.9<br>6.8               | (S)<br>(S)                             | .5                              | 1.1                             | 1.4<br>5.1               | 47.0<br>8.5                   |
| 600 to 799<br>800 or more                       | 8.4<br>6.7                | (S)<br>(S)<br>(S)<br>(Z)<br>(S)        | (S)<br>1.0                      | .6<br>(S)<br>1.5                | 7.4<br>6.5               | 7.:<br>7.4                    |
| Not reported Other engines                      | 10.8                      |  | 1.0                             | .9                              | 8.1<br>(S)               | 6.8<br>46.3                   |
| Less than 400                                   | 12.0                      | (S)<br>(S)<br>(S)<br>(S)               | 1.2<br>(Z)<br>(Z)               | .8<br>(S)<br>(Z)                | (S)<br>(Z)<br>(S)<br>(Z) | 47.9<br>52.6                  |
| Not reported                                    | (S)<br>(S)                | (S)<br>917.6                           |                                 |                                 |                          | 99.                           |
| Horsepower<br>Gasoline engines<br>Less than 100 | 1,004.1<br>944.0<br>123.0 | 894.6<br>122.9                         | 35.7<br>32.2                    | 16.1<br>11.0                    | 34.7<br>6.2              | (Z<br>1.:<br>16.:             |
| 100 to 199<br>200 to 249                        | 668.9<br>57.5             | 644.0<br>43.6                          | (Z)<br>17.5                     | (S)<br>5.1<br>3.8               | (Z)<br>2.3<br>2.6        | 4.0                           |
| 250 or more                                     | (S)<br>84.9               | (S)<br>78.9                            | (S)<br>(S)<br>2.9               | (S)<br>2.0                      | (S)<br>1.0               | 23.0<br>58.7<br>19.0          |
| Diesel engines                                  | 47.6                      |  | 2.3                             | 4.2                             | 28.5                     | 14.8                          |
| Less than 250                                   | 23.6<br>9.9               | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z)<br>(S) | 1.4<br>(S)                      | 2.5                             | 11.3<br>9.3              | 24.<br>5.                     |
| 350 to 449<br>450 or more                       | 3.3                       |  | (S)<br>(Z)<br>(Z)<br>.6         | (S)<br>(Z)<br>1.2               | 3.2                      | 11.5<br>37.5                  |
| Not reported Other engines                      | 10.5                      |  | 1.2                             | 1.2                             | 4.3<br>(S)               | 39.:<br>46.:                  |
| Less than 250                                   | 12.0                      | (S)<br>(S)<br>(Z)<br>(S)               | 1.1                             | .8<br>(S)<br>(S)                | (S)<br>(S)<br>(Z)<br>(Z) | 48.<br>99.                    |
| Not reported                                    | (S)<br>(S)                | (S)                                    | (Z)<br>(S)                      | (8)                             | (Z)                      | 51.0                          |
| TRUCK TYPE AND AXLE ARRANGEMENT                 |                           |  |                                 |                                 |                          |                               |
| Single-unit trucks                              | 954.5<br>945.4            | 904.8<br>904.8                         | 22.6<br>22.0                    | 14.3<br>13.6                    | 12.8<br>5.0              | 1.0<br>1.0                    |
| 3 axles 4 axles or more                         | 8.7<br>.5                 | (Z)<br>(Z)                             | .6<br>(Z)                       | .6<br>(S)                       | 7.4<br>.4                | 7.0<br>32.0                   |
| Combinations Single-unit truck with trailer     | 49.6<br>29.1              | (S)                                    | (S)                             | 1.8                             | 21.9                     | 19.9<br>33.9                  |
| 3 axles4 axles                                  | (S)<br>18.7               | (S)<br>(S)<br>(S)<br>(S)<br>(Z)        | (S)<br>(S)<br>(S)<br>(S)<br>(S) | 1.4<br>(S)<br>.9                | 1.9<br>(S)<br>.8         | 80.4<br>43.                   |
| 5 axles or more                                 | (S)                       | (z)                                    | (S)                             | (S)                             | .8                       | 77.                           |
| Truck-tractor with single trailer 3 axles       | 20.2<br>1.3               | (Z)<br>(Z)                             | (S)<br>(S)                      | .4<br>(S)                       | 19.8<br>1.2              | 2.i<br>18.i                   |
| 4 axles<br>5 axles or more                      | 6.8<br>12.2               | (X)<br>(X)<br>(X)<br>(X)               | (S)<br>(Z)<br>(Z)               | (S)<br>.2<br>.2                 | 6.6<br>12.0              | 7.:<br>4.                     |
| Truck-tractor with double trailers5 axles       | .2                        | (Z)                                    | 图                               | (2)                             | .2<br>.2                 | 49.:<br>49.                   |
| 6 axles<br>7 axles or more                      | .2<br>(Z)<br>(Z)          | (Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)               | 49.:<br>(Z<br>(Z              |
| Truck-tractor with triple trailers              |                           |  |                                 |                                 |                          | 69.                           |
| 7 axles<br>8 axles or more                      | (S)<br>(Z)<br>(S)         | (Z)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)               | (S)<br>(Z)<br>(S)        | (Z<br>69.9                    |
| Trailer not specified                           | (Z)                       | (Z)                                    | (Z)                             | (Z)                             | (Z)                      | (Z                            |
| Powered axles                                   | 1,004.1<br>879.2          | 917.6<br>818.8                         | 35.7<br>32.3                    | 16.1<br>12.9                    | 34.7<br>15.2             | (Z<br>2.                      |
| 2   | 100.2<br>3.1              | 82.2<br>(S)<br>16.5                    | 1.1<br>(Z)<br>2.3               | 1.2<br>(S)<br>1.7               | 15.8<br>2.7              | 17.1<br>13.1                  |
| CAB TYPE4                                       | 21.6                      | 16.5                                   | 2.3                             | 1.7                             | 1.1                      | 32.7                          |
| Cab forward of engine                           | 3.9                       | 1.9                                    | .6                              | 9                               | 6                        | 15.                           |
| Cab over engine Short-hood conventional         | 19.6<br>27.3              | 5.3<br>11.1                            | 1.8<br>5.3                      | 1.5<br>4.6                      | 11.0<br>6.3              | 15.3<br>5.4<br>5.7            |
| Medium-hood conventional Long-hood conventional | 41.4<br>15.0              | 12.4<br>(S)                            | 10.9                            | 6.1<br>1.3                      | 12.1<br>3.2              | 3.0<br>27.0                   |
| Cab beside engine                               |                           |  |                                 |                                 |                          |                               |
| Other<br>Not reported                           | 1.2<br>15.1<br>880.5      | 1.0<br>13.5<br>864.4                   | (Z)<br>.9<br>(S)                | (Z)<br>(S)<br>1.6               | .2<br>.6<br>.7           | 28,<br>37.                    |

#### Table 4. Trucks by Vehicle Size: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Vehicular and operational                             |   |   | Vehicle siz              | te                              |                          | Relative standard error          |
|---|---|---|--------------------------|---------------------------------|--------------------------|----------------------------------|
| characteristics                                       | Total                                   | Light                                   | Medium                   | Light-heavy                     | Heavy-heavy              | of estimate (percent) for total  |
| PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS  |   |   |                          |                                 |                          |                                  |
| Total Pickups Panels or vans Utilities Station wagons | 882.4<br>573.8<br>231.8<br>48.8<br>28.2 | 870.2<br>585.8<br>227.6<br>48.8<br>28.2 | (S)<br>(S)<br>(S)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | SSSSS                    | .7<br>1.4<br>6.6<br>26.8<br>36.2 |
| Driving wheels  | 878.0<br>77.0<br>788.7<br>(S)           | 665,8<br>77.0<br>776.8<br>(S)           | (S)<br>(Z)<br>(S)<br>(Z) | (Z)<br>(X)<br>(X)<br>(X)        | (X)<br>(X)<br>(X)<br>(X) | .8<br>22.0<br>2.4<br>57.3        |

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Florida, 66.1 of the cells have RSEs greater than 10 percent, and 40.3 of the cells have RSEs greater than 25 percent.

<sup>&</sup>lt;sup>1</sup>When no response was obtained for annual miles, data were imputed.

<sup>2</sup>Detail does not add to totals because items were not applicable or multiple responses were possible.

<sup>3</sup>When no response was obtained, one truck was imputed based on body type of sampled vehicle.

<sup>4</sup>Pickups, panels, and vans are not included.

## Table 5. Trucks by Annual Mileage Class: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Thousands. Data relate to State of registration. Detail ma   | ay not add to to                              | tai because of                         | Touriding. For                        | nearing or abl                                 | Annual miles <sup>1</sup>                  | symbols, see in                       | abductory text)                      |  | Relative  |
|--|---|--|---------------------------------------|--|--|---------------------------------------|--------------------------------------|--|---|
| Vehicular and operational characteristics  | Total   | Less than<br>5,000                     | 5,000 to<br>9,999                     | 10,000 to<br>19,999                            | 20,000 to<br>29,999                        | 30,000 to<br>49,999                   | 50,000 to<br>74,999                  | 75,000 or<br>more                            | standard error of<br>estimate<br>(percent) for<br>total |
| TotalRelative standard error (percent)   | 1,004.1<br>(Z)                                | 180.8<br>12.6                          | 259.4<br>10.2                         | 387.1<br>7.4                                   | 115.9<br>16.4                              | 35.5<br>27.8                          | 13.9<br>41.5                         | 11.5<br>35.2                                 | (Z)<br>(Z)  |
| MAJOR USE  |   |  |                                       |  |  |                                       |                                      |  | ,   |
| Agriculture  | 80.0<br>1.6<br>.6<br>148.8<br>9.3             | 11.9<br>(S)<br>(S)<br>15.4<br>.9       | (S)<br>.2<br>(S)<br>34.8<br>1.0       | 39.5<br>(S)<br>(S)<br>54.3<br>1.3              | (S)<br>(S)<br>(S)<br>32.4<br>(S)           | .9<br>(S)<br>(S)<br>(S)               | .5<br>.3<br>(S)<br>(S)<br>(S)        | .5<br>.3<br>(S)<br>.2<br>.9                  | 20.1<br>20.7<br>35.6<br>13.7<br>44.3                    |
| Wholesale trade  | 37.7<br>35.8<br>13.0<br>26.4<br>97.6          | (S)<br>(S)<br>.3<br>1.7<br>(S)         | (S)<br>(S)<br>1.1<br>17.8<br>19.3     | 10.1<br>12.1<br>1.8<br>(S)<br>44.1             | (S)<br>(S)<br>1,9<br>(S)<br>18.0           | 2.3<br>(S)<br>2.0<br>(S)<br>(S)       | 1.2<br>.7<br>1.6<br>(Z)<br>(S)       | (S)<br>.2<br>4.2<br>(Z)<br>(S)               | 24.0<br>27.5<br>6.2<br>34.0<br>18.1                     |
| Daily rental Personal transportation Other Not in use Not reported Not | 3.1<br>539.9<br>(Z)<br>(S)<br>(Z)             | (S)<br>121.3<br>(Z)<br>(S)<br>(Z)      | 1.2<br>157.2<br>(Z)<br>(Z)<br>(Z)     | .9<br>216.5<br>(Z)<br>(Z)<br>(Z)               | .4<br>32.6<br>(Z)<br>(Z)<br>(Z)            | .3<br>(S)<br>(Z)<br>(Z)<br>(Z)        | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z)      | .2<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 16.7<br>5.4<br>(Z)<br>55.2<br>(Z)                       |
| BODY TYPE  |   |  |                                       |  |  |                                       |                                      |  |   |
| Pickup   | 573.8<br>231.6<br>48.8<br>28.2<br>8.7<br>6.1  | 104.8<br>28.7<br>16.4<br>(S)<br>1.1    | 180.8<br>40.8<br>(S)<br>(S)<br>2.7    | 185.8<br>133.8<br>16.1<br>20.1<br>3.3          | 81.7<br>(S)<br>(S)<br>(Z)<br>1.0           | (S)<br>(S)<br>(Z)<br>(Z)<br>-5        | (S)<br>(Z)<br>(Z)<br>(S)             | (Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)              | 1.4<br>6.6<br>26.8<br>36.2<br>10.6                      |
| Low boy or depressed center  | 2.1<br>24.4<br>.5<br>.7                       | 1.8<br>(S)<br>7.8<br>(S)<br>(S)        | 1.0<br>(S)<br>5.0<br>(S)<br>(S)       | 6.3<br>(S)<br>(Z)                              | 2.2<br>(S)<br>(S)                          | (S)<br>-5<br>1.4<br>(Z)<br>(S)<br>1.0 | (S)<br>(S)<br>1.0<br>(Z)<br>(Z)      | (Z)<br>(S)<br>.7<br>(S)<br>(S)               | 16.2<br>5.5<br>40.3<br>35.5<br>9.4                      |
| Insulated refrigerated van   | 2.1<br>.4<br>19.5<br>3.1                      | (Z)<br>(S)<br>1.9<br>(Z)               | .4<br>.5<br>(Z)<br>3.8<br>.8          | .5<br>(S)<br>5.1<br>1.6                        | .4<br>(S)<br>3.4<br>.4                     | (S)<br>(S)<br>2.1<br>.4               | .9<br>(S)<br>(Z)<br>1.4<br>(Z)       | .5<br>(S)<br>1.8<br>(Z)                      | 18.5<br>34.7<br>6.2<br>15.4                             |
| Public utility Winch or crane Wrecker Pole or logging Auto transport   | (S)<br>1.1<br>2.9<br>1.1<br>.8                | 1.3<br>.7<br>.8<br>(Z)<br>(S)          | (S)<br>(S)<br>.7<br>(S)<br>(Z)        | .9<br>(S)<br>.7<br>(S)<br>(S)                  | (S)<br>(S)<br>5-<br>(S)<br>(S)             | (S)<br>(Z)<br>(S)<br>(S)<br>(S)       | (Z)<br>(S)<br>(Z)<br>.2<br>(S)       | (Z)<br>(Z)<br>(Z)<br>.2<br>.2                | 51.7<br>28.3<br>18.3<br>25.1<br>30.9                    |
| Service truck Yard tractor Oilfield truck Cargo container chassis Grain body   | 4.9<br>.2<br>(S)<br>.6<br>.4                  | 1.4<br>(S)<br>(Z)<br>(S)<br>(S)        | .8<br>(Z)<br>(S)<br>(Z)<br>(Z)        | 1.2<br>(S)<br>(Z)<br>(S)<br>(Z)                | .5<br>(S)<br>(Z)<br>(S)<br>(Z)             | 1.0<br>(Z)<br>(S)<br>(Z)              | (Z)<br>(Z)<br>(S)<br>(S)<br>(S)      | (Z)<br>(Z)<br>(S)<br>(Z)<br>(S)              | 14.4<br>49.3<br>53.4<br>31.3<br>48.0                    |
| Garbage hauler   | 1.0<br>17.6<br>4.7<br>.5<br>2.0<br>1.2<br>(Z) | (S)<br>(S)<br>-5.<br>(Z)<br>(S)<br>(S) | (S)<br>2.8<br>.5<br>(S)<br>(S)<br>(Z) | .4<br>· 3.5<br>1.6<br>(S)<br>1.4<br>(S)<br>(Z) | .3<br>1.1<br>.4<br>(Z)<br>.2<br>(S)<br>(Z) | .2<br>1.5<br>(S)<br>(S)<br>(S)<br>(Z) | (Z)<br>1.0<br>9<br>(S)<br>(Z)<br>(Z) | (Z)<br>.5<br>1.0<br>(S)<br>(Z)<br>(S)<br>(Z) | 24.8<br>23.8<br>12.6<br>32.9<br>16.2<br>28.6<br>(Z)     |
| RANGE OF OPERATION   |   |  |                                       |  |  | · · ·                                 |                                      | .,   | ``  |
| Local Short-range (Less than 201 miles) Congrange (201 miles or more) Off-the-road Not reported  | 824.2<br>73.6<br>45.3<br>49.4<br>11.7         | 141.2<br>(S)<br>(S)<br>15.8<br>(S)     | 229.7<br>(S)<br>(S)<br>18.4           | 320.3<br>31.4<br>24.8<br>(S)<br>.4             | 95.2<br>(S)<br>(S)<br>(S)<br>(S)           | 30.7<br>3.0<br>1.1<br>.4<br>.3        | (S)<br>(S)<br>1.1<br>(S)<br>(S)      | 1.0<br>(S)<br>4.1<br>(Z)<br>(Z)              | 2.7<br>19.9<br>26.3<br>25.5<br>49.2                     |
| Percentage of miles traveled outside base-of-operation   |   |  |                                       |  |  |                                       |                                      |  |   |
| State:  Less than 25 percent  25 to 49 percent  50 to 74 percent  75 to 100 percent  Not reported  | 750.0<br>35.3<br>41.3<br>30.8<br>146.7        | 150.9<br>(S)<br>(S)<br>(S)<br>20.5     | 213.9<br>(S)<br>.5<br>(S)<br>31.6     | 270.1<br>17.0<br>20.8<br>(S)<br>66.1           | 71.4<br>(S)<br>(S)<br>(S)<br>(S)<br>22.8   | 33.6<br>(S)<br>.5<br>.5               | 3.6<br>.3<br>(S)<br>.4<br>(S)        | (S)<br>.6<br>1.5<br>2.6<br>.4                | 3.5<br>32.1<br>28.9<br>31.9<br>14.5                     |
| VEHICLE SIZE   | 047.6   | 164.0                                  | 242.6                                 | 264.0  | 105.8                                      | 06.7                                  | (6)                                  | (6)  |   |
| Light Medium Light-heavy Heavy-heavy   | 917.6<br>35.7<br>16.1<br>34.7                 | 164.3<br>10.1<br>3.3<br>3.0            | 243.6<br>9.7<br>2.6<br>3.5            | 364.8<br>10.7<br>5.0<br>6.6                    | 105.8<br>3.0<br>2.7<br>4.4                 | 26.7<br>1.8<br>2.0<br>4.9             | (S)<br>.3<br>(S)<br>4.9              | (S)<br>(S)<br>(S)<br>7.4                     | 20.0<br>7.0<br>2.3                                      |
| AVERAGE WEIGHT (POUNDS) Less than 6,001  | 837.1   | 152.9                                  | 220.6                                 | 330.4  | 99.4                                       | 25.5                                  | (S)                                  | (7)  | 1.9   |
| 6,001 to 10,000<br>10,001 to 14,000<br>14,001 to 16,000<br>16,001 to 19,500  | 80.5<br>19.1<br>9.3<br>7.2                    | 11.4<br>(S)<br>.7<br>1.7               | 23.0<br>(S)<br>1.7<br>1.5             | 34.4<br>2.9<br>(S)<br>1.9                      | (S)<br>1.2<br>.6<br>1.2                    | 1.2<br>.7<br>.4<br>.7                 | (S)<br>(S)<br>(S)<br>(S)<br>(S)      | (Z)<br>(S)<br>(Z)<br>(S)<br>(Z)              | 17.6<br>30.4<br>44.4<br>11.0                            |
| 19,501 to 26,000   | 1 3.7   | 3.3<br>1.4<br>.5<br>.4<br>.4           | 2.6<br>1.5<br>.6<br>.6<br>.2          | 5.0<br>1.5<br>1.3<br>.8                        | 2.7<br>.9<br>.6<br>.8<br>.7                | 2.0<br>.7<br>.2<br>.7<br>1.0          | (S)<br>(S)<br>.2<br>.3<br>.7         | (S)<br>(S)<br>3.9<br>9.3                     | 7.0<br>10.4<br>11.4<br>10.1<br>10.9                     |
| 60,001 to 80,000<br>80,001 to 100,000<br>100,001 to 130,000<br>130,001 or more<br>Not reported   | 15.7<br>.3<br>(S)<br>(S)<br>(Z)               | .4<br>(S)<br>(Z)<br>(Z)<br>(Z)         | .6<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | 2.3<br>(Z)<br>(Z)<br>(Z)<br>(Z)                | 1.3<br>(Z)<br>(Z)<br>(Z)<br>(Z)            | 2.3<br>(Z)<br>(S)<br>(S)<br>(Z)       | 3.3<br>(S)<br>(Z)<br>(Z)             | 5.7<br>(S)<br>(Z)<br>(Z)<br>(Z)              | 4.0<br>47.8<br>69.9<br>99.0<br>(Z)                      |

## Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|  | ay not add to to                          | tal because of rounding. For meaning of abbreviations and symbols, see introductory text]  Annual miles¹ |  |  |  |  |  |   | Relative standard error of                  |
|--|---|--|--|--|--|--|--|---|---|
| Vehicular and operational characteristics  | Total                                     | Less than<br>5,000   | 5,000 to<br>9,999                          | 10,000 to<br>19,999                        | 20,000 to<br>29,999                      | 30,000 to<br>49,999                    | 50,000 to<br>74,999                    | 75,000 or<br>more                           | estimate<br>(percent) for<br>total          |
| TOTAL LENGTH (FEET)  |   |  |  |  |  |  |  |   |   |
| Less than 7.0  | (Z)<br>(Z)<br>74.9<br>237.2<br>551.9      | (Z)<br>(Z)<br>20.8<br>22.1<br>115.9  | (Z)<br>(Z)<br>24.9<br>70.5<br>138.6        | (Z)<br>(Z)<br>25.1<br>103.2<br>209.8       | (Z)<br>(Z)<br>(Z)<br>33.0<br>64.7        | (Z)<br>(Z)<br>(S)<br>(S)<br>14.6       | (Z)<br>(Z)<br>(Z)<br>(S)<br>(S)        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)             | (Z)<br>(Z)<br>22.1<br>11.1<br>5.4           |
| 20.0 to 27.9   | 78.7<br>33.4<br>(S)<br>1.7<br>19.4<br>(Z) | 13.4<br>(S)<br>.8<br>(S)<br>1.0<br>(Z)   | 12.7<br>(S)<br>(S)<br>.4<br>1.2<br>(Z)     | 30.1<br>16.0<br>.8<br>.3<br>1.9<br>(Z)     | 13.7<br>1.9<br>(S)<br>.4<br>2.1<br>(Z)   | (S)<br>1.7<br>(S)<br>(S)<br>2.9<br>(Z) | 1.2<br>.4<br>.3<br>(S)<br>3.5<br>(Z)   | (S)<br>.3<br>.3<br>(S)<br>6.7<br>(Z)        | 15.3<br>27.1<br>59.7<br>20.0<br>2.6<br>(Z)  |
| YEAR MODEL   |   |  |  |  |  |  |  |   |   |
| 1983   | (S)<br>49.7<br>56.2<br>94.2<br>133.4      | (Z)<br>(S)<br>(S)<br>(S)<br>(S)  | (Z)<br>16.6<br>(S)<br>21.9<br>34.7         | (Z)<br>21.5<br>31.0<br>43.5<br>52.0        | (S)<br>(S)<br>(S)<br>(S)<br>22.5         | (Z)<br>(S)<br>(S)<br>(S)<br>(S)        | (Z)<br>.4<br>.4<br>(S)<br>.5           | (Z)<br>.9<br>.6<br>1.4<br>(S)               | 100.0<br>26.4<br>24.2<br>18.9<br>15.4       |
| 1978   | 124.1<br>105.7<br>64.9<br>37.9<br>80.0    | 16.7<br>(S)<br>.6<br>(S)<br>22.3   | (S)<br>21.7<br>24.8<br>(S)<br>18.8         | 56.9<br>59.6<br>30.0<br>21.6<br>27.8       | 30.2<br>(S)<br>(S)<br>(S)<br>(S)         | (S)<br>(S)<br>(S)<br>.5<br>.8          | (S)<br>.4<br>(S)<br>.4<br>.6           | .9<br>.8<br>.5<br>.2                        | 16.1<br>17.7<br>23.5<br>29.8<br>20.2        |
| 1973Pre-1973Not reported   | 48.2<br>205.8<br>(Z)                      | (S)<br>94.4<br>(Z)   | 23.5<br>69.6<br>(Z)                        | 11.7<br>31.6<br>(Z)                        | .7<br>(S)<br>(Z)                         | .6<br>1.9<br>(Z)                       | .5<br>.8<br>(Z)                        | .2<br>.4<br>(Z)                             | 24.8<br>11.2<br>(Z)                         |
| VEHICLE ACQUISITION  |   |  |  |  |  |  |  |   |   |
| Purchased new  | 531.0<br>463.4<br>3.1<br>(S)              | 64.6<br>110.9<br>(S)<br>(S)  | 137.3<br>120.9<br>.8<br>.5                 | 219.6<br>166.3<br>.6<br>.6                 | 74.0<br>41.1<br>.6<br>(S)                | 23.2<br>11.9<br>.3<br>(S)              | 3.2<br>(S)<br>(S)<br>(S)               | 9.2<br>2.0<br>.2<br>(S)                     | 5.6<br>6.5<br>16.7<br>61.6                  |
| Lease CHARACTERISTICS <sup>2</sup> Leased without driver   | 3.0                                       | (5)  | R  | 6  | .6                                       | 2                                      | (9)                                    | 2   | 17.0  |
| Leased with driver Leased with owner-operator Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other | 3.0<br>(Z)<br>(S)<br>2.9<br>2.1<br>(S)    | (S) (N) (S) (S) (S) (S) (S) (S) (S) (S) (S) (S   | .8<br>(Z)<br>(Z)<br>.7<br>.7<br>(Z)<br>(Z) | .6<br>(Z)<br>(Z)<br>.6<br>.5<br>(S)        | (Z)<br>(Z)<br>.6<br>.4<br>(Z)<br>(S)     | (Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S) |  | .2<br>(Z)<br>(Z)<br>.2<br>(Z)<br>(S)<br>(S) | (Z)<br>99.0<br>17.2<br>20.5<br>62.2<br>37.9 |
| OPERATOR CLASSIFICATION  |   |  |  |  |  |  |  |   |   |
| Not for hire: Private owner or individual For hire  Motor camer Owner-operator Daily rental Mixed—for hire/not for hire                                    | 988.0<br>16.1<br>8.2<br>4.8<br>3.1<br>(Z) | 180.4<br>.4<br>(S)<br>.3<br>(S)<br>(Z)   | 257.2<br>2.3<br>.8<br>(S)<br>1.2<br>(Z)    | 384.4<br>2.7<br>1.2<br>.6<br>.9<br>(Z)     | 113.6<br>2.3<br>1.1<br>.8<br>.4<br>(Z)   | 33.2<br>2.3<br>1.2<br>.8<br>.3<br>(Z)  | 12.1<br>1.8<br>.8<br>.8<br>(S)<br>(Z)  | (S)<br>4.4<br>3.0<br>1.3<br>.2<br>(Z)       | .1<br>5.8<br>8.1<br>11.0<br>16.7<br>(Z)     |
| For-hire interstate Exempt carrier Contract carrier Common carrier For-hire intrastate For-hire local  | 6.5<br>3.0<br>2.8<br>7.3<br>2.4<br>6.0    | (S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)                                       | (S)<br>(S)<br>(S)<br>.7<br>(S)<br>1.2      | (S)<br>.9<br>.6<br>1.1<br>.6<br>1.7        | .7<br>(S)<br>.7<br>1.0<br>.3<br>1.1      | .8<br>.6<br>.5<br>.9<br>.3             | 1.2<br>.3<br>.3<br>.7<br>.3            | 3.4<br>.5<br>.5<br>2.7<br>.8<br>(S)         | 8.2<br>15.8<br>15.0<br>8.9<br>15.1<br>11.7  |
| PRODUCTS CARRIED   |   |  |  |  | -  |  |  |   |   |
| Farm products  | 26.4<br>17.5<br>.4<br>1.7<br>16.7         | 3.1<br>(S)<br>(Z)<br>(S)<br>1.1  | 1.8<br>(S)<br>(Z)<br>.4<br>.9              | 14.3<br>(S)<br>(S)<br>(S)<br>(S)           | (S)<br>(S)<br>(S)<br>(S)<br>(S)          | .6<br>(S)<br>(Z)<br>(S)<br>(S)         | .8<br>(S)<br>(S)<br>.2<br>.3           | 1.0<br>(S)<br>(S)<br>.3                     | 30.7<br>46.1<br>43.6<br>21.4<br>42.0        |
| Processed foods  | 26.7<br>(S)<br>38.3<br>3.1<br>(S)         | .8<br>(Z)<br>(S)<br>(Z)<br>.5  | 2.0<br>(S)<br>(S)<br>1.2<br>(S)            | 9.5<br>(S)<br>13.8<br>1.2                  | (S)<br>(S)<br>(S)<br>.5<br>.6            | 1.6<br>(S)<br>2.0<br>(S)<br>(S)        | 1.2<br>(Z)<br>1.3<br>(S)<br>(Z)        | (S)<br>(S)<br>.6<br>(Z)<br>(S)              | 26.4<br>81.0<br>23.7<br>17.6<br>60.6        |
| Paper products   | 2.0<br>20.5<br>4.4<br>1.2<br>1.4          | (S)<br>(S)<br>(S)<br>(S)   | (Z)<br>(S)<br>.4<br>(Z)<br>.4              | .5<br>(S)<br>1.7<br>.4<br>(S)              | .5<br>(S)<br>.6<br>(S)<br>(S)            | (S)<br>(S)<br>.7<br>(S)<br>(S)         | (S)<br>33<br>37<br>(Z)<br>(S)          | .5<br>.9<br>.4<br>(S)                       | 20.1<br>39.6<br>13.8<br>28.4<br>25.6        |
| Fabricated metal products  | (S)<br>(S)<br>17.2<br>22.9<br>6.3         | (S)<br>1.0<br>1.2<br>(S)<br>(S)  | .5<br>(S)<br>1.1<br>(S)<br>.7              | .7<br>(S)<br>(S)<br>(S)<br>1.6             | (S)<br>.6<br>.8<br>.6<br>1.3             | .4<br>.3<br>(S)<br>.4<br>1.0           | (S)<br>(Z)<br>(S)<br>(Z)               | .2<br>(Z)<br>.3<br>(S)<br>1.0               | 53.5<br>50.2<br>40.9<br>35.1<br>10.4        |
| Craftsman's equipment  | 136.8<br>539.9<br>55.2<br>(S)<br>21.3     | 8.3<br>121.3<br>(S)<br>(S)<br>(S)<br>(Z)   | 44.4<br>157.2<br>(S)<br>(Z)<br>(S)<br>(Z)  | 40.7<br>216.5<br>25.0<br>(Z)<br>(S)<br>(Z) | 38.3<br>32.6<br>(S)<br>(Z)<br>(S)<br>(Z) | (S)<br>(S)<br>(S)<br>(Z)<br>(S)<br>(Z) | (Z)<br>(S)<br>(S)<br>(Z)<br>(S)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)      | 15.2<br>5.4<br>25.8<br>55.2<br>41.7<br>(Z)  |

## Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|  | ay not add to to | Annual miles¹      |                   |                     |                     |                     |                     |                   |   |  |
|--|------------------|--------------------|-------------------|---------------------|---------------------|---------------------|---------------------|-------------------|---|--|
| Vehicular and operational characteristics  | Total            | Less than<br>5,000 | 5,000 to<br>9,999 | 10,000 to<br>19,999 | 20,000 to<br>29,999 | 30,000 to<br>49,999 | 50,000 to<br>74,999 | 75,000 or<br>more | standard error of<br>estimate<br>(percent) for<br>total |  |
| HAZARDOUS MATERIALS CARRIED  |                  |                    |                   |                     |                     |                     |                     |                   |   |  |
| Hazardous materials carried  | 11.3             | .4                 | (S)               | 2.0                 | .7                  | 1.2                 | .8                  | 1.7               | 36.6  |  |
|  | (S)              | (S)                | (S)               | .7                  | .3                  | .7                  | .3                  | 1.2               | 54.2  |  |
|  | 1.9              | (S)                | (S)               | .5                  | (S)                 | (S)                 | .3                  | .3                | 20.1  |  |
|  | .3               | (S)                | (S)               | (S)                 | (Z)                 | (Z)                 | (S)                 | (S)               | 43.4  |  |
|  | 1.5              | (S)                | (Z)               | .6                  | (S)                 | .4                  | (S)                 | .2                | 22.1  |  |
|  | (Z)              | (Z)                | (Z)               | (Z)                 | (Z)                 | (Z)                 | (S)                 | (Z)               | (Z)   |  |
| Types of hazardous materials Flammables or combustibles Acids, poisons, caustics, etc. Explosives Radioactive materials        | (Z)              | (Z)                | (Z)               | (Z)                 | (Z)                 | (Z)                 | (Z)                 | (Z)               | (Z)   |  |
|  | 6.1              | (S)                | .4                | 1.7                 | .7                  | 1.0                 | .6                  | 1.4               | 10.5  |  |
|  | (S)              | (S)                | (S)               | .5                  | .2                  | .8                  | .3                  | .5                | 61.4  |  |
|  | .5               | (S)                | (Z)               | (S)                 | (S)                 | (Z)                 | (Z)                 | .2                | 31.0  |  |
|  | .3               | (Z)                | (Z)               | (S)                 | (S)                 | (Z)                 | (Z)                 | (S)               | 37.2  |  |
| Hazardous waste  | .3               | (Z)                | (Z)               | .2                  | (Z)                 | (Z)                 | (Z)                 | (S)               | 40.3  |  |
| Hazardous materials not listed above   | .5               | (S)                | (S)               | (S)                 | (Z)                 | (S)                 | (S)                 | (S)               | 34.8  |  |
| Not reported   | (Z)              | (Z)                | (Z)               | (Z)                 | (Z)                 | (Z)                 | (Z)                 | (Z)               | (Z)   |  |
| No hazardous materials carriedNot reported   | 687.4            | 105.9              | 184.3             | 258.2               | 86.3                | 30.0                | 13.1                | 9.7               | 4.2   |  |
|  | 305.5            | 74.5               | 70.6              | 127.0               | 28.9                | (S)                 | (S)                 | (S)               | 9.3   |  |
| TRUCK FLEET SIZE3  |                  |                    |                   |                     |                     |                     |                     |                   |   |  |
| 1  | 772.1            | 159.7              | 207.5             | 321.3               | 57.5                | 15.1                | (S)                 | 1.6               | 2.9   |  |
|  | 93.3             | 9.5                | 13.5              | 24.0                | 27.3                | (S)                 | .8                  | (S)               | 17.3  |  |
|  | 60.0             | 4.1                | 12.2              | 15.5                | 23.0                | 2.5                 | 1.3                 | 1.3               | 19.9  |  |
|  | 78.8             | (S)                | 26.2              | 26.3                | (S)                 | 4.4                 | 2.3                 | 3.9               | 16.8  |  |
| MILES PER GALLON   |                  |                    |                   |                     |                     |                     |                     |                   |   |  |
| Less than 5  | 15.5             | 1.9                | 2.8               | 4.4                 | 1.4                 | 1.7                 | 1.4                 | 1.9               | 6.1   |  |
|  | 42.5             | 9.5                | 5.0               | 11.7                | 4.5                 | 4.2                 | 2.8                 | 5.0               | 13.9  |  |
|  | 71.0             | 16.8               | 16.5              | 26.7                | 3.1                 | (S)                 | .8                  | .5                | 19.4  |  |
|  | 188.3            | 33.4               | 62.4              | 52.0                | 34.5                | (S)                 | (S)                 | (Z)               | 12.5  |  |
|  | 207.0            | 38.8               | 34.0              | 108.5               | 25.0                | .6                  | (S)                 | (Z)               | 12.1  |  |
| 15 to 19.9   | 226.7            | 38.2               | 86.1              | 69.5                | 16.6                | (S)                 | (Z)                 | (S)               | 11.5  |  |
|  | 135.2            | (S)                | 36.7              | 57.5                | 20.5                | (S)                 | (S)                 | (Z)               | 15.4  |  |
|  | 118.0            | 33.8               | 16.0              | 56.9                | (S)                 | .6                  | .3                  | (S)               | 16.0  |  |
| EQUIPMENT TYPE   |                  |                    |                   |                     |                     |                     |                     |                   |   |  |
| Transmission   | 1,004.1          | 180.8              | 259.4             | 387.1               | 115.9               | 35.5                | 13.9                | 11.5              | (Z)   |  |
|  | 482.2            | 112.2              | 140.1             | 151.7               | 43.9                | 17.6                | 9.3                 | 7.4               | 6.1   |  |
|  | 515.7            | 67.3               | 118.2             | 233.0               | 70.8                | 17.9                | (S)                 | (S)               | 5.7   |  |
|  | 6.3              | 1.2                | 1.1               | 2.4                 | 1.2                 | (S)                 | (S)                 | (S)               | 11.9  |  |
| Braking system  Hydraulic  Hydraulic (power)  Air  Not reported  | 1,004.1          | 180.8              | 259.4             | 387.1               | 115.9               | 35.5                | 13.9                | 11.5              | (Z)   |  |
|  | 43.5             | 17.1               | 9.0               | 11.6                | 3.0                 | 2.6                 | (S)                 | (S)               | 9.9   |  |
|  | 918.3            | 158.4              | 245.5             | 365.6               | 107.5               | 28.2                | (S)                 | (S)               | .5  |  |
|  | 33.6             | 2.9                | 3.4               | 6.7                 | 4.0                 | 4.6                 | 4.7                 | 7.2               | 2.4   |  |
|  | 8.7              | 2.3                | 1.5               | 3.2                 | 1.4                 | (S)                 | (S)                 | (S)               | 10.1  |  |
| Power steering <sup>2</sup>  | 529.2            | 72.2               | 111.7             | 239.6               | 67.8                | 23.2                | (S)                 | (S)               | 5.6   |  |
|  | 433.4            | 54.2               | 83.5              | 206.1               | 63.0                | (S)                 | (S)                 | 9.5               | 6.8   |  |
|  | 3.0              | .4                 | (Z)               | .7                  | .5                  | .6                  | .4                  | .3                | 15.4  |  |
|  | 14.7             | 2.5                | 2.4               | 3.7                 | 1.7                 | 1.9                 | 1.1                 | 1.4               | 7.1   |  |
| FUEL CONSERVATION EQUIPMENT <sup>2</sup>   |                  |                    |                   |                     |                     |                     |                     |                   |   |  |
| Aerodynamic features Axle or drive ratio   | 6.7              | (S)                | 1.3               | 1.3                 | .5                  | .9                  | .5                  | 2.1               | 10.3  |  |
|  | 21.3             | 1.4                | 2.7               | (S)                 | 1.9                 | 2.4                 | 1.2                 | 3.8               | 19.5  |  |
|  | 16.4             | .8                 | 1.2               | 2.5                 | 2.0                 | 2.4                 | 2.3                 | 5.0               | 5.2   |  |
|  | 355.4            | 30.7               | 80.1              | 166.6               | 36.5                | 24.7                | (S)                 | 10.1              | 8.1   |  |
|  | 30.3             | 2.8                | 5.5               | 8.4                 | 3.7                 | 3.5                 | 2.3                 | 4.2               | 4.2   |  |
| Variable fan drives  | 14.5             | .7                 | 1.7               | 2.6                 | 1.6                 | 1.9                 | 1.6                 | 4.3               | 6.0   |  |
| Other fuel conservation devices  | 2.7              | (Z)                | (S)               | .5                  | (S)                 | (S)                 | .4                  | 1.1               | 15.6  |  |
| Not reported   | 615.0            | 145.9              | 172.8             | 207.0               | 75.8                | (S)                 | (S)                 | .5                | 4.7   |  |
| MAINTENANCE  |                  |                    |                   |                     |                     |                     |                     |                   |   |  |
| General maintenance: Owner Company's maintenance facilities Dealership's service department Leasing company Independent garage | 577.1            | 117.1              | 165.7             | 198.5               | 72.8                | 15.2                | (S)                 | 1.9               | 5.0   |  |
|  | 130.7            | 19.2               | 33.1              | 42.8                | 18.0                | 5.7                 | (S)                 | 4.9               | 13.3  |  |
|  | 113.5            | (S)                | 25.8              | 67.3                | (S)                 | .6                  | .4                  | (S)               | 17.0  |  |
|  | 1.0              | (S)                | (S)               | (S)                 | (S)                 | (S)                 | (S)                 | (S)               | 28.4  |  |
|  | 286.5            | 42.6               | 79.9              | 119.4               | 27.8                | 14.8                | .8                  | 1.2               | 9.5   |  |
| Component distributorship  | (S)              | (Z)                | (S)               | (Z)                 | (Z)                 | (S)                 | (Z)                 | (Z)               | 74.4  |  |
| Other  | .4               | (S)                | (S)               | (S)                 | (X)                 | (S)                 | (Z)                 | (S)               | 47.8  |  |
| Not reported   | 32.5             | (S)                | (S)               | (S)                 | (S)                 | (S)                 | (S)                 | (S)               | 30.4  |  |
| Major overhauls:     Owner Company's maintenance facilities Dealership's service department Leasing company Independent garage | 176.5            | 36.9               | 50.9              | 64.1                | (S)                 | (S)                 | .8                  | (S)               | 13.2  |  |
|  | 87.6             | 8.3                | 22.2              | 35.0                | 11.8                | 4.0                 | 2.3                 | 4.0               | 16.3  |  |
|  | 69.0             | (S)                | (S)               | 32.1                | (S)                 | (S)                 | .9                  | 1.4               | 21.4  |  |
|  | 1.0              | (S)                | (S)               | (S)                 | (S)                 | (S)                 | (S)                 | (S)               | 28.4  |  |
|  | 260.2            | 38.4               | 51.8              | 107.3               | 40.5                | 15.0                | (S)                 | 1.6               | 10.1  |  |
| Component distributorship Other Not reported   | .8               | (S)                | (S)               | (S)                 | (S)                 | (S)                 | (Z)                 | (S)               | 29.5  |  |
|  | (S)              | (S)                | (Z)               | (S)                 | (Z)                 | (S)                 | (X)                 | (S)               | 91.0  |  |
|  | 423.2            | 88.3               | 129.1             | 154.0               | 40.6                | (S)                 | (S)                 | .5                | 7.1   |  |

# Table 5. Trucks by Annual Mileage Class: 1982—Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| [Inousands. Data relate to State or registration. Detail ma | J I I I I I I I I I I I I I I I I I I I | Annual miles¹                |                                 |                           |                                 |                                 |  |  |   |  |  |
|---|---|------------------------------|---------------------------------|---------------------------|---------------------------------|---------------------------------|--|--|---|--|--|
| Vehicular and operational characteristics                   | Total                                   | Less than<br>5,000           | 5,000 to<br>9,999               | 10,000 to<br>19,999       | 20,000 to<br>29,999             | 30,000 to<br>49,999             | 50,000 to<br>74,999                    | 75,000 or more                                 | standard error of<br>estimate<br>(percent) for<br>total |  |  |
| ENGINE TYPE AND SIZE  |   |                              |                                 |                           |                                 |                                 |  |  |   |  |  |
| Engine  | 1,004.1<br>944.0                        | 180.8<br>177.7               | 259.4<br>251.6                  | 387.1<br>362.7            | 115.9<br>110.2                  | 35.5<br>29.4                    | 13.9<br>(S)<br>5.0                     | 11.5<br>(S)                                    | (Z)<br>1.0  |  |  |
| Diesel<br>LP gas or other<br>Not reported                   | 47.6<br>12.5                            | 2.4                          | 2.6<br>(S)<br>(Z)               | 18.8<br>(S)<br>(Z)        | 5.4<br>(S)<br>(Z)               | 5.8<br>(S)<br>(Z)               | 5.0<br>(S)<br>(Z)                      | (S)<br>7.5<br>(Z)<br>(Z)                       | 14.8<br>46.3  |  |  |
| Not reported  | (Z)<br>1,004.1                          | (Z)<br>180.8                 | 259.4                           | 387.1                     | 115.9                           | 35.5                            | 13.9                                   | (Z)<br>11.5                                    | (Z)<br>(Z)  |  |  |
| 4   | 155.9<br>267.9                          | 24.6<br>51.6                 | 44.9<br>75.5                    | 49.5<br>92.6              | 24.5<br>24.6                    | (S)<br>8.9                      | (S)<br>(S)<br>1.7                      | (Z)<br>6.6                                     | (Z)<br>14.3<br>9.6                                      |  |  |
| 8<br>Other  | 579.9<br>(S)<br>(S)                     | 104.4<br>(Z)<br>(S)          | 139.1<br>(Z)<br>(Z)             | 244.7 (Z)<br>(S)          | 66.7<br>(Z)<br>(Z)              | 18.2<br>(S)<br>(Z)              | 1.7<br>(Z)<br>(Z)                      | (S)<br>(S)<br>(Z)                              | 5.1<br>75.4   |  |  |
| Not reported  | 1,004.1                                 | (S)<br>180.8                 | (Z)<br>259.4                    | (S)<br>387.1              | (Z)<br>115.9                    | (Z)<br>35.5                     | (Z)<br>13.9                            |  | 57.4  |  |  |
| Cubic inch displacement Gasoline engines Less than 200      | 944.0<br>139.5                          | 177.7<br>16.4                | 251.6<br>49.1                   | 362.7<br>41.2             | 110.2<br>20.5                   | 29.4                            | (S)<br>(S)                             | 11.5<br>(S)<br>(Z)<br>(S)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>1.0<br>15.0                                      |  |  |
| 200 to 299<br>300 to 349                                    | 144.1<br>243.7                          | 24.2<br>49.6                 | 43.1<br>56.9<br>73.5            | 55.9<br>94.0              | 16.7<br>34.0                    | (S)<br>(S)<br>.9                | (Z)<br>(S)                             | (Z)<br>(S)                                     | 14.5<br>10.8  |  |  |
| 350 to 399  | 311.3<br>25.8                           | 55.8<br>(S)<br>26.7          | 73.5<br>(S)<br>23.4             | 137.7<br>(S)<br>20.2      | 29.0                            | 15.0<br>.6<br>(S)               | (S)<br>(S)<br>(Z)<br>(S)<br>(S)<br>(S) |  | 8.9<br>35.0   |  |  |
| Not reported  | 79.7<br>47.6                            | 2.4                          | 23.4                            | 18.8                      | (S)<br>5.4                      | (S)<br>5.8                      | (S)<br>5.0                             |  | 19.7<br>14.8  |  |  |
| Diesel engines  | 14.9<br>6.8                             | .2<br>(S)                    | .3                              | (S)<br>1.4                | .6<br>1.6                       | .4<br>1.4                       | .5                                     | 7.5<br>(S)<br>.7                               | 47.0<br>8.5   |  |  |
| 800 or more   | 8.4<br>6.7                              | .2<br>(S)<br>.6<br>.3<br>1.0 | .4<br>.7<br>.4<br>.9            | 1.5<br>.4<br>2.7          | 1.2                             | 1.5<br>.7<br>1.7                | 1.4<br>1.0                             | 1.5<br>3.5                                     | 7.1<br>7.4  |  |  |
| Not reported  | 10.8                                    | 1.0                          |                                 |                           | 1.6                             |                                 | 1.2                                    | 1.6  | 6.8<br>46.3   |  |  |
| Other engines<br>Less than 400<br>400 or more               | 12.0                                    | .6                           | (S)<br>(S)<br>(S)<br>(Z)        | (S)<br>(S)<br>(S)<br>(S)  | (S)<br>(S)<br>(Z)<br>(Z)        | (S)<br>(S)<br>(Z)<br>(Z)        | (S)<br>(S)<br>(Z)<br>(Z)               | (Z)<br>(X)<br>(X)<br>(X)                       | 47.9<br>52.6  |  |  |
| Not reported  | (S)<br>(S)                              | (Z)<br>(Z)                   |                                 |                           |                                 |                                 |  |  | 99.5  |  |  |
| HorsepowerGasoline engines                                  | 1,004.1<br>944.0                        | 180.8<br>177.7               | 259.4<br>251.6                  | 387.1<br>362.7<br>53.3    | 115.9<br>110.2                  | 35.5<br>29.4                    | 13.9<br>(S)                            | 11.5<br>(S)                                    | (Z)<br>1.0  |  |  |
| Less than 100<br>100 to 199                                 | 123.0<br>868.9                          | (S)<br>123.5                 | 32.8<br>179.2                   | 256.0                     | 16.3<br>82.8                    | 29.4<br>(S)<br>19.1             | (S)<br>(S)<br>(S)<br>(S)<br>(Z)<br>(S) | (S)<br>(Z)<br>(S)<br>(Z)<br>(Z)                | 16.8<br>4.0   |  |  |
| 200 to 249<br>250 or more<br>Not reported                   | 57.5<br>(S)<br>84.9                     | (S)<br>(S)<br>30.9           | 14.9<br>.7<br>24.0              | 28.7<br>(S)<br>20.3       | 1.5<br>(S)<br>(S)               | 1.5<br>(S)<br>.5                | (8)                                    |  | 23.0<br>58.7<br>19.0                                    |  |  |
| Diesel engines  | 47.6                                    | 2.4                          | 2.6                             | 18.8                      | 5.4                             | 5.8                             | 5.0                                    | 7.5  | 14.8  |  |  |
| Less than 250   | 23.6<br>9.9                             | 1.0                          | 1.5                             | 11.8                      | 2.9<br>1.0                      | 3.3<br>1.7                      | 1.9<br>1.9                             | 1.1<br>3.9                                     | 24.6<br>5.8   |  |  |
| 350 to 449<br>450 or more                                   | 3.3                                     | .6<br>(Z)<br>(S)<br>.8       | (S)<br>(Z)<br>.6                | (S)<br>(S)<br>(S)         | .3<br>(S)                       | .2<br>(Z)<br>.5                 | .5<br>(S)                              | 3.9<br>2.0<br>(S)<br>.5                        | 11.5<br>37.3  |  |  |
| Not reported Other engines                                  | 10.5                                    |                              |                                 |                           |                                 |                                 |  |  | 39.2<br>46.3  |  |  |
| Other engines Less than 250 250 or more                     | 12.0<br>(S)<br>(S)                      | .6<br>.6<br>(Z)<br>(Z)       | (S)<br>(S)<br>(Z)<br>(S)        | (S)<br>(S)<br>(S)<br>(S)  | (S)<br>(S)<br>(Z)<br>(S)        | (S)<br>(S)<br>(Z)<br>(Z)        | (S)<br>(S)<br>(Z)<br>(Z)               | SISISI   | 48.2<br>99.5<br>51.3                                    |  |  |
| Not reported  | (S)                                     | (Z)                          | (S)                             | (S)                       | (S)                             | (Z)                             | (Z)                                    | (Z)  | 51.3  |  |  |
| TRUCK TYPE AND AXLE ARRANGEMENT                             | 25.5                                    |                              |                                 |                           |                                 |                                 |  | (0)  |   |  |  |
| Single-unit trucks<br>2 axles<br>3 axles                    | 954.5<br>945.4                          | 174.1<br>172.8               | 249.2<br>247.7                  | 371.8<br>368.8<br>3.0     | 113.1<br>111.8                  | 32.1<br>30.9                    | (S)<br>(S)<br>.6<br>(S)                | (S)<br>(S)<br>(S)<br>(Z)                       | 1.0<br>1.0<br>7.0                                       |  |  |
| 4 axles or more   | 8.7                                     | 1.2<br>(S)                   | 1.5<br>(S)                      | (S)                       | 1.2<br>(S)                      | 1.1<br>(S)                      |  | (S)<br>(Z)                                     | 32.6  |  |  |
| CombinationsSingle-unit truck with trailer                  | 49.6<br>29.1                            | (S)<br>(S)                   | (S)<br>(S)                      | 15.3<br>(S)               | 2.8                             | 3.4                             | 3.8<br>(S)<br>(Z)<br>(S)<br>(S)        | 7.3<br>.3                                      | 19.9<br>33.9  |  |  |
| 3 axles4 axles  | (S)<br>18.7                             | (S)<br>(S)<br>(S)<br>(S)     | (S)<br>(S)<br>(S)<br>(S)<br>(S) | .4<br>(S)<br>(S)          | (S)                             | (Z)<br>(S)<br>(S)               | (Z)<br>(S)                             | .3<br>(S)<br>(S)<br>(S)                        | 80.4<br>43.1  |  |  |
| 5 axles or more Truck-tractor with single trailer           | (S)<br>20.2                             | 1.0                          | (S)                             | (S)<br>2.2                | (Z)<br>2.3                      | (S)<br>3.1                      | (S)<br>3.7                             | (S)<br>6.7                                     | 77.6<br>2.2   |  |  |
| 3 axles4 axles  | 1.3                                     | .2                           | (S)                             | 1.0                       | .2<br>1.1                       | (S)<br>1.2                      | (S)<br>1.2<br>2.5                      | (S)<br>1.2                                     | 18.6<br>7.2   |  |  |
| 5 axles or more   | 12.2                                    | .4                           | .4                              | .8                        | 1.0                             | 1.7                             |  | 5.4  | 4.5   |  |  |
| Truck-tractor with double trailers  5 axles  6 axles        | .2<br>.2<br>(Z)<br>(Z)                  | (Z)<br>(Z)<br>(Z)<br>(Z)     | (Z)<br>(Z)<br>(Z)<br>(Z)        | (X)<br>(X)<br>(X)<br>(X)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (S)<br>(S)<br>(Z)<br>(Z)               | (S)<br>(S)<br>(Z)<br>(Z)                       | 49.3<br>49.3<br>(Z)<br>(Z)                              |  |  |
| 7 axles or more   |   |                              |                                 |                           |                                 |                                 |  |  |   |  |  |
| Truck-tractor with triple trailers 7 axles 8 axles or more  | (S)<br>(Z)<br>(S)                       | (Z)<br>(Z)<br>(Z)            | (Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)         | (Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)                      | (S)<br>(X)<br>(S)                              | 69.9<br>(Z)<br>69.9                                     |  |  |
| 8 axles or more Trailer not specified                       | (S)<br>(Z)                              | (Z) (<br>(Z)                 | (Z)<br>(Z)                      | (Z)<br>(Z)                | (Z)<br>(Z)                      | (Z)<br>(Z)                      | (Z)<br>(Z)                             | (S)<br>(Z)                                     | 69.9<br>(Z)   |  |  |
| Powered axles   | 1,004.1                                 | 180.8                        | 259.4                           |                           | 115.9                           |                                 |  |  |   |  |  |
| 1   | 879.2<br>100.2                          | 152.1<br>22.1                | 230.0<br>18.6                   | 387.1<br>343.6<br>38.9    | 104.1<br>(S)                    | 35.5<br>32.4<br>2.6<br>(S)      | 13.9<br>(S)<br>2.7<br>(S)<br>(S)       | 11.5<br>(S)<br>5.2<br>(S)<br>(S)               | (Z)<br>2.1<br>17.3<br>13.7<br>32.7                      |  |  |
| 3 or moreNot reported                                       | 3.1<br>21.6                             | .9<br>(S)                    | (S)<br>(S)                      | 1.5<br>3.2                | (S)<br>(S)<br>1.4               | (S)<br>.4                       | (S)<br>(S)                             | (S)<br>(S)                                     | 13.7<br>32.7  |  |  |
| CAB TYPE4   |   |                              |                                 |                           |                                 |                                 | ]                                      |  |   |  |  |
| Cab forward of engine                                       | 3.9                                     | 1.2                          | .8                              | 1.2                       | (S)<br>1.7                      | .4                              | (Z)<br>2.0                             | (Z)<br>4.5<br>.7                               | 15.3<br>5.4   |  |  |
| Cab over engine   | 19.6<br>27.3<br>41.4                    | 1.2<br>1.5<br>5.7<br>8.7     | 2.9<br>5.9<br>8.4               | 1.2<br>5.0<br>7.2<br>11.3 | 3.8                             | .4<br>1.9<br>2.9<br>4.3<br>.7   | 1.1                                    | -7.5<br>1.6                                    | 5.1<br>3.8  |  |  |
| Long-hood conventional                                      | 15.0                                    | 3.3                          | 1.8                             | (S)                       | .8                              | 7.7                             | .5                                     | .6   | 27.6  |  |  |
| Cab beside engine   | 1.2<br>15.1                             | .4                           | (S)<br>(S)<br>233.6             | .4<br>2.5                 | (S)                             | (Z)<br>.6                       | (Z)<br>(Z)<br>(S)                      | (Z)<br>(S)<br>(S)                              | 28.6<br>37.7  |  |  |
| OtherNot reported   | 880.5                                   | (S)<br>154.4                 | 233.6                           | 352.2                     | 103.0                           | 24.7                            | (s)                                    | (S)  | 37.7  |  |  |

#### Table 5. Trucks by Annual Mileage Class: 1982-Con.

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|  |   | Annual miles¹                         |                                      |   |                                    |                                  |                                 |                                 |   |  |  |
|--|---|---------------------------------------|--------------------------------------|---|------------------------------------|----------------------------------|---------------------------------|---------------------------------|---|--|--|
| Vehicular and operational characteristics              | ¹ Total                                 | Less than<br>5,000                    | 5,000 to<br>9,999                    | 10,000 to<br>19,999                     | 20,000 to<br>29,999                | 30,000 to<br>49,999              | 50,000 to<br>74,999             | 75,000 or<br>more               | standard error of<br>estimate<br>(percent) for<br>total |  |  |
| PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS   |   |                                       |                                      |   |                                    |                                  |                                 |                                 |   |  |  |
| Total  Pickups Panels or vans Utilities Station wagons | 882.4<br>573.8<br>231.6<br>48.8<br>28.2 | 154.0<br>104.8<br>28.7<br>16.4<br>(S) | 233.8<br>180.8<br>40.8<br>(S)<br>(S) | 355.8<br>185.8<br>133.8<br>16.1<br>20.1 | 102.0<br>81.7<br>(S)<br>(S)<br>(Z) | 24.6<br>(S)<br>(S)<br>(Z)<br>(Z) | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z) | (S)<br>(Z)<br>(S)<br>(Z)<br>(Z) | .7<br>1.4<br>6.6<br>26.8<br>36.2                        |  |  |
| Driving wheels   | 878.0<br>77.0<br>788.7<br>(S)           | 153.9<br>20.2<br>133.7<br>(Z)         | 229.6<br>(S)<br>205.2<br>(S)         | 355.7<br>36.6<br>319.1<br>(Z)           | 102.0<br>(S)<br>93.9<br>(Z)        | 24.6<br>(Z)<br>24.6<br>(Z)       | (S)<br>(Z)<br>(S)<br>(Z)        | (S)<br>(Z)<br>(S)<br>(Z)        | .8<br>22.0<br>2.4<br>57.3                               |  |  |

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Florida, 76.9 of the cells have RSEs greater than 10 percent, and 54.2 of the cells have RSEs greater than 25 percent.

<sup>&</sup>lt;sup>1</sup>When no response was obtained for annual miles, data were imputed.

<sup>2</sup>Detail does not add to totals because items were not applicable or multiple responses were possible.

<sup>3</sup>When no response was obtained, one truck was imputed based on body type of sampled vehicle.

<sup>4</sup>Pickups, panels, and vans are not included.

# Table 6. Trucks by Range of Operation: 1982

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Thousands. Data relate to State of registration. Detail may n  Vehicular and operational |                         | Range of operation             |   |   |                                 |  |  |  |  |
|--|-------------------------|--------------------------------|---|---|---------------------------------|--|--|--|--|
| characteristics  | Total                   | Local                          | Short-range                                   | Long-range                              | Off-the-road                    | Not reported                           | error of estimate<br>(percent) for total |  |  |
| Total Relative standard error (percent)  | 1,004.1<br>(Z)          | 824.2<br>2.7                   | 73.6<br>19.9                                  | 45.3<br>26.3                            | 49.4<br>25.5                    | 11.7<br>49.2                           | (Z<br>(Z                                 |  |  |
| MAJOR USE  | (=)                     |                                |   | 20.0                                    | 20.0                            |  | (-)                                      |  |  |
| Agriculture  | 80.0<br>1.6             | 63.1<br>.8                     | (S)   | .4                                      | (S)                             | (Z)                                    | 20.7                                     |  |  |
| Agriculture Forestry and lumbering Mining and quarrying Construction Manufacturing       | .6<br>148.8             | .5<br>131.1                    | (S)<br>(S)<br>.6                              | (Z)<br>(Z)<br>(S)                       | (S)<br>(S)<br>(S)<br>2.0        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | 20.7<br>35.6<br>13.7                     |  |  |
|  | 9.3<br>37.7             | 3.6<br>28.0                    |   | .5                                      | (S)                             |  | 44.3                                     |  |  |
| Wholesale trade  | 35.8<br>13.0            | 29.0<br>5.8                    | (S)<br>(S)<br>3.0<br>(S)                      | .9<br>.4<br>3.9                         | 1.0<br>.5<br>(S)                | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 24.0<br>27.0<br>6.1                      |  |  |
| Utilities  | 26.4<br>97.6            | 26.1<br>74.2                   | (S)   | (Z)<br>(S)                              | (S)<br>(S)<br>(S)               | ( <u>ž</u> )                           | 34.0<br>18.                              |  |  |
| Daily rentalPersonal transportation  | 3.1<br>539.9            | .4<br>461.4                    | (S)   | 1.1 20.4                                | (S)<br>24.9                     | 1.4                                    | 16.                                      |  |  |
| Other Not in use   | (Z)<br>(S)<br>(Z)       | (Z)<br>(S)<br>(Z)              | (S)<br>33.2<br>(Z)<br>(Z)<br>(Z)              | (Z)<br>(Z)<br>(Z)                       | (Z)<br>(S)<br>(Z)               | (Z)<br>(Z)<br>(S)<br>(Z)               | 5.4<br>(Z<br>55.:                        |  |  |
| Not reported   | (Z)                     | (Z)                            | (z)   | (Z)                                     | (Z)                             | (Z)                                    | (Z                                       |  |  |
| Pickup   | 573.8                   | 498.8                          | 25.0  | 16.3                                    | 29.1                            | (S)                                    | 1.                                       |  |  |
| Panel or van   | 231.6<br>48.8           | 186.9<br>40.6                  | 20.5  | 16.2                                    |                                 | (S)<br>(S)<br>(Z)<br>(Z)<br>(S)        | 1.4<br>6.6<br>26.8                       |  |  |
| Station wagon Multistop or walk-in   | 28.2<br>8.7             | (S)<br>7.5                     | (Z)<br>(S)<br>.8                              | (Z)<br>(S)<br>(Z)                       | (S)<br>(S)<br>(Z)<br>(S)        | (Z)<br>(S)                             | 36.2<br>10.6                             |  |  |
| Platform with added devices  | 6.1<br>2.1              | 3.9<br>1.2                     | .9  | .5                                      | .9                              | (Z)<br>(Z)<br>.6                       | 12. <sup>-</sup><br>16.                  |  |  |
| Low boy or depressed centerBasic platformLivestock truck                                 | 24.4<br>.5              | 17.6                           | 2.6<br>(S)<br>(S)                             | 3.9.<br>(S)<br>(S)                      | (S)<br>2.6<br>(S)               | (Z)<br>(S)                             | 5.<br>40.:                               |  |  |
| Insulated nonrefrigerated van  | .7<br>7.1               | (S)<br>(S)                     | (S)   | (S)<br>2.3                              | (S)<br>(Z)                      |  | 35.8<br>9.                               |  |  |
| Insulated refrigerated van Drop-frame van Open-top van                                   | 2.1                     | 1.0                            | .4  | .6 l                                    | (S)<br>(S)<br>(Z)               | (S)<br>(Z)<br>(Z)<br>1.7               | 18.<br>34.                               |  |  |
| Basic enclosed vanBeverage   | 19.5<br>3.1             | (S)<br>10.1<br>2.4             | 4.3   | (Z)<br>2.9<br>(Z)                       | (\$)                            | 1.7<br>(Z)                             | 6.3<br>15.4                              |  |  |
| Public utility Winch or crane  | (S)                     | (S)                            | (S)<br>(S)<br>(S)                             |   |                                 |  | 51. <sup>2</sup>                         |  |  |
| Wrecker  | 2.9<br>1.1              | 2.4                            | (S)   | (Z)<br>(Z)<br>(Z)<br>(Z)                | (S)<br>(S)<br>(S)<br>(Z)<br>(Z) | (Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)        | 18.                                      |  |  |
| Pole or loggingAuto transport  | .8                      | (S)                            | ,4<br>(Z)                                     | .4                                      |                                 | , ,                                    | 25.<br>30.                               |  |  |
| Service truckOiffield truckOiffield truckOiffield truck                                  | 4.9<br>.2<br>(S)        | 3.6<br>(S)<br>(S)              | (z)   | (S)<br>(Z)                              | (8)                             | (S)<br>(Z)                             | 14.<br>49.<br>53.                        |  |  |
| Cargo container chassis  | .6<br>.4                | (S)<br>(S)                     | .8<br>(Z)<br>(Z)<br>(S)<br>(S)                | (S)<br>(Z)<br>(Z)<br>(S)<br>(Z)         | (S)<br>(S)<br>(S)<br>(Z)<br>(Z) | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | 31.<br>48.                               |  |  |
| Garbage hauler   | 1.0<br>17.6             | .9<br>14.2                     |   |   | (S)<br>2.1                      |  | 24.<br>23.                               |  |  |
| Tank truck (liquids or gases) Tank truck (dry bulk)                                      | 4.7                     | 3.2                            | 1.2<br>(S)                                    |   | (S)                             |  | 12.<br>32.                               |  |  |
| Concrete mixerOther  | 2.0<br>1.2              | 2.0                            | (Z)<br>1.2<br>1.2<br>(S)<br>(Z)<br>(S)<br>(Z) | (Z)<br>(S)<br>(S)<br>(Z)<br>(S)<br>(S)  | (S) (S) (Z) (S) (Z) (Z) (Z)     |  | 16.:<br>28.:                             |  |  |
| Not reported   | (Z)                     | (Z)                            | (Z)   | (Z)                                     | (Z)                             | (Z)                                    | (Z                                       |  |  |
| ANNUAL MILES¹ Less than 5,000  | 180.8                   | 141.2                          | (S)   | (S)                                     | 15.8                            | (S)                                    | 12.6                                     |  |  |
| 5,000 to 9,999   | 259.4<br>387.1          | 229.7<br>320.3                 | (S)<br>(S)<br>31.4                            | (S)<br>(S)<br>24.8                      | 18.4<br>(S)<br>(S)              | (\$)<br>.5<br>.4                       | 10.;<br>7.<br>16.                        |  |  |
| 20,000 to 29,999<br>30,000 to 49,999   | 115.9<br>35.5           | 95.2<br>30.7                   | (S)<br>3.0                                    | (S)<br>1.1                              | (S)                             | .4<br>(S)<br>.3<br>(S)                 | 27.8                                     |  |  |
| 50,000 to 74,999   | 13.9<br>11.5            | (S)<br>1.0                     | (S)<br>(S)                                    | 1.1<br>4.1                              | (S)<br>(Z)                      | (S)<br>(Z)                             | 41.5<br>35.1                             |  |  |
| BASE OF OPERATION  |                         |                                |   |   |                                 |  |  |  |  |
| Percentage of miles traveled outside base-of-operation State:                            |                         |                                |   |   |                                 |  |  |  |  |
| Less than 25 percent   | 750.0<br>35.3<br>41.3   | 643.2<br>33.3<br>22.1          | 48.3<br>1.0<br>1.5                            | (S)<br>.7                               | 39.8<br>(S)                     | (S)<br>(Z)                             | 3.5<br>32.7<br>28.5<br>31.5<br>14.5      |  |  |
| 75 to 100 percentNot reported  | 30.8<br>146.7           | (S)<br>116.7                   | .6<br>22.2                                    | (Š)<br>21.1<br>.7                       | (S)<br>(S)<br>(S)<br>(S)        | (S)<br>(Z)<br>(Z)<br>(S)<br>2.1        | 31.9<br>14.9                             |  |  |
| VEHICLE SIZE   |                         |                                |   |   | (-,                             |  |  |  |  |
| Light  | 917.6<br>35.7           | 776.6<br>17.3                  | 61.2<br>2.7                                   | 25.7                                    | 43.7<br>2.3                     | (S)<br>.8                              | .8<br>20.0                               |  |  |
| Light-heavy  | 16.1<br>34.7            | 11.9                           | 1.5   | (S)<br>.8<br>6.4                        | 1.7                             | .2<br>(S)                              | 7.0<br>2.:                               |  |  |
| AVERAGE WEIGHT (POUNDS)  |                         |                                |   |   |                                 |  |  |  |  |
| Less than 6,0016,001 to 10,000   | 837.1<br>80.5           | 723.7<br>52.9                  | 46.3<br>14.9                                  | 20.3                                    | 37.8<br>(S)                     | (S)                                    | 1.9<br>17.0                              |  |  |
| 10,001 to 14,000   | 19.1<br>9.3<br>7.2      | 8.6<br>4.2<br>4.6              | .9<br>.5<br>1.3                               | 20.3<br>(S)<br>(S)<br>(S)<br>(S)<br>(S) | (S)<br>1.3<br>.4                | (S)<br>1.5<br>(S)<br>(S)<br>.7         | 30.4<br>44.4                             |  |  |
| 16,001 to 19,500   | 7.2<br>16.0             | 4.6                            | 1.3   |   | .4<br>.5<br>1.7                 |  | 11.0<br>7.0                              |  |  |
| 26,001 to 33,000   | 6.3<br>3.7              | 4.7                            | .8<br>.8                                      | .8<br>(S)                               | .5<br>.3                        | .2<br>(S)<br>(Z)<br>(Z)<br>(Z)         | 10.4<br>11.4                             |  |  |
| 40,001 to 50,000<br>50,001 to 60,000   | 4.5<br>4.1              | 2.3                            | .7  | 1.1                                     | .4                              | (Z)<br>(Z)                             | 10.<br>10.                               |  |  |
| 60,001 to 80,000<br>80,001 to 100,000  | 15.7<br>.3              | 6.0                            | 5.2<br>(Z)                                    | 4.3<br>(Z)                              | .2<br>(Z)                       | (Z)<br>(Z)                             | 4.0<br>47.8                              |  |  |
| 80,001 to 100,000<br>100,001 to 130,000<br>130,001 or more                               | .3<br>(S)<br>(S)<br>(Z) | 6.0<br>.3<br>(Z)<br>(S)<br>(Z) | 5.2<br>(Z)<br>(S)<br>(Z)<br>(Z)               | 4.3<br>(Z)<br>(S)<br>(Z)<br>(Z)         | .2<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | 47.6<br>69.9<br>99.0                     |  |  |
| Not reported   | (z)                     | (z) l                          | (z)   | (z) l                                   | (z) l                           | (z) l                                  | (Z)                                      |  |  |

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| [Thousands. Data relate to State of registration. Detail ma   | y not add to total  | because of rounding   |   | Range of operation   | mbols, see introduc  | tory textj   |   |
|---|---|---|---|--|--|--|---|
| Vehicular and operational characteristics   | Total   | Local   | Short-range   | Long-range   | Off-the-road   | Not reported   | Relative standard<br>error of estimate<br>(percent) for total                 |
| TOTAL LENGTH (FEET)   |   |   |   |  |  |  |   |
| Less than 7.0   | (Z)<br>(Z)<br>74.9<br>237.2<br>551.9  | (Z)<br>(Z)<br>70.8<br>211.1<br>447.0  | (Z)<br>(Z)<br>(Z)<br>(S)<br>47.7                                      | (Z)<br>(Z)<br>(S)<br>(S)<br>20.5   | (Z)<br>(Z)<br>(S)<br>(S)<br>27.3   | (Z)<br>(Z)<br>(Z)<br>(S)<br>(S)  | (Z)<br>(Z)<br>22.1<br>11.1<br>5.4   |
| 20.0 to 27.9  | 78.7<br>33.4<br>(S)<br>1.7<br>19.4<br>(Z)   | 68.0<br>17.8<br>2.1<br>1.1<br>6.3<br>(Z)  | 4.1<br>1.8<br>.5<br>.4<br>6.3<br>(Z)                                  | .9<br>(S)<br>(S)<br>(Z)<br>6.3<br>(Z)                                    | 4.5<br>(S)<br>(S)<br>(S)<br>.3<br>(Z)                                      | 1.3<br>.6<br>(S)<br>(S)<br>.2<br>(Z)   | 15.3<br>27.1<br>59.7<br>20.0<br>2.6<br>(Z)                                    |
| YEAR MODEL  |   |   |   |  |  |  |   |
| 1983<br>1982<br>1981<br>1980<br>1979  | (S)<br>49.7<br>56.2<br>94.2<br>133.4  | (S)<br>39.4<br>53.2<br>74.8<br>104.8  | (Z)<br>(S)<br>1.4<br>(S)<br>(S)                                       | (Z)<br>.6<br>.8<br>1.0<br>(S)  | (Z)<br>(Z)<br>.6<br>(S)<br>(S)   | (Z)<br>.6<br>(S)<br>(S)<br>(S)   | 100.0<br>26.4<br>24.2<br>18.9<br>15.4   |
| 1978  | 124.1<br>105.7<br>64.9<br>37.9<br>80.0  | 100.4<br>90.3<br>51.4<br>36.6<br>53.2   | 18.4<br>(S)<br>(S)<br>.8<br>(S)                                       | (S)<br>(S)<br>(S)<br>(S)<br>(S)  | .6<br>(S)<br>(S)<br>(S)<br>(S)   | (Z)<br>(S)<br>(Z)<br>(S)<br>(S)  | 16.1<br>17.7<br>23.5<br>29.8<br>20.2  |
| 1973<br>Pre-1973<br>Not reported  | 48.2<br>205.8<br>(Z)  | 37.2<br>178.8<br>(Z)  | 1.2<br>3.6<br>(Z)   | (S)<br>(S)<br>(Z)  | (S)<br>16.8<br>(Z)   | .4<br>1.6<br>(Z)   | 24.8<br>11.2<br>(Z)   |
| VEHICLE ACQUISITION   | <b>(</b> -)   | (-,   | ζΞ,   | (-,  | (-/  | (-)  | \ <del>-</del> /  |
| Purchased new<br>Purchased used<br>Leased from someone else<br>Not reported   | 531.0<br>463.4<br>3.1<br>(S)  | 445.1<br>375.6<br>2.0<br>1.5  | 38.6<br>30.4<br>.5<br>(S)   | 17.7<br>27.1<br>.3<br>.2   | 23.9<br>25.0<br>(S)<br>(S)   | (S)<br>(S)<br>(Z)<br>.5  | 5.6<br>6.5<br>16.7<br>61.6  |
| LEASE CHARACTERISTICS <sup>2</sup>  |   |   |   |  |  |  |   |
| Leased with out driver Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other  | 3.0<br>(Z)<br>(S)<br>2.9<br>2.1<br>(S)<br>.6  | 1.9<br>(Z)<br>(Z)<br>1.8<br>1.4<br>(S)<br>(S)                                     | .5<br>(Z)<br>(Z)<br>.5<br>.4<br>(S)                                   | .4<br>(Z)<br>(S)<br>4<br>(S)<br>(S)<br>2                                 | (S)<br>(Z)<br>(Z)<br>(S)<br>(S)<br>(Z)                                     | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                    | 17.0<br>(Z)<br>99.0<br>17.2<br>20.5<br>62.2<br>37.9                           |
| OPERATOR CLASSIFICATION   |   |   |   |  |  |  |   |
| Not for hire: Private owner or individual For hire  Motor carrier_ Owner-operator Daily rental Mixed—for hire/not for hire  For-hire interstate Exempt carrier Contract carrier Common carrier For-hire intrastate For-hire intrastate For-hire intrastate For-hire local | 988.0<br>16.1<br>8.2<br>4.8<br>3.1<br>(Z)<br>6.5<br>3.0<br>2.8<br>7.3<br>2.4<br>6.0 | 817.9<br>6.3<br>3.9<br>1.9<br>.4<br>(Z)<br>1.1<br>1.8<br>1.4<br>3.5<br>1.3<br>4.8 | 70.5<br>3.1<br>1.9<br>1.2<br>(S)<br>(Z)<br>1.9<br>5<br>8<br>1.6<br>.7 | 40.3<br>5.0<br>2.3<br>1.6<br>1.1<br>(Z)<br>3.5<br>6.5<br>2.2<br>4<br>(Z) | 49.1<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S) | (S)<br>1.5<br>(Z)<br>(S)<br>1.4<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)<br>(Z) | .1<br>5.8<br>8.1<br>11.0<br>16.7<br>(Z)<br>8.2<br>15.8<br>15.0<br>8.9<br>15.1 |
| PRODUCTS CARRIED  |   |   |   |  |  |  |   |
| Farm products  Live animals  Mining products  Logs and other forest products  Lumber and fabricated wood products   | 26.4<br>17.5<br>.4<br>1.7<br>16.7   | 14.0<br>(S)<br>(S)<br>1.2<br>(S)  | (S)<br>(S)<br>(S)<br>.4<br>(S)  | 1.2<br>(S)<br>(Z)<br>(Z)<br>.4   | 1.3<br>(S)<br>(S)<br>(S)<br>.4   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | 30.7<br>46.1<br>43.6<br>21.4<br>42.0  |
| Processed foods   | 26.7<br>(S)<br>38.3<br>3.1<br>(S)   | 13.5<br>(S)<br>31.2<br>1.1<br>(S)   | (S)<br>(S)<br>1.7<br>(Z)<br>.6  | 1.6<br>(S)<br>(S)<br>1.1<br>(S)  | .5<br>(Z)<br>1.0<br>(Z)<br>(S)   | (Z)<br>(Z)<br>(Z)<br>.9<br>(Z)   | 26.4<br>81.0<br>23.7<br>17.6<br>60.6  |
| Paper products  | 2.0<br>20.5<br>4.4<br>1.2<br>1.4  | 1.1<br>14.5<br>3.3<br>.8<br>.9  | (S)<br>1.2<br>.7<br>(S)<br>.4   | .6<br>(S)<br>(S)<br>(S)<br>(S)   | (Z)<br>.5<br>(S)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | 20.1<br>39.6<br>13.8<br>28.4<br>25.6  |
| Fabricated metal products   | (S)<br>(S)<br>17.2<br>22.9<br>6.3   | (S)<br>(S)<br>16.4<br>16.9<br>3.5   | .7<br>.6<br>(S)<br>.3<br>1.5  | .3<br>.2<br>.5<br>(S)  | (S)<br>.5<br>(S)<br>(S)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>.6   | 53.5<br>50.2<br>40.9<br>35.1<br>10.4  |
| Craftsman's equipment   | 136.8<br>539.9<br>55.2<br>(S)<br>21.3<br>(Z)  | 54.4  | (S)<br>33.2<br>(S)<br>(Z)<br>(S)<br>(Z)                               | (S)<br>20.4<br>(S)<br>(Z)<br>(S)<br>(Z)                                  | (S)<br>24.9<br>.5<br>(S)<br>(S)<br>(Z)                                     | (Z)<br>(Z)<br>(Z)<br>(S)<br>(Z)<br>(Z)   | 15.2<br>5.4<br>25.8<br>55.2<br>41.7<br>(Z)                                    |

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Vehicular and operational  |  |                          | R                                | ange of operation                    |  |                                 | Relative standard                        |  |
|--|--|--------------------------|----------------------------------|--------------------------------------|--|---------------------------------|--|--|
| characteristics  | Total                                  | Locai                    | Short-range                      | Long-range                           | Off-the-road                           | Not reported                    | error of estimate<br>(percent) for total |  |
| HAZARDOUS MATERIALS CARRIED  |  |                          |                                  |                                      |  |                                 |  |  |
| Hazardous materials carried  | 11.3<br>(S)<br>1.9<br>.3<br>1.5<br>(Z) | 4.4<br>1.7               | 2.0<br>1.2                       | .7                                   | (S)                                    | (Z)                             | 36.6                                     |  |
| Less than 25 percent of time25 to 49 percent of time   | 1.9                                    | 1.3                      | .4                               | .7<br>.6<br>(S)<br>(Z)<br>(Z)<br>(Z) | (S)<br>(S)<br>(Z)<br>(Z)<br>(S)<br>(Z) |                                 | 36.6<br>54.2<br>20.1                     |  |
| 25 to 49 percent of time<br>50 to 74 percent of time<br>75 to 100 percent of time<br>No percent reported | .3<br>1.5                              | 1.3<br>(S)<br>1.1<br>(Z) | (S)<br>.3<br>(Z)                 | (2)                                  | (2)                                    | (2)                             | 43.4<br>22.1                             |  |
|  |  |                          |                                  |                                      | (Ž)                                    |                                 | (Z)                                      |  |
| ypes of hazardous materials<br>Flammables or combustibles  | (Z)<br>6.1<br>(S)<br>.5                | (Z)<br>3.6               | (Z)<br>1.8                       | (Z)<br>.6<br>.3<br>.2<br>(S)         | (Z)<br>(S)<br>(S)<br>(Z)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>10.5                              |  |
| ACIDS, DOISONS, CAUSTICS, OTC  | (S)                                    | 1.5<br>.2<br>(S)         | .8                               | .3                                   | <u> </u>                               | <u> </u>                        | 61.4                                     |  |
| Explosives Radioactive materials   | .5                                     | (S)                      | .8<br>(S)<br>(S)                 | (S)                                  | (2)                                    | ( <u>2</u> )                    | 31.0<br>37.2                             |  |
| Hazardous waste  | .3                                     |                          |                                  |                                      |  |                                 | 40.                                      |  |
| Not reported   | .5<br>(2)                              | (S)<br>.3<br>(Z)         | (S)<br>(S)<br>(Z)                | (S)<br>(S)<br>(Z)                    | (Z)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)               | 34.<br>(2                                |  |
| o hazardous materials carriedotreported  | 687.4<br>305.5                         | 560.2<br>259.6           | 55.0<br>16.6                     | 28.1                                 | 32.6<br>(S)                            | (S)<br>(S)                      | 4.                                       |  |
| RUCK FLEET SIZE <sup>3</sup>   | 000.0                                  | 255.5                    | 10.0                             | 10.4                                 | (3)                                    | (3)                             | 0.                                       |  |
|  | 772.1                                  | 637.3                    | 53.9                             | 34.9                                 | 35.7                                   | (S)                             | 2.9                                      |  |
| to 5   | 93.3<br>60.0                           | 67.1                     | (S)<br>2.9                       | (S)<br>1.5<br>3.7                    | (S)<br>1.5                             | (S)<br>(Z)<br>(S)               | 2.1<br>17.1<br>19.1                      |  |
| or more  | 78.8                                   | 53.8<br>65.9             | 6.2                              | 3.7                                  | 1.8                                    | 1.2                             | 16.                                      |  |
| IILES PER GALLON   |  |                          |                                  |                                      |  |                                 |  |  |
| ess than 5   | 15.5                                   | 10.2                     | 1.8                              | 2.1                                  | 1.3                                    | (S)                             | 6.                                       |  |
| to 6.9to 8.9   | 42.5<br>71.0                           | 29.0<br>49.2             | 7.2<br>2.5                       | 4.4<br>(S)                           | 1.8<br>(S)                             | (S)  <br>(S)                    | 13.<br>19.                               |  |
| to 11.9  | 188.3<br>207.0                         | 154.6<br>180.9           | 14.1<br>17.3                     | 4.4<br>(S)<br>(S)<br>(S)<br>(S)      | 1.8<br>(S)<br>(S)<br>(S)<br>(S)        | (S)<br>(S)<br>(S)<br>.6<br>(S)  | 12.<br>12.                               |  |
| 5 to 19.9  |  |                          |                                  |                                      |  |                                 |  |  |
| of to 19.9of moreot reported   | 226.7<br>135.2<br>118.0                | 201.6<br>110.5<br>88.1   | (S)<br>(S)<br>(S)                | (S)<br>(S)<br>(S)                    | (S)<br>(S)<br>(S)                      | (Z)<br>(Z)<br>(S)               | 11.<br>15.<br>16.                        |  |
| QUIPMENT TYPE  |  |                          |                                  |                                      |  |                                 |  |  |
| ransmission  | 1,004.1                                | 824.2                    | 73.6                             | 45.3<br>19.8                         | 49.4                                   | 11.7                            | (Z                                       |  |
| Manual   | 482.2<br>515.7                         | 396.8<br>422.3           | 34.7<br>38.4                     | 25.4                                 | 24.1<br>25.1                           | (S)<br>(S)<br>.5                | (Z<br>6.<br>5.                           |  |
| Not reported   | 6.3                                    | 5.1                      | .4                               | (S)                                  | (S)                                    |                                 | 11.                                      |  |
| raking system  | 1,004.1<br>43.5                        | 824.2<br>30.2            | 73.6<br>3.7                      | 45.3<br>.6                           | 49.4<br>3.1                            | 11.7<br>(S)                     | (Z<br>9.                                 |  |
| Hydraulic (power)  | 918.3<br>33.6                          | 769.5<br>17.4            | 61.5<br>7.8                      | 38.2                                 | 44.1<br>1.8                            | (S)<br>(S)<br>.2<br>.6          | 2.<br>10.                                |  |
| raking system<br>Hydraulic<br>Hydraulic (power)<br>Air<br>Not reported                                   | 8.7                                    | 7.0                      | .5                               | 6.3<br>(S)                           | (S)                                    | .6                              | 10.                                      |  |
| ower steering <sup>2</sup>   | 529.2                                  | 431.2                    | 45.1                             | 24.8                                 | 23.7                                   | (S)                             | 5.                                       |  |
| ower steering <sup>2</sup>   | 433.4<br>3.0                           | 344.7<br>1.7             | 37.1<br>.8                       | 34.8<br>.3                           | 16.7<br>(S)                            | (S)<br>(S)<br>(Z)<br>1.5        | 6.<br>15.                                |  |
| eflective materials <sup>2</sup>   | 14.7                                   | 9.3                      | 1.4                              | 2.0                                  | .5                                     | 1.5                             | 7.                                       |  |
| UEL CONSERVATION EQUIPMENT2  |  |                          |                                  |                                      |  |                                 |  |  |
| erodynamic features  | 6.7                                    | 1.7                      | .9                               | 2.6                                  | (S)                                    | 1.4                             | 10.                                      |  |
| xle or drive ratio   | 21.3<br>16.4                           | 12.8<br>7.5              | 3.6<br>3.9                       | 3.0<br>3.7                           | 1.1                                    | .9                              | 19.<br>5.                                |  |
| adial tires  | 355.4<br>30.3                          | 281.0<br>16.9            | 27.8<br>6.6                      | 29.1<br>4.0                          | 17.2<br>1.9                            | .9<br>.9<br>(S)<br>1.0          | 8.<br>4.                                 |  |
| 300 Speed governor   | 00.0                                   | 10.0                     | 0.0                              |                                      |  |                                 |  |  |
| ariable fan drivesther fuel conservation devices   | 14.5<br>2.7                            | 8.7                      | 3.2<br>.6                        | 3.2                                  | .4<br>(S)                              | 1.0                             | 6.<br>15.                                |  |
| treported  | 615.0                                  | 520.0                    | 41.7                             | .9<br>(S)                            | (S)<br>29.6                            | (Z)<br>(S)                      | 4.                                       |  |
| AINTENANCE   |  |                          |                                  |                                      |  |                                 |  |  |
| eneral maintenance:  | 577.1                                  | 480.5                    | 29.5                             | 34.7                                 | 27.7                                   | (S)                             | 5.                                       |  |
| Company's maintenance facilities   | 130.7                                  | 110.7                    | 8.1<br>25.7                      | 3.7                                  | (S)                                    | 1.6                             | 13.<br>17.                               |  |
| Dealership's service department<br>Leasing company<br>Independent garage                                 | 113.5<br>1.0                           | 81.6<br>.7               | 25.7<br>(S)<br>12.0              | .8<br>(S)<br>(S)                     | (S)<br>(S)<br>(Z)<br>22.1              | (S)<br>1.6<br>(S)<br>(Z)<br>(S) | 28.                                      |  |
| Independent garage   | 286.5                                  | 241.3                    | 12.0                             | (S)                                  | 22.1                                   | (S)                             | 9.                                       |  |
| Component distributorship  | (S)                                    | (S)                      | (S)                              | (Z)                                  | ( <u>z</u> )                           | ( <u>Z</u> )                    | 74.                                      |  |
| OtherNot reported  | .4<br>32.5                             | (S)<br>(S)<br>22.3       | (S)<br>(S)<br>(S)                | (Z)<br>(S)<br>.4                     | (Z)<br>(Z)<br>.4                       | (Z)<br>(Z)<br>.7                | 47.<br>30.                               |  |
| aior overhauls:  | 02.0                                   |                          |                                  |                                      |  |                                 |  |  |
| Owner  | 176.5<br>87.6                          | 147.5<br>71.9            | (S)<br>5.4<br>(S)<br>(S)<br>19.9 | (S)<br>(S)<br>1.6<br>(S)<br>15.0     | (S)<br>1.8                             | (S)                             | 13.<br>16.                               |  |
| Dealership's service department  | 87.6<br>89.0                           | 51.9                     | (S)                              | 1.6                                  | (S)<br>(Z)<br>22.3                     | (S)<br>1.6<br>(Z)<br>(Z)<br>(S) | 21.                                      |  |
| Leasing companyIndependent garage  | 1.0<br>260.2                           | .8<br>198.5              | 19.9                             | 15.0                                 | 22.3                                   | (S)                             | 28.<br>10.                               |  |
| The second second  |  |                          |                                  |                                      | (7)                                    | (7)                             | 20                                       |  |
| Component distributorship  | .8<br>(S)                              | .6<br>(S)                | (S)<br>(S)<br>32.6               | (S)<br>(S)<br>(S)                    | (Z)<br>(Z)<br>(S)                      | (Z)<br>(Z)<br>(S)               | 29.<br>9 <u>1</u> .                      |  |
| Other Not reported   | (S)<br>423.2                           | 360.8                    | 32.6                             | (S)                                  | (S) I                                  | (S)                             | 7  |  |

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Vehicular and operational  | y not add to total t   |  |  | lange of operation                                      | mbois, see introduc                                     | tory textj   | Relative standard   |
|--|--|--|--|---|---|--|---|
| characteristics  | Total  | Local  | Short-range                                      | Long-range  | Off-the-road  | Not reported   | error of estimate<br>(percent) for total                  |
| ENGINE TYPE AND SIZE   |  |  |  |   |   |  |   |
| Engine   | 1,004.1<br>944.0<br>47.6<br>12.5<br>(Z)                              | 824.2<br>783.0<br>29.9<br>(S)<br>(Z)                               | 73.6<br>64.0<br>9.2<br>(S)<br>(Z)                | 45.3<br>38.7<br>6.4<br>(S)<br>(Z)                       | 49.4<br>47.2<br>1.7<br>.6<br>(Z)                        | 11.7<br>(S)<br>.4<br>(S)<br>(Z)                        | (Z)<br>1.0<br>14.8<br>46.3<br>(Z)                         |
| Cylinders  | 1,004.1<br>155.9<br>267.9<br>579.9<br>(S)<br>(S)                     | 824.2<br>135.3<br>221.6<br>467.0<br>(Z)<br>(S)                     | 73.6<br>(S)<br>19.9<br>45.3<br>(S)<br>(Z)        | 45.3<br>(S)<br>13.6<br>27.6<br>(S)<br>(Z)               | 49.4<br>(S)<br>2.9<br>38.3<br>(Z)<br>(Z)                | 11.7<br>(Z)<br>(S)<br>1.7<br>(Z)<br>(S)                | (Z)<br>14.3<br>9.6<br>5.1<br>75.4<br>57.4                 |
| Cubic inch displacement Gasoline engines Less than 200 200 to 299 300 to 349 350 to 399 400 or more Not reported | 1,004.1<br>944.0<br>139.5<br>144.1<br>243.7<br>311.3<br>25.8<br>79.7 | 824.2<br>783.0<br>123.2<br>126.6<br>187.7<br>262.5<br>15.4<br>67.5 | 73.6<br>64.0<br>(S)<br>(S)<br>33.8<br>11.8<br>.7 | 45.3<br>38.7<br>(S)<br>(S)<br>(Z)<br>17.1<br>(S)<br>(S) | 49.4<br>47.2<br>(S)<br>.5<br>(S)<br>18.9<br>.5<br>(S)   | 11.7<br>(S)<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(1.0 | (Z)<br>1.0<br>15.0<br>14.5<br>10.8<br>8.9<br>35.0<br>19.7 |
| Diesel engines  Less than 400  | 47.6<br>14.9<br>6.8<br>8.4<br>6.7<br>10.8                            | 29.9<br>(S)<br>3.6<br>5.0<br>1.8<br>5.8                            | 9.2<br>.7<br>1.7<br>2.4<br>1.6<br>2.8            | 6.4<br>.3<br>1.1<br>.6<br>3.0<br>1.4                    | 1.7<br>(S)<br>.4<br>(S)<br>.7                           | .4<br>(S)<br>(Z)<br>(Z)<br>(2)<br>(S)                  | 14.8<br>47.0<br>8.5<br>7.1<br>7.4<br>6.8                  |
| Less than 400  | 12.0<br>(S)<br>(S)   | (S)<br>(S)<br>(S)<br>(S)   | (S)<br>(S)<br>(Z)<br>(Z)                         | (S)<br>(S)<br>(Z)<br>(Z)                                | .5<br>(S)<br>(Z)  | (S)<br>(S)<br>(Z)<br>(Z)                               | 47.9<br>52.6<br>99.5                                      |
| Horsepower   | 1,004.1<br>944.0<br>123.0<br>668.9<br>57.5<br>(S)<br>84.9            | 824.2<br>783.0<br>106.7<br>561.8<br>37.6<br>(S)<br>72.3            | 73.6<br>64.0<br>(S)<br>56.9<br>1.6<br>(S)        | 45.3<br>38.7<br>(S)<br>16.5<br>(S)<br>(S)<br>(S)        | 49.4<br>47.2<br>(S)<br>23.7<br>(S)<br>(S)<br>(Z)<br>(S) | 11.7<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)         | (Z)<br>1.0<br>16.8<br>4.0<br>23.0<br>58.7<br>19.0         |
| Diesel engines   | 47.6<br>23.6<br>9.9<br>3.3<br>.4<br>10.5                             | 29.9<br>18.0<br>3.2<br>.6<br>.2<br>(S)                             | 9.2<br>3.8<br>3.2<br>.8<br>(Z)<br>1.4            | 6.4<br>.8<br>3.0<br>1.9<br>(S)                          | 1.7<br>.9<br>.2<br>(Z)<br>(S)<br>.5                     | .4<br>(S)<br>.2<br>(Z)<br>(Z)<br>.2                    | 14.8<br>24.6<br>5.8<br>11.5<br>37.3<br>39.2               |
| Other engines  | 12.5<br>12.0<br>(S)<br>(S)   | (S)<br>(S)<br>(Z)<br>(S)   | (S)<br>(S)<br>(Z)<br>(Z)                         | (S)<br>(S)<br>(Z)<br>(Z)                                | .6<br>.5<br>(S)<br>(Z)                                  | (S)<br>(S)<br>(Z)<br>(Z)                               | 46.3<br>48.2<br>99.5<br>51.3                              |
| TRUCK TYPE AND AXLE ARRANGEMENT  |  |  |  |   |   |  |   |
| Single-unit trucks   | 954.5<br>945.4<br>8.7<br>.5  | 805.5<br>798.4<br>6.6<br>.4  | 66.1<br>65.5<br>.6<br>(Z)                        | 26.8<br>26.6<br>(S)<br>(Z)                              | 44.7<br>43.5<br>1.2<br>(S)                              | (S)<br>(S)<br>(S)<br>(Z)                               | 1.0<br>1.0<br>7.0<br>32.6                                 |
| Combinations   | 49.6<br>29.1<br>(S)<br>18.7<br>(S)                                   | 18.7<br>(S)<br>1.0<br>(S)<br>.8                                    | 7.4<br>.6<br>(S)<br>.4<br>(S)                    | 18.5<br>(S)<br>(Z)<br>(S)<br>(S)                        | (S)<br>(S)<br>(S)<br>(S)<br>(S)                         | .3<br>(S)<br>(Z)<br>(Z)<br>(S)                         | 19.9<br>33.9<br>80.4<br>43.1<br>77.6                      |
| Truck-tractor with single trailer 3 axles 4 axles 5 axles or more  | 20.2<br>1.3<br>6.8<br>12.2   | 7.2<br>.6<br>3.7<br>2.8  | 6.7<br>.4<br>2.1<br>4.2                          | 5.8<br>.2<br>.7<br>4.8                                  | .3<br>(Z)<br>.2<br>(S)                                  | .2<br>(S)<br>(S)<br>(S)<br>(S)                         | 2.2<br>18.6<br>7.2<br>4.5                                 |
| Truck-tractor with double trailers 5 axles 6 axles or more   | .2<br>.2<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                  | .2<br>.2<br>(Z)<br>(Z)                                  | (Z)<br>(Z)<br>(Z)<br>(Z)                                | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                        | 49.3<br>49.3<br>(Z)<br>(Z)                                |
| Truck-tractor with triple trailers 7 axles 8 axles or more   | (S)<br>(Z)<br>(S)  | (Z)<br>(Z)<br>(Z)<br>(Z)   | (S)<br>(Z)<br>(S)                                | (Z)<br>(Z)<br>(Z)                                       | (Z)<br>(Z)<br>(Z)                                       | (Z)<br>(Z)<br>(Z)                                      | 69.9<br>(Z)<br>69.9                                       |
| Trailer not specified  Powered axles   | (Z)<br>1,004.1<br>879.2<br>100.2<br>3.1<br>21.6                      | (Z)<br>824.2<br>729.2<br>73.9<br>2.6<br>18.4                       | (Z)<br>73.6<br>64.2<br>(S)<br>.2<br>1.0          | (Z)<br>45.3<br>36.4<br>8.5<br>(S)<br>(S)                | (Z)<br>49.4<br>39.4<br>(S)<br>(S)<br>.5                 | (Z)<br>11.7<br>(S)<br>.3<br>(S)<br>1.4                 | (Z)<br>(Z)<br>2.1<br>17.3<br>13.7<br>32.7                 |
| CAB TYPE4  |  |  |  |   |   |  |   |
| Cab forward of engine Cab over engine Short-hood conventional Medium-hood conventional Long-hood conventional    | 3.9<br>19.6<br>27.3<br>41.4<br>15.0                                  | 2.6<br>9.0<br>19.5<br>30.5<br>12.3                                 | (S)<br>4.2<br>3.6<br>5.5<br>1.2                  | (Z)<br>5.6<br>1.1<br>1.1<br>.8                          | 1.1<br>.5<br>2.3<br>3.2<br>.5                           | (S)<br>.3<br>.9<br>1.2<br>(S)                          | 15.3<br>5.4<br>5.1<br>3.8<br>27.6                         |
| Cab beside engineOtherNot reported   | 1.2<br>15.1<br>880.5   | 1.0<br>9.2<br>740.2  | (S)<br>1.0<br>57.8                               | (Z)<br>(S)<br>36.6                                      | (S)<br>.4<br>41.3                                       | (Z)<br>(S)<br>(S)                                      | 28.6<br>37.7<br>.8  |

[Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| Vehicular and operational                             |   | Range of operation                     |                                    |                                    |                                   |                                 |  |  |  |  |
|---|---|--|------------------------------------|------------------------------------|-----------------------------------|---------------------------------|--|--|--|--|
| characteristics                                       | Total                                   | Local                                  | Short-range                        | Long-range                         | Off-the-road                      | Not reported                    | error of estimate<br>(percent) for total |  |  |  |
| PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS  |   |  |                                    |                                    |                                   |                                 |  |  |  |  |
| Total Pickups Panels or vans Utilities Station wagons | 882.4<br>573.8<br>231.6<br>48.8<br>28.2 | 738.4<br>498.8<br>186.9<br>40.6<br>(S) | 57.6<br>25.0<br>20.5<br>(Z)<br>(S) | 36.5<br>16.3<br>16.2<br>(Z)<br>(S) | 41.2<br>29.1<br>(S)<br>(S)<br>(Z) | (S)<br>(S)<br>(S)<br>(Z)<br>(Z) | .7<br>1.4<br>6.6<br>26.8<br>36.2         |  |  |  |
| Driving wheels  | 878.0<br>77.0<br>788.7<br>(S)           | 734.1<br>60.9<br>661.1<br>(S)          | 57.6<br>(S)<br>53.5<br>(Z)         | 36.5<br>(S)<br>32.5<br>(Z)         | 41.2<br>(S)<br>33.2<br>(Z)        | (S)<br>(Z)<br>(S)<br>(Z)        | .8<br>22.0<br>2.4<br>57.3                |  |  |  |

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Florida, 70.6 of the cells have RSEs greater than 10 percent, and 52.6 of the cells have RSEs greater than 25 percent.

<sup>&</sup>lt;sup>1</sup>When no response was obtained for annual miles, data were imputed.

<sup>2</sup>Detail does not add to totals because items were not applicable or multiple responses were possible.

<sup>3</sup>When no response was obtained, one truck was imputed based on body type of sampled vehicle.

<sup>4</sup>Pickups, panels, and vans are not included.

This page is intentionally blank.

## Table 7. Trucks by Truck Type and Axle Arrangement: 1982

[ Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|  | Isands. Data relate to State of registration. Detail may not   |  |   |   |  | uck type and ax                               |  |   |   |  |
|--|--|--|---|---|--|---|--|---|---|--|
|  | Vehicular and operational  |  |   | Single-unit                                     | trucks                                       |   |  | Combin  |   |  |
|  | characteristics  |  |   |   |  |   |  | s   | ingle-unit truck<br>with trailer              |  |
|  |  | Total  | Total   | 2 axles   | 3 axles                                      | 4 axles or more                               | Total  | 3 axles                                       | 4 axles                                       | 5 axles or more                              |
| 1 2                                    | Total  | 1,004.1<br>(Z)   | 954.5<br>1.0                                    | 945.4<br>1.0                                    | 8.7<br>7.0                                   | .5<br>32.6                                    | 49.6<br>19.9                                   | (S)<br>80.4                                   | 18.7<br>43.1                                  | (S)<br>77.6                                  |
| 3<br>4<br>5<br>6<br>7                  | Agriculture Forestry and lumbering Mining and quarrying Construction Manufacturing   | 80.0<br>1.6<br>.6<br>148.8<br>9.3                        | 73.4<br>.8<br>.4<br>145.0<br>(S)                | 72.9<br>.6<br>(S)<br>140.3<br>(S)               | .4<br>(S)<br>(S)<br>4.3<br>.6                | (S)<br>(Z)<br>(Z)<br>.3<br>(Z)                | (S)<br>.8<br>.2<br>3.9<br>1.6                  | (S)<br>(Z)<br>(Z)<br>.4<br>(Z)                | (S)<br>(S)<br>(Z)<br>.9<br>(S)                | (Z)<br>(S)<br>(Z)<br>.5<br>(Z)               |
| 8<br>9<br>10<br>11<br>12               | Wholesale trade  | 37.7<br>35.8<br>13.0<br>26.4<br>97.6                     | 34.9<br>33.5<br>4.4<br>25.7<br>84.1             | 33.9<br>33.4<br>3.6<br>25.4<br>83.4             | 1.0<br>(S)<br>.8<br>.3<br>.7                 | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 2.8<br>2.3<br>8.5<br>.7<br>(S)                 | (Z)<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)        | (Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)        | (S)<br>(S)<br>(S)<br>(S)<br>(S)              |
| 13<br>14<br>15<br>16<br>17             | Daily rental Personal transportation Personal transportation Personal transportation Personal transportation Personal transportation Personal Perso | 3.1<br>539.9<br>(Z)<br>(S)<br>(Z)                        | 2.8<br>531.7<br>(Z)<br>(S)<br>(Z)               | 2.8<br>531.7<br>(Z)<br>(S)<br>(Z)               | (Z)<br>(Z)<br>(X)<br>(S)<br>(Z)              |   | .3<br>(S)<br>(Z)<br>.3<br>(Z)                  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(S)<br>(Z)<br>(S)<br>(Z)              |
| 18<br>19<br>20<br>21<br>22             | BODY TYPE  Pickup Panel or van Utility Station wagon Multistop or walk-in  | 573.8<br>231.6<br>48.8<br>28.2<br>8.7                    | 557.5<br>227.6<br>48.8<br>24.2<br>8.6           | 557.5<br>227.6<br>48.8<br>24.2<br>8.6           | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)       | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 16.3<br>(S)<br>(Z)<br>(S)<br>(S)               | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (S)<br>(S)<br>(Z)<br>(S)<br>(S)               | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)              |
|  | Platform with added devices Low boy or depressed center Basic platform Livestock truck Insulated nonrefrigerated van   | 6.1<br>2.1<br>24.4<br>.5<br>.7                           | 5.3<br>(Z)<br>19.2<br>(S)<br>.4                 | 4.5<br>(Z)<br>18.2<br>(S)<br>(S)                | .8<br>(Z)<br>.9<br>(Z)<br>(S)                | (Z)<br>(X)<br>(S)<br>(Z)<br>(Z)               | .8<br>2.1<br>5.2<br>(S)<br>.2                  | (S)<br>(Z)<br>(S)<br>(Z)<br>(Z)               | (S)<br>(S)<br>1.0<br>(S)<br>(Z)               | (Z)<br>(S)<br>.5<br>(Z)<br>(Z)               |
| 28<br>29<br>30<br>31<br>32             | Insulated refrigerated van   | 7.1<br>2.1<br>.4<br>19.5<br>3.1                          | 3.8<br>.9<br>(S)<br>14.7<br>2.7                 | 3.7<br>.9<br>(S)<br>14.6<br>2.7                 | (S)<br>(Z)<br>(Z)<br>(S)<br>(S)              | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | 3.3<br>1.2<br>.3<br>4.7<br>.4                  | (Z)<br>(Z)<br>(S)<br>(S)<br>(Z)               | (Z)<br>(S)<br>(Z)<br>(S)<br>(Z)               | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)              |
| 33<br>34<br>35<br>36<br>37             | Public utility Winch or crane Wrecker Pole or logging Auto transport   | (S)<br>1.1<br>2.9<br>1.1<br>.8                           | (S)<br>.9<br>2.9<br>.5<br>(S)                   | (S)<br>.8<br>2.8<br>.5<br>(S)                   | (S)<br>(S)<br>(S)<br>(Z)<br>(Z)              | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (S)<br>(S)<br>(Z)<br>.6<br>.4                  | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z)               | (S)<br>(Z)<br>(Z)<br>(S)<br>(Z)               | (S)<br>(Z)<br>(S)<br>(S)                     |
| 38<br>39<br>40<br>41<br>42             | Service truck Yard tractor Oilfield truck Cargo container chassis Grain body   | 4.9<br>.2<br>(S)<br>.6<br>.4                             | 4.9<br>(Z)<br>(S)<br>(S)<br>(S)                 | 4.9<br>(Z)<br>(S)<br>(S)<br>(S)                 | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)              | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>.2<br>(S)<br>.4<br>(S)                  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)              |
| 43<br>44<br>45<br>46<br>47<br>48<br>49 | Garbage hauler   | 1.0<br>17.6<br>4.7<br>.5<br>2.0<br>1.2<br>(Z)            | 1.0<br>15.7<br>3.1<br>(S)<br>2.0<br>.9<br>(Z)   | .4<br>12.2<br>2.7<br>(S)<br>(Z)<br>.9<br>(Z)    | .6<br>3.1<br>.4<br>(S)<br>2.0<br>(Z)<br>(Z)  | (Z)<br>.4<br>(Z)<br>(Z)<br>(S)<br>(Z)<br>(Z)  | (Z)<br>2.0<br>1.7<br>.4<br>(Z)<br>(S)<br>(Z)   | (Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(S)<br>(Z)<br>(Z)<br>(S)<br>(S)        | (Z)<br>(S)<br>(Z)<br>(Z)<br>(S)<br>(Z)       |
| 50<br>51<br>52<br>53<br>54<br>55<br>56 | Less than 5,000  | 180.8<br>259.4<br>387.1<br>115.9<br>35.5<br>13.9<br>11.5 | 174.1<br>249.2<br>371.8<br>113.1<br>32.1<br>(S) | 172.8<br>247.7<br>368.8<br>111.8<br>30.9<br>(S) | 1.2<br>1.5<br>3.0<br>1.2<br>1.1<br>.6<br>(S) | (S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z) | (S)<br>(S)<br>15.3<br>2.8<br>3.4<br>3.8<br>7.3 | (S)<br>(S)<br>.4<br>(S)<br>(Z)<br>(Z)<br>(S)  | (S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S) | .3<br>(S)<br>(S)<br>(Z)<br>(S)<br>(S)<br>(S) |
| 57<br>58<br>59<br>60<br>61             | RANGE OF OPERATION  Local  | 824.2<br>73.6<br>45.3<br>49.4<br>11.7                    | 805.5<br>66.1<br>26.8<br>44.7<br>(S)            | 798.4<br>65.5<br>26.6<br>43.5<br>(S)            | 6.6<br>.6<br>(S)<br>1.2<br>(S)               | .4<br>(Z)<br>(Z)<br>(S)<br>(Z)                | 18.7<br>7.4<br>18.5<br>(S)                     | 1.0<br>(S)<br>(Z)<br>(S)<br>(Z)               | (S)<br>.4<br>(S)<br>(S)<br>(Z)                | .8<br>(S)<br>(S)<br>(S)<br>(S)               |
| 62<br>63<br>64<br>65<br>66             | BASE OF OPERATION  Percentage of miles traveled outside base-of-operation State: Less than 25 percent 25 to 49 percent 50 to 74 percent 75 to 100 percent Not reported   | 750.0<br>35.3<br>41.3<br>30.8<br>146.7                   | 731.0<br>30.1<br>34.3<br>14.8<br>144.3          | 722.9<br>29.9<br>34.3<br>14.8<br>143.6          | 7.8<br>(S)<br>(S)<br>(Z)<br>.6               | .4<br>(Z)<br>(Z)<br>(Z)<br>(S)                | 19.0<br>(S)<br>(S)<br>16.0<br>2.4              | (S)<br>(Z)<br>(Z)<br>(Z)<br>(S)               | 1.8<br>(S)<br>(S)<br>(S)                      | 1.0<br>(Z)<br>(S)<br>(S)<br>(S)              |
| 67<br>68<br>69<br>70                   | VEHICLE SIZE  Light Medium Light-heavy Heavy-heavy   | 917.6<br>35.7<br>16.1<br>34.7                            | 904.8<br>22.6<br>14.3<br>12.8                   | 904.8<br>22.0<br>13.6<br>5.0                    | (Z)<br>.6<br>.6<br>7.4                       | (Z)<br>(Z)<br>(S)<br>.4                       | (S)<br>(S)<br>1.8<br>21.9                      | (S)<br>(S)<br>(S)<br>(S)                      | (S)<br>(S)<br>.9<br>.8                        | (Z)<br>(S)<br>(S)<br>.8                      |

|  |  |  | Truck type and                           | axle arrangem                            | ent-Con.                                      |   |  |   |   |  |
|--|--|--|--|--|---|---|--|---|---|--|
|  | Truck-tractor  |  |  | oinations—Con                            |   | Truck-t                                       | rector   |   |   |  |
| w  | Truck-tractor<br>rith single trailer   |  | with                                     | ruck-tractor<br>double trailers          |   | with triple                                   | e trailers   | Trailer and                             | Relative standard   |  |
| 3 axles  | 4 axles  | 5 axles or more  | 5 axles                                  | 6 axles                                  | 7 axles or more                               | 7 axles                                       | 8 axles or more  | Trailer not specified                   | error of estimate<br>(percent) for total                                  | _  |
| 1.3<br>18.6  | 6.8<br>7.2   | 12.2<br>4.5  | 49.3                                     | (Z)                                      | (Z)<br>(Z)                                    | (Z)<br>(Z)                                    | (S)<br>69.9  | (Z)<br>(Z)                              | (Z)<br>(Z)  | 2  |
| (S)<br>(Z)<br>(Z)<br>(S)<br>(S)  | 1.0<br>.2<br>(S)<br>.7<br>.7   | 1.1<br>.5<br>(S)<br>1.3<br>7                           | (X)  | (3)(X)(X)(X)                             | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                            |   | 20.1<br>20.7<br>35.6<br>13.7<br>44.3                                      | 3<br>4<br>5<br>6<br>7                                    |
| .4<br>.2<br>.2<br>(Z)<br>(S)   | .7<br>.7<br>2.2<br>(S)<br>(S)  | 1.4<br>.9<br>5.7<br>(Z)                                | (Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)          | (Z)<br>(X)<br>(X)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(S)<br>(S)<br>(Z)<br>(Z)                            | (Z)<br>(X)<br>(X)<br>(Z)<br>(Z)         | 24.0<br>27.5<br>6.2<br>34.0<br>18.1                                       | 8<br>9<br>10<br>11<br>12                                 |
| (Z)<br>(Z)<br>(Z)<br>(S)<br>(Z)  | (S) (X) (X) (X) (X) (X) (X) (X) (X) (X) (X   | .2<br>(Z)<br>(Z)<br>(S)<br>(Z)                         | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)          | (N)(N)(N)(N)(N)(N)(N)(N)(N)(N)(N)(N)(N)( | (X)<br>(X)<br>(X)<br>(X)<br>(X)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                            |   | 16.7<br>5.4<br>(Z)<br>55.2<br>(Z)   | 13<br>14<br>15<br>16<br>17                               |
| (Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)  | \(\text{QQQQ}\)\(\text{Q}\)\(\ | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>2.1.1<br>2.1<br>(S) |  | SSSSS SSSSS                              | 33333<br>33333<br>333333                      |   | 33333<br>33333<br>33333<br>33333<br>33333<br>33333<br>3333 | <u> </u>                                | 1.4<br>6.6<br>26.8<br>36.2<br>10.6<br>12.1<br>16.2<br>5.5<br>40.3<br>35.5 | 18<br>19<br>20<br>21<br>22<br>23<br>24<br>25<br>26<br>27 |
| (S)<br>.2<br>(Z)<br>.3<br>.3   | .4<br>.5<br>.2<br>1.3<br>(S)   | 2.8<br>(S)<br>(S)<br>2.8<br>(Z)                        | (Z)<br>-2<br>(Z)<br>(Z)<br>(Z)           | (X)<br>(X)<br>(X)<br>(X)<br>(X)          | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)                            | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | 9.4<br>18.5<br>34.7<br>6.2<br>15.4<br>51.7                                | 28<br>29<br>30<br>31<br>32                               |
| \(\text{X}(\text{X})\) | (S) (Z) 2.2 (Z) (S) (Z) 2.8 (S | (J)(J)(3,2,2) (J)(S)(S)(S)(S)                          | SERRE RESER                              | SSSSS SSSSS                              | <u> </u>                                      |   |  | SSSSS SSSSS                             | 18.3<br>25.1<br>30.9<br>14.4<br>49.3<br>53.4<br>31.3<br>48.0              | 33<br>34<br>35<br>36<br>37<br>38<br>39<br>40<br>41<br>42 |
| (Z)<br>(Z)<br>(S)<br>(S)<br>(Z)<br>(Z)<br>(Z)  | (Z)<br>.8<br>.2<br>.2<br>(Z)<br>(Z)  | (Z)<br>.2<br>1.4<br>(S)<br>(Z)<br>(S)<br>(Z)           |  | SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)              | (Z) | 24.8<br>23.8<br>12.6<br>32.9<br>16.2<br>28.6<br>(Z)                       | 43<br>44<br>45<br>46<br>47<br>48<br>49                   |
| 2<br>(S) 4<br>2<br>(S) (S)<br>(S)  | .4<br>.7<br>1.0<br>1.1<br>1.2<br>1.2   | .4<br>.4<br>.8<br>1.0<br>1.7<br>2.5<br>5.4             | (X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)( | NON  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | \(\text{Q}(\text{Q})\)                        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)                     | SOSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS | 12.6<br>10.2<br>7.4<br>16.4<br>27.8<br>41.5<br>35.2                       | 50<br>51<br>52<br>53<br>54<br>55<br>56                   |
| .6<br>.4<br>.2<br>(Z)<br>(S)   | 3.7<br>2.1<br>.7<br>.2<br>(S)  | 2.8<br>4.2<br>4.8<br>(S)                               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)          | SSSSS                                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)                            | (X)<br>(X)<br>(X)<br>(X)<br>(X)         | 2.7<br>19.9<br>26.3<br>25.5<br>49.2                                       | 57<br>58<br>59<br>60<br>61                               |
| .8<br>(S)<br>(X)<br>(S)<br>3   | 5.2<br>(S)<br>.4<br>.3<br>.7   | 5.2<br>.8<br>2.4<br>3.0<br>.9                          | (Z)<br>.2<br>(Z)<br>(Z)<br>(Z)           | S S S S S S S S S S S S S S S S S S S    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                            | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)         | 3.5<br>32.1<br>28.9<br>31.9<br>14.5                                       | 62<br>63<br>64<br>65<br>66                               |
| (Z)<br>(S)<br>(S)<br>1.2   | (Z)<br>(Z)<br>.2<br>6.6  | (Z)<br>(Z)<br>.2<br>12.0                               | (Z)<br>(Z)<br>(Z)<br>.2                  | (Z)<br>(Z)<br>(Z)<br>(Z)                 | (Z)<br>(Z)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)<br>(S)                                   | (Z)<br>(Z)<br>(Z)<br>(Z)                | .8<br>20.0<br>7.0<br>2.3  | 67<br>68<br>69<br>70                                     |

# Table 7. Trucks by Truck Type and Axle Arrangement: 1982—Con. [Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|             |   |   |  | Single-unit                              | _                                      | ick type and axle                             |  | Combinat   | tions   |                                  |
|-------------|---|---|--|--|--|---|--|--|---|----------------------------------|
|             | Vehicular and operational characteristics   |   |  |  |  | * .   |  | Sin  | ngle-unit truck<br>with trailer               |                                  |
|             |   | Total                                     | Total                                    | 2 axles                                  | 3 axles                                | 4 axles or more                               | Total                                    | 3 axles  | 4 axles                                       | 5 axles o                        |
| 1           | AVERAGE WEIGHT (POUNDS)   |   |  |  |  |   |  |  |   |                                  |
| 2   6       | Less than 6,001   | 837.1<br>80.5<br>19.1<br>9.3<br>7.2       | 836.9<br>67.9<br>10.9<br>4.7<br>7.0      | 836.9<br>67.9<br>10.6<br>4.7<br>6.7      | (Z)<br>(Z)<br>.3<br>(S)<br>(S)         | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (S)<br>(S)<br>(S)<br>(S)<br>(S)          | (S)<br>(S)<br>(Z)<br>(S)<br>(Z)                                    | (S)<br>(S)<br>(S)<br>(S)<br>(S)               | (Z<br>(Z<br>(S<br>(S<br>(Z       |
| 31;         | 19,501 to 26,000  | 16.0<br>6.3<br>3.7<br>4.5<br>4.1          | 14.3<br>4.7<br>1.9<br>1.3<br>2.2         | 13.6<br>3.8<br>.8<br>.2<br>(S)           | .6<br>.7<br>1.1<br>1.0<br>2.2          | (S)<br>(S)<br>(S)<br>(Z)<br>(Z)               | 1.8<br>1.6<br>1.8<br>3.2<br>1.9          | (S)<br>(S)<br>(Z)<br>(S)<br>(S)                                    | .9<br>.4<br>(S)<br>(S)<br>(S)                 | (S<br>(Z<br>(S<br>(S             |
| 2   1       | 60,001 to 80,000<br>80,001 to 100,000<br>100,001 to 130,000<br>130,001 or more<br>Not reported  | 15.7<br>.3<br>(S)<br>(S)<br>(Z)           | 2.7<br>(Z)<br>(Z)<br>(Z)<br>(Z)          | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)          | 2.4<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | .3<br>(Z)<br>(Z)<br>(Z)<br>(Z)                | 13.0<br>.3<br>(S)<br>(S)<br>(Z)          | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                    | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)               | (S<br>(Z<br>(Z<br>(Z             |
|             | TOTAL LENGTH (FEET)   |   |  |  |  |   |  |  |   |                                  |
|             | Less than 7.0   | (Z)<br>(Z)<br>74.9<br>237.2<br>551.9      | (Z)<br>(Z)<br>74.9<br>237.2<br>551.8     | (Z)<br>(Z)<br>74.9<br>237.2<br>551.4     | (Z)<br>(Z)<br>(Z)<br>(S)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)               | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)          | (X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)               | (Z<br>(Z<br>(Z<br>(Z<br>(Z       |
|             | 20.0 to 27.9<br>28.0 to 35.9<br>36.0 to 40.9<br>41.0 to 44.9<br>45.0 or more  | 78.7<br>33.4<br>(S)<br>1.7<br>19.4<br>(Z) | 78.3<br>11.2<br>.7<br>(S)<br>.3<br>(Z)   | 73.3<br>7.9<br>.5<br>(S)<br>(S)<br>(Z)   | 4.7<br>3.2<br>(S)<br>(Z)<br>.2<br>(Z)  | .3<br>(S)<br>(S)<br>(Z)<br>(Z)<br>(Z)         | (S)<br>22.3<br>(S)<br>1.7<br>19.1<br>(Z) | (S)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z)                             | (S)<br>(S)<br>(S)<br>.4<br>.5<br>(Z)          | (2<br>(5<br>(5<br>(5)<br>(7      |
|             | YEAR MODEL  |   |  |  |  |   |  |  |   | ·                                |
| 3           | 1983  | (S)<br>49.7<br>56.2<br>94.2<br>133.4      | (S)<br>48.3<br>50.6<br>91.9<br>131.4     | (S)<br>48.0<br>49.9<br>90.8<br>130.2     | (Z)<br>.2<br>.6<br>1.0<br>1.2          | (Z)<br>(Z)<br>(S)<br>(S)<br>(Z)               | (Z)<br>1.5<br>(S)<br>2.3<br>2.0          | (Z)<br>(Z)<br>(S)<br>(S)<br>(Z)                                    | (Z)<br>(Z)<br>(S)<br>(S)<br>(S)               | (Z<br>(Z<br>(S<br>(S             |
|             | 1978<br>1977<br>1976<br>1975<br>1974  | 124.1<br>105.7<br>64.9<br>37.9<br>80.0    | 118.0<br>99.5<br>59.9<br>36.7<br>73.6    | 117.3<br>99.2<br>59.7<br>36.3<br>72.9    | .7<br>.3<br>(S)<br>.3<br>.6            | (S)<br>(Z)<br>(Z)<br>(S)<br>(S)               | (S)<br>(S)<br>(S)<br>1.2<br>(S)          | (S)<br>(S)<br>(S)<br>(Z)<br>(S)                                    | (S)<br>(S)<br>(Z)<br>(S)<br>(S)               | (S<br>(S<br>(Z<br>(Z<br>(S       |
| 3           | 1973Pre-1973Not reported  | 48.2<br>205.8<br>(Z)                      | 46.0<br>194.6<br>(Z)                     | 45.0<br>191.8<br>(Z)                     | .9<br>2.7<br>(Z)                       | (Z)<br>(S)<br>(Z)                             | 2.2<br>11.2<br>(Z)                       | (Z)<br>.5<br>(Z)   | .4<br>(S)<br>(Z)                              | (Z                               |
| 0 1 2       | Purchased new   | 531.0<br>463.4<br>3.1<br>(S)              | 501.8<br>444.0<br>2.6<br>(S)             | 496.0<br>440.8<br>2.6<br>(S)             | 5.6<br>2.9<br>(S)<br>(S)               | (S)<br>.3<br>(Z)<br>(Z)                       | 29.3<br>19.4<br>.5                       | (S)<br>.4<br>(Z)<br>(S)  | (S)<br>(S)<br>(Z)<br>(Z)                      | (\$<br>(2<br>(2                  |
| 1           | LEASE CHARACTERISTICS <sup>2</sup>  |   |  |  |  |   | 1  |  |   |                                  |
| 5           | Leased without driver Leased with driver Leased with owner-operator Provisions of lease Financing (no maintenance) Financing (full maintenance) Other | 3.0<br>(Z)<br>(S)<br>2.9<br>2.1<br>(S)    | 2.5<br>(Z)<br>(Z)<br>2.4<br>1.9<br>(S)   | 2.5<br>(Z)<br>(Z)<br>2.4<br>1.9<br>(S)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | .5<br>(Z)<br>(S)<br>.5<br>.2<br>(S)      | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z<br>(Z<br>(Z<br>(Z<br>(Z<br>(Z |
|             | OPERATOR CLASSIFICATION   |   | (3)                                      | (5)                                      | (-/                                    |   |  |  |   | Ì                                |
|             | Not for hire: Private owner or individual For hire Motor carrier Owner-operator Daily rental Mixed—for hire/not for hire                              | 988.0<br>16.1<br>8.2<br>4.8<br>3.1<br>(Z) | 947.3<br>7.2<br>2.6<br>1.8<br>2.8<br>(Z) | 938.9<br>6.4<br>2.3<br>1.4<br>2.8<br>(Z) | 7.9<br>.8<br>.3<br>.5<br>(Z)<br>(Z)    | .5<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)         | 40.7<br>8.9<br>5.7<br>3.0<br>.3<br>(Z)   | (S)<br>(S)<br>(Z)<br>(S)<br>(Z)<br>(Z)                             | 18.6<br>(S)<br>(S)<br>(Z)<br>(S)<br>(Z)       | (S<br>(S<br>(S)<br>(Z)<br>(Z)    |
| 8<br>9<br>0 | For-hire interstate   | 6.5<br>3.0<br>2.8<br>7.3<br>2.4<br>6.0    | .8<br>1.8<br>1.0<br>2.8<br>.5            | .8<br>1.5<br>.7<br>2.4<br>.4<br>3.9      | (Z)<br>.3<br>.3<br>.4<br>(S)           | (X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)        | 5.8<br>1.2<br>1.8<br>4.6<br>1.9          | (Z)<br>(Z)<br>(S)<br>(Z)<br>(Z)<br>(S)                             | (S)<br>(Z)<br>(S)<br>(Z)<br>(Z)               | (S<br>(S<br>(S<br>(Z<br>(Z       |

|  | Truck type and axle arrangement—Con.  Combinations—Con.                     |  |   |  |  |   |  |   |   |  |  |  |
|--|---|--|---|--|--|---|--|---|---|--|--|--|
|  | Truck-tractor vith single trailer   |  |   | Truck-tractor<br>with double trailers  |  | Truck   | tractor<br>le trailers                   |   |   |  |  |  |
| 3 axles  | 4 axles   | 5 axles or more  | 5 axles   | 6 axles  | 7 axies or more  | 7 axles   | 8 axles or more                          | Trailer not specified   | Relative standard<br>error of estimate<br>(percent) for total                 |  |  |  |
| 0 3335   | , 20.00   |  |   | 0.000  |  |   |  | - CPOSINO C   | gorony io: sous   |  |  |  |
| (X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)                                 | NNNNN<br>NNNNN  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                 | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   |  |   | 1.9<br>17.6<br>30.4<br>44.4<br>11.0   | 1<br>2<br>3<br>4<br>5  |  |  |
| (S)<br>.2<br>.3<br>.4<br>(S)   | (S)<br>.3<br>.8<br>1.5<br>1.0   | .2<br>(S)<br>.5<br>.9  | (Z)<br>(Z)<br>(Z)<br>.2<br>(Z)  | NNNNN<br>NNNNN   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(S)<br>(S)<br>(Z)          |   | 7.0<br>10.4<br>11.4<br>10.1<br>10.9   | 6<br>7<br>8<br>9<br>10   |  |  |
| (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | 3.0<br>(S)<br>(Z)<br>(Z)<br>(Z)   | 9.6<br>(S)<br>(S)<br>(S)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)  | RSRSR  | (X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X) | (X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(X)(  | RBBBB                                    | SSSS  | 4.0<br>47.8<br>69.9<br>99.0<br>(Z)  | 11<br>12<br>13<br>14<br>15   |  |  |
| (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                 | N N N N N N N N N N N N N N N N N N N                                       | (X)<br>(X)<br>(X)<br>(X)<br>(X)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | SSSS   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | (Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)( | (Z)   | (Z)<br>(Z)<br>22.1<br>11.1<br>5.4   | 16<br>17<br>18<br>19<br>20   |  |  |
| (Z)<br>(Z)<br>3.3<br>4.6<br>(Z)  | (Z)<br>(S)<br>.8<br>.3<br>5.5<br>(Z)  | (Z)<br>(S)<br>(S)<br>(S)<br>11.8<br>(Z)                                | (Z)<br>(Z)<br>(Z)<br>(Z)<br>.2<br>(Z)   |  |  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(S)<br>(Z)          |   | 15.3<br>27.1<br>59.7<br>20.0<br>2.6<br>(Z)                                    | 21<br>22<br>23<br>24<br>25<br>26                                     |  |  |
| (Z)<br>2<br>2<br>(S)<br>(S)  | (Z)<br>.2<br>.2<br>.5<br>.5   | (Z)<br>1.0<br>.9<br>1.5  | (Z)<br>(Z)<br>(Z)<br>(S)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | SSSS                                     | N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N | 100.0<br>26.4<br>24.2<br>18.9<br>15.4   | 27<br>28<br>29<br>30<br>31   |  |  |
| (S)<br>(Z)<br>(Z)<br>(S)<br>(Z)  | .5<br>.5<br>.3<br>.4<br>.6  | 1.3<br>1.1<br>.6<br>.5<br>1.2  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | <b>以以 必以 必以 必以 必以 必以 必以 必以</b>           | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   | 16.1<br>17.7<br>23.5<br>29.8<br>20.2  | 32<br>33<br>34<br>35<br>36   |  |  |
| (S)<br>,4<br>(Z)   | .9<br>2.2<br>(Z)  | .9<br>2.1<br>(Z)   | (S)<br>(S)<br>(Z)   | (Z)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)                        | (Z)<br>(Z)<br>(Z)   | 24.8<br>11.2<br>(Z)   | 37<br>38<br>39   |  |  |
| .8<br>.5<br>(S)<br>(Z)   | 3.6<br>2.9<br>(S)   | 6.7<br>5.0<br>.3<br>(S)  | .2<br>(Z)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)   | (Z)<br>(Z)<br>(Z)<br>(Z)  | (S)<br>(Z)<br>(Z)                        | (Z)<br>(Z)<br>(Z)<br>(Z)  | 5.6<br>6.5<br>16.7<br>61.6  | 40<br>41<br>42<br>43   |  |  |
| (S)<br>(Z)<br>(Z)<br>(S)<br>(Z)<br>(S)<br>(Z)                          | (S)<br>(Z)<br>(S)<br>(S)<br>(Z)   | .3<br>(Z)<br>(S)<br>.4<br>(S)<br>(S)<br>(S)<br>.2                      |   | \(\text{Z}(\text{X})\text{Z}(\text{X})\text{Z}(\text{X})\(\text{Z}(\text{X})\text{Z}(\text{X})\text{Z}(\text{Z}(\text{X})\text{Z}(\text{Z}(\text{X})\text{Z}(\text{Z}(\text{X})\text{Z}(\text{Z}(\text{X})\text{Z}(\text{Z}(\text{X})\text{Z}(\text{Z}(\text{X})\text{Z}(\text{Z}(\text{X})\text{Z}(\text{Z}(\text{X})\text{Z}(\text{Z}(\text{Z}(\text{X})\text{Z}(\text{Z}(\text{Z}(\text{X})\text{Z}(\te | (Z)                            | \(\alpha\) | SSSSSSS                                  | <u> </u>  | 17.0<br>(Z)<br>99.0<br>17.2<br>20.5<br>62.2<br>37.9                           | 44<br>45<br>46<br>47<br>48<br>49<br>50                               |  |  |
| 1.1<br>.2<br>.2<br>(Z)<br>(Z)<br>(Z)<br>(S)<br>(S)<br>.2<br>(S)<br>(S) | 4.6<br>2.2<br>1.5<br>.6<br>(S)<br>(Z)<br>1.0<br>.3<br>.4<br>1.2<br>.6<br>.6 | 6.2<br>6.0<br>3.5<br>2.3<br>.2<br>(Z)<br>4.6<br>.8<br>1.0<br>2.8<br>.9 | (Z) <sup>2</sup> 2 (Z)(Z)(Z) (Z)(Z)(Z) (Z)(Z)(Z) (Z)(Z)(Z) (Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)(Z)( | \(SQSQSQSQSQSQSQSQSQSQSQSQSQSQSQSQSQSQSQ   | \\ QQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQ                             | \(QQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQQ   | 200288 2003                              | SON   | .1<br>5.8<br>8.1<br>11.0<br>16.7<br>(Z)<br>8.2<br>15.8<br>15.0<br>8.9<br>15.1 | 51<br>52<br>53<br>54<br>55<br>56<br>57<br>58<br>59<br>60<br>61<br>62 |  |  |

# Table 7. Trucks by Truck Type and Axle Arrangement: 1982—Con.

[ Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

| 1      |   | _                      |  |                                       | Tru  | ick type and axle                      | arrangement                         |  |  |                                  |
|--------|---|------------------------|--|---------------------------------------|--|--|-------------------------------------|--|--|----------------------------------|
|        | Validation and according to   | _                      |  | Single-unit                           | trucks                                       |  |                                     | Combina                                | tions                                  |                                  |
|        | Vehicular and operational characteristics   |                        |  |                                       |  |  |                                     | Sir                                    | ngle-unit truck<br>with trailer        |                                  |
|        |   | Total                  | Total                                  | 2 axles                               | 3 axles                                      | 4 axles or more                        | Total                               | 3 axles                                | 4 axles                                | 5 axles or more                  |
|        | PRODUCTS CARRIED  |                        |  |                                       |  |  |                                     |  |  |                                  |
| 2      | Farm productsLive animals   | 26.4<br>17.5           | 23.3<br>(S)<br>(S)                     | 22.9<br>(S)                           | (S)<br>(Z)                                   | (S)<br>(Z)                             | 3.1<br>(S)<br>(S)                   | (S)<br>(S)                             | (S)<br>(S)                             | (S)                              |
| 3      | Mining products Logs and other forest products Lumber and fabricated wood products  | 1.7                    | .9                                     | (S)<br>(S)<br>.8                      | (S)<br>(Z)<br>(S)<br>(S)<br>(S)              | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (S)<br>.8                           | (S)<br>(S)<br>(Z)<br>(S)<br>(S)        | (S)<br>(S)<br>(Z)<br>(S)               | (S)<br>(Z)<br>(S)<br>(S)         |
|        |   | 16.7<br>26.7           | 15.6<br>22.8                           | 15.5                                  |  |  | 1.1                                 |  | .4                                     |                                  |
| 7<br>B | Processed foods   | (S)<br>38.3            | (S)<br>35.8                            | 22.7<br>(S)<br>30.0<br>2.7<br>(S)     | (S)<br>(Z)<br>5.5<br>(Z)<br>(Z)              | (Z)<br>(Z)<br>.4<br>(Z)<br>(Z)         | 3.8<br>(S)<br>2.4                   | (Z)<br>(S)<br>(Z)<br>(Z)<br>(Z)        | (S)<br>(Z)<br>(S)<br>(Z)<br>(S)        | (Z<br>(Z<br>(S<br>(Z<br>(Z       |
| 9      | Household goodsFurniture or hardware  | 3.1<br>(S)             | 2.7<br>(S)                             | 2.7<br>(S)                            | (Z)<br>(Z)                                   | (Ž)<br>(Z)                             | .4                                  |  | (z)<br>(S)                             | (Z                               |
| 1      | Paper products  | 2.0<br>20.5            | 1.3<br>15.0                            | 1.3<br>14.9                           |  |  | .6                                  |  |  |                                  |
| 3      | ChemicalsPetroleumPlastics and/or rubber  | 4.4<br>1.2             | 3.4<br>1.0                             | 3.1<br>1.0                            | (Z)<br>(S)<br>3<br>(Z)<br>(S)                | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (S)<br>1.0<br>(S)<br>.3             | (Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(S)<br>(S)<br>(Z)<br>(Z)        | (Z<br>(Z<br>(S<br>(Z             |
| 5      | Primary metal products  | 1.4                    | 1.1                                    | .8                                    |  |  | .3                                  |  |  |                                  |
| 6      | Fabricated metal products Machinery   | (S)<br>(S)<br>17.2     | (S)<br>(S)<br>11.8                     | (S)<br>(S)<br>11.7                    | (S)<br>(Z)<br>(S)<br>.8<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(S)<br>(Z)        | .7<br>2.1<br>(S)                    | (S)<br>(S)<br>(Z)<br>(Z)<br>(S)        | (Z)<br>.5                              | (S<br>(S<br>(S<br>(Z             |
| 8      | Mixed cargoes   | 22.9                   | 22.4                                   | 21.5                                  | (S)<br>.8                                    | (Z)<br>(S)                             | (S)<br>.5<br>3.0                    | (Z)<br>(Z)                             | (S)<br>(S)<br>(S)                      | (9                               |
|        |   | 6.3                    | 3.3                                    | 3.3<br>132.1                          |  |  |                                     |  |  |                                  |
| 2      | Craftsman's equipmentPersonal transportationNo load carried   | 136.8<br>539.9<br>55.2 | 132.4<br>531.7<br>54.9                 | 531.7<br>54.8                         | .3<br>(Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (S)<br>(S)                          | (S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (S)<br>(S)<br>(S)<br>(Z)<br>(Z)<br>(Z) | (Z<br>(S<br>(S<br>(Z<br>(Z<br>(Z |
| 4      | Not in useOther   | (S)<br>21.3            | (S)<br>21.2                            | (S)<br>21.1                           |  |  | ,4<br>,3<br>(S)<br>(Z)              | ζŽ                                     | $\widetilde{z}$                        | (S                               |
| 6      | Not reported  | (Z)                    | (Z)                                    | (Z)                                   | (ž)  | ( <del>Z</del> )                       | (ž)                                 | (ž)                                    | (ž)                                    | (ž                               |
|        | HAZARDOUS MATERIALS CARRIED   |                        |  |                                       |  |  |                                     |  | _                                      |                                  |
| 8      | Hazardous materials carried  Less than 25 percent of time 25 to 49 percent of time 50 to 74 percent of time 75 to 100 percent of time No percent reported | 11.3<br>(S)<br>1.9     | (S)<br>(S)<br>1.1<br>(S)<br>1.1<br>(Z) | (S)<br>(S)<br>1.1<br>(S)<br>.9<br>(Z) | .3<br>(Z)<br>(S)<br>(Z)<br>.2<br>(Z)         | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 3.5<br>2.2<br>.7<br>.2<br>.4<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) |  | (Z<br>(Z<br>(Z<br>(Z<br>(Z       |
| 9      | 25 to 49 percent of time  | 1.9                    | 1.1<br>(S)                             | 1.1<br>(S)                            | (S)<br>(Z)                                   | (Z)<br>(Z)                             | .7                                  | (Z)<br>(Z)                             | (Z)<br>(Z)                             | (Z                               |
| 1 2    | 75 to 100 percent of time   | .3<br>1.5<br>(Z)       | 1.1<br>(Z)                             | .9<br>(Z)                             | .2<br>(Z)                                    | (Z)<br>(Z)                             | .4<br>(Z)                           | (Z)<br>(Z)                             | (Z)<br>(Z)                             | (Z<br>(Z                         |
| зΙ     | Types of hazardous materials <sup>2</sup> Flammables or combustibles  | (Z)<br>6.1<br>(S)      | (Z)                                    | (Z)                                   | (Z)  | (3)                                    | (Z)<br>3.0                          | (3)                                    | (3)                                    | (Z                               |
| 5      | Acids, poisons, caustics, etc.  | (S)<br>.5              | (Z)<br>3.1<br>(S)<br>(Z)<br>(Z)        | (Z)<br>2.9<br>(S)<br>(Z)<br>(Z)       | (Z)<br>(Z)<br>(Z)<br>(Z)                     | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 1.6                                 | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (2<br>(2<br>(2<br>(2<br>(2       |
| 7      | Radioactive materials   | .3                     |  |                                       |  |  | .5<br>.3                            |  |  |                                  |
| 8 9    | Hazardous materials not listed above  | .3<br>.5<br>(Z)        | (S)<br>(S)<br>(Z)                      | (S)<br>(S)<br>(Z)                     | (Z)<br>(S)<br>(Z)                            | (Z)<br>(Z)<br>(Z)                      | .2<br>.2<br>(Z)                     | (Z)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)                      | (Z<br>(Z<br>(Z                   |
| 0      | No hazardous materials carried  | (Z)<br>687.4           | (Z)<br>650.2                           | (Z)<br>641.6                          |  | (Z)                                    | (Z)<br>37.2                         |  | (Z)  <br>14.7                          |                                  |
| 2      | Not reported  | 305.5                  | 296.5                                  | 296.3                                 | 8.2<br>(S)                                   | (S)                                    | (S)                                 | (S)<br>(S)                             | (S)                                    | 1.(<br>(S                        |
|        | TRUCKS FLEET SIZE <sup>3</sup>  |                        |  |                                       |  |  |                                     |  |  |                                  |
| 3      | 1 2 to 5  | 772.1<br>93.3          | 746.2<br>89.6                          | 744.2<br>88.4                         | 1.9<br>1.1                                   | (S)<br>(S)<br>(S)<br>(S)               | 25.8<br>3.7<br>5.5                  | (S)<br>(S)<br>(S)                      | (S)<br>.8                              | (S<br>(S<br>(S                   |
| 5      | 6 to 19   | 60.0<br>78.8           | 54.5<br>64.2                           | 52.2<br>60.5                          | 2.2<br>3.6                                   | (S)<br>(S)                             | 5.5<br>14.6                         | (S)<br>.4                              | .9<br>(S)                              | (S                               |
|        | MILES PER GALLON  |                        |  |                                       |  |  |                                     |  |  |                                  |
| 7 8    | Less than 55 to 6.9   | 15.5                   | 9.3<br>29.1                            | 6.4                                   | 2.8<br>3.4                                   | (S)                                    | 6.2                                 | (S)                                    | (S)                                    | (8                               |
| 9      | 9 to 11.9   | 42.5<br>71.0<br>188.3  | 60.2                                   | 25.5<br>59.1<br>179.1                 | 1.1<br>(S)<br>(Z)                            | (S)<br>3<br>(S)<br>(Z)<br>(Z)          | 6.2<br>13.4<br>(S)<br>(S)<br>(S)    | (S)<br>(S)<br>(S)<br>(S)<br>(Z)        | (S)<br>1.1<br>(S)<br>(S)<br>(S)        | (S<br>(S<br>(S)<br>(Z            |
| 1      | 12 to 14.9  | 207.0                  | 179.3<br>198.9                         | 198.9                                 |  |  | (8)                                 |  |  |                                  |
| 3      | 15 to 19.9  | 226.7<br>135.2         | 226.5<br>135.2                         | 226.5<br>135.2                        | (Z)<br>(Z)<br>1.2                            | (Z)<br>(Z)<br>(S)                      | (S)<br>(Z)<br>2.0                   | (S)<br>(Z)<br>(S)                      | (S)<br>(Z)<br>(S)                      | (Z<br>(Z<br>(S                   |
|        | Not reported  | 118.0                  | 116.0                                  | 114.8                                 | 1.2  | (S)                                    | 2.0                                 | (S)                                    | (S)                                    | (S                               |
|        | EQUIPMENT TYPE  | 1,004.1                | 054.5                                  | 945.4                                 | 8.7  |  | 49.6                                | (8)                                    | 18.7                                   | 19                               |
| 6 7    | Transmission  | 482.2<br>515.7         | 954.5<br>458.3<br>490.7                | 450.1<br>490.1                        | 7.7  | .5<br>.4                               | 23.9<br>24.9                        | (S)                                    | 2.5<br>16.2                            | (S<br>1.<br>(S<br>(S             |
| 8      | Not reported  | 6.3                    | 5.5                                    | 5.2                                   | .6<br>(S)                                    | (Z)<br>(S)                             | .8                                  | (S)<br>(Z)                             | (S)                                    |                                  |
| 9      | Braking system<br>Hydraulic<br>Hydraulic (power)  | 1,004.1<br>43.5        | 954.5<br>41.7                          | 945.4<br>41.2                         | 8.7<br>.5<br>1.0                             | .5<br>(Z)<br>(Z)<br>.4<br>(S)          | 49.6<br>1.9                         | (S)<br>(S)<br>(S)<br>(Z)               | 18.7                                   | (9                               |
| 1 2    | Hydraulic (power)   | 918.3<br>33.6<br>8.7   | 891.6<br>13.4                          | 890.7<br>6.1                          | 6.9  | (Z)<br>.4                              | 26.6<br>20.2                        | (S)<br>(S)                             | 17.5<br>.4<br>(S)                      | (S<br>(S<br>(S<br>(S             |
| 3      |   | 8.7<br>529.2           | 7.8<br>503.5                           | 7.3<br>497.2                          | .4<br>5.9                                    |  | 1.0<br>25.7                         |  | 1                                      |                                  |
| 5 6 7  | Power steering <sup>2</sup> Air conditioning <sup>2</sup> Engine retarder <sup>2</sup> Reflective materials <sup>2</sup>                                  | 433.4<br>3.0           | 407.3<br>2.0                           | 406.7                                 | .6<br>.7                                     | .4<br>(S)<br>(Z)<br>(S)                | 26.2                                | (S)<br>(Z)<br>(Z)<br>(S)               | (S)<br>(S)<br>(S)                      | (S<br>(S<br>(Z<br>(S             |
| 7      |   | 14.7                   | 11.2                                   | 1.3<br>9.5                            | 1.6  | (ŝ)                                    | 1.0<br>3.5                          | (S)                                    | .4                                     | (\$                              |
|        | FUEL CONSERVATION EQUIPMENT <sup>2</sup>  |                        |  |                                       |  |  |                                     |  |  |                                  |
| 9      | Aerodynamic features  | 6.7<br>21.3            | 4.0<br>14.7                            | 3.8<br>13.0                           | (S)<br>1.6                                   | (Z)<br>(S)<br>.3<br>.2<br>(S)          | 2.7<br>6.7                          | (Z)<br>(S)                             | (S)<br>.5<br>(S)<br>16.5               | (S                               |
| 0      | Fuel economy engine   | 16.4<br>355.4          | 7.3<br>327.5                           | 4.4<br>325.6                          | 2.6<br>1.6<br>3.8                            | .3<br>.2                               | 9.1<br>27.9                         | (Z)<br>(S)<br>(Z)<br>(S)<br>(S)        | (S)<br>16.5                            | (S<br>(S<br>(S<br>(S<br>(S       |
| 3      | Road speed governor   | 30.3                   | 20.1                                   | 16.2                                  |  | (S)                                    | 10.2                                |  | .3                                     |                                  |
| 4      | Variable fan drives Other fuel conservation devices Not reported  | 14.5<br>2.7<br>615.0   | 7.0<br>1.2<br>599.5                    | 4.6<br>1.1<br>596.5                   | 2.3<br>(S)<br>2.9                            | (S)<br>(Z)<br>(S)                      | 7.5<br>1.5<br>15.5                  | (Z)<br>(Z)<br>(S)                      | (S)<br>(Z)<br>1.7                      | (Z<br>(Z<br>(S                   |

| Truck type and axle алтаngement—Con.  |   |   |  |                                    |  |   |  |                         |  |  |
|---|---|---|--|------------------------------------|--|---|--|-------------------------|--|--|
|   | Truck-tractor   |   |  | Combinations—Con                   |  | Truck-                                    | tractor  |                         |  |  |
|   | Truck-tractor with single trailer                                       |   |  | Truck-tractor with double trailers |  | with trip                                 | le trailers  | Trailer not             | Relative standard  |  |
| 3 axles   | 4 axles   | 5 axles or more   | 5 axles  | 6 axles                            | 7 axles or more                          | 7 axles                                   | 8 axles or more  | specified               | error of estimate<br>(percent) for total   |  |
| \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\  | 1 <u>9</u> @중시시 7.중9.유시 중까시중점 중까소시의                                     | 1.8 (9) 90, 90, 90, 90, 90, 90, 90, 90, 90, 90,   | *.<br>වෙතවල හත්තයන් ත්තනයන් තමන්වල   | NGNAN NANAN NANAN                  | SSSSS SSSSS SSSSS SSSSS                  | SESSE SOSES SESSES SESSES                 | OBBOD DOBOD BODDS DOBOD                                  | NBONN NONBO BONNO NBONN | 30.7<br>46.1<br>43.6<br>21.4<br>42.0<br>26.4<br>81.0<br>23.7<br>17.6<br>60.6<br>20.1<br>39.6<br>13.8<br>28.4<br>25.6<br>53.5<br>50.2<br>40.9<br>35.1 | 1 2 3 4 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19                                |
| (S)<br>(Z)<br>(Z)<br>(Z)<br>(S)<br>(Z)<br>(Z)   | 9, 9(X)(9)(9)(X)  | 1.4<br>(9)<br>(Z) 2.<br>(9)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)   |                                    | I SOSSO                                  |   | (S)                  |                         | 10.4<br>15.2<br>5.4<br>25.8<br>55.2<br>41.7<br>(Z)   | 20<br>21<br>22<br>23<br>24<br>25<br>26   |
| (S)   | 9. 6. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9. 9.                            | 2.3<br>1.5<br>5.5<br>(3)<br>(2)<br>2.1<br>8.2<br>(5)<br>(9)<br>(9)<br>9.6<br>2.1        | Sh GNS GNSON NGBONN  | SS SSS SSSSS SSSSSS                | SON  | SS SSS SSSSS SSSSSS                       | SO NOS DESERVE DE SONS SONS SONS SONS SONS SONS SONS SON | NA NAN NANAN NANANA     | 36.6<br>54.2<br>20.1<br>43.4<br>22.1<br>(Z)<br>10.5<br>61.4<br>31.0<br>37.2<br>40.3<br>34.8<br>(Z)<br>4.2<br>9.3                                     | 27<br>28<br>29<br>30<br>31<br>32<br>33<br>34<br>35<br>36<br>37<br>38<br>39<br>40 |
| (S)<br>(S)<br>.4<br>.7  | 1.1<br>.9<br>1.8<br>3.0   | 3.1<br>1.5<br>2.0<br><b>5</b> .6  | (Z)<br>(Z)<br>(Z)<br>.2  | (Z) (Z) (Z) (Z)                    | (Z)<br>(Z)<br>(Z)<br>(Z)                 | (Z)<br>(Z)<br>(Z)<br>(Z)                  | (Z) (Z) (S) (S)  |                         | 2.9<br>17.3<br>19.9<br>16.8  | 43<br>44<br>45<br>46   |
| 2.6 2<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>2   | 1.4<br>4.0<br>.8<br>(S)<br>(Z)<br>(Z)<br>.5                             | 4.1<br>6.9<br>.4<br>(S)<br>(Z)<br>(Z)<br>(Z)<br>.5                                      | NOW  | SON SONS                           |  |   | NSS NSSS   | NON NONN                | 6.1<br>13.9<br>19.4<br>12.5<br>12.1<br>11.5<br>15.4  | 47<br>48<br>49<br>50<br>51<br>52<br>53<br>54                                     |
| 1.3<br>1.0<br>2.2<br>(S)<br>1.3<br>(S)<br>(S)<br>(S)<br>1.1<br>(S)<br>7.4<br>(S)<br>(S) | 8.8<br>6.4<br>(S)<br>.3<br>6.8<br>(S)<br>(S)<br>6.2<br>.3<br>2.3<br>1.0 | 12.2<br>11.7<br>(S)<br>3<br>12.2<br>(S)<br>(S)<br>11.5<br>.4<br>5.4<br>7.3<br>.6<br>1.5 | 3,2,Q,Q, 2,2,Q,Q, 2,2,Q,Q, 2,2,Q,Q, 2,2,Q,Q, 2,2,Q,Q, 2,2,Q,Q, 2,2,Q,Q, 2,2,Q,Q, 2,2,Q,Q, 2,2,Q,Q,Q, 2,2,Q,Q,Q,Q | <u> </u>                           | <u> </u>                                 |   | ଉତ୍ତର ବ୍ୟରତ୍ୟ ସହର୍ଷ                                      | NONS NOONS NOON         | (Z)<br>6.1<br>5.7<br>11.9<br>(Z)<br>9.9<br>5<br>2.4<br>10.1<br>5.6<br>6.8<br>15.4<br>7.1   | 55<br>56<br>57<br>58<br>59<br>60<br>61<br>62<br>63<br>64<br>65<br>66<br>67       |
| (S)<br>22<br>33<br>22<br>4<br>33<br>(Z)<br>5  | .5<br>1.2<br>2.0<br>3.1<br>3.1<br>1.7<br>.3<br>1.8                      | 1.8<br>4.0<br>6.1<br>7.8<br>5.8<br>5.1<br>1.0<br>2.1                                    |  |                                    | (3)(3)(3)(3)(3)(3)(3)(3)(3)(3)(3)(3)(3)( | \(U\S\S\S\S\S\S\S\S\S\S\S\S\S\S\S\S\S\S\S | <u>୭</u> ୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭୭             | <u> </u>                | 10.3<br>19.5<br>5.2<br>8.1<br>4.2<br>6.0<br>15.6<br>4.7  | 68<br>69<br>70<br>71<br>72<br>73<br>74<br>75                                     |

## Table 7. Trucks by Truck Type and Axle Arrangement: 1982—Con.

[ Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|   |  |                            |                        |   | Tru                      | ick type and axle                                   | arrangement               |   |  |           |
|---|--|----------------------------|------------------------|---|--------------------------|---|---------------------------|---|--|-----------|
|   | Vehicular and operational  |                            |                        | Single-unit                             | trucks                   |   |                           | Combina                                       |  |           |
| l | characteristics  |                            |                        |   |                          |   |                           | Sir   | ngle-unit truck<br>with trailer        |           |
|   |  | Total                      | Total                  | 2 axles                                 | 3 axles                  | 4 axles or more                                     | Total                     | 3 axles                                       | 4 axles                                | 5 axles o |
| Ī | MAINTENANCE  |                            |                        |   |                          |   |                           |   |  |           |
| 1 | General maintenance:   | 577.4                      | 557.7                  | 555.4                                   |                          | (0)   | 40.4                      | (7)   | (0)                                    |           |
|   | OwnerCompany's maintenance facilities                                    | 577.1<br>130.7             | 557.7<br>109.6         | 555.1<br>104.0                          | 2.6<br>5.2               | (S)   | 19.4<br>21.2              | (Z)<br>(S)                                    | (S)                                    | (         |
| l | Dealership's service department<br>Leasing company                       | 113.5                      | 112.1                  | 111.7                                   | .3<br>(S)<br>1.2         | (S)<br>(Z)<br>(S)                                   | 1.4                       | (Z)<br>(S)<br>(Z)<br>(Z)<br>.5                | (S)<br>(S)<br>(S)<br>(Z)<br>(S)        |           |
| l | Independent garage   | 286.5                      | 277.5                  | 276.2                                   |                          |   | 9.0                       |   |  |           |
|   | Component distributorship  | (S)<br>.4<br>32.5          | (S)<br>(S)<br>31.2     | (Z)<br>(S)<br>30.8                      | (S)<br>(S)               | (Z)<br>(Z)<br>(S)                                   | (S)<br>(S)<br>1.2         | (Z)<br>(Z)<br>(S)                             | (Z)<br>(Z)<br>(S)                      |           |
|   | Not reported   | 32.3                       | 31.2                   | 30.6                                    |                          | (3)   | 1.2                       | (5)   | (5)                                    |           |
|   | OwnerCompany's maintenance facilities                                    | 176.5<br>87.6              | 173.9<br>73.5          | 172.6<br>69.1                           | 1.3<br>4.1               | (S)<br>.3   | 2.6<br>14.1               | (Z)<br>(S)                                    | (S)                                    |           |
|   | Dealership's service department<br>Leasing company<br>Independent garage | 69.0<br>1.0                | 65.2<br>.8             | 64.3<br>.6                              | .8                       | (Z)<br>(Z)<br>(S)                                   | 3.8                       | (Z)<br>(S)<br>(Z)<br>(Z)<br>(S)               | (S)<br>(S)<br>(S)<br>(Z)               |           |
|   | Independent garage   | 260.2                      | 249.8                  | 248.1                                   | (S)<br>1.7               | (S)   | 10.3                      | (S)   |  |           |
|   | Component distributorship  | .8<br>(S)                  | .5<br>(S)              | .5<br>(S)                               | (S)<br>(Z)<br>1.4        | (Z)<br>(Z)<br>(S)                                   | .3                        | (Z)<br>(Z)<br>(S)                             | (Z)<br>(Z)<br>(S)                      |           |
| ı | OtherNot reported  | (S)<br>423.2               | 402.8                  | (S)<br>401.2                            | 1.4                      | (S)   | 20.5                      | (S)   | (S)                                    |           |
|   | ENGINE TYPE AND SIZE   |                            |                        |   |                          |   |                           |   |  |           |
|   | Engine   | 1,004.1<br>944.0           | 954.5<br>915.1         | 945.4<br>913.2                          | 8.7<br>1.9               | .5<br>(S)   | 49.6<br>28.9              | (S)   | 18.7<br>18.2                           |           |
| l | Diesel LPG or other  | 47.6<br>12.5               | 27.0<br>12.4           | 19.9                                    | 6.7                      | .4  | 20.7                      | (S)<br>(S)<br>(S)<br>(Z)<br>(Z)               | .5                                     |           |
|   | Not reported   | (Z)                        | (Z)                    | (Z)                                     | (S)<br>(Z)               | (Z)<br>(Z)  | (S)<br>(Z)                |   |  |           |
| l | Cylinders  | 1,004.1<br>155.9           | 954.5<br>155.7         | 945.4<br>155.7                          | 8.7<br>(Z)               | .5<br>(Z)   | 49.6<br>(S)               | (S)<br>(Z)<br>.4                              | 18.7<br>(Z)                            |           |
|   | 6<br>8   | 267.9<br>579.9             | 250.5<br>547.9         | 244.4<br>544.8                          | (Z)<br>5.8<br>2.9        | .á<br>(S)   | (S)<br>17.4<br>32.0       | `.4<br>(S)                                    | .8  <br>17.9                           |           |
| l | Other<br>Not reported  | (S)<br>(S)                 | (S)<br>(S)             | (S)<br>(S)                              | (Z)<br>(Z)               | (Z)<br>-3<br>(S)<br>(Z)<br>(Z)                      | (S)<br>(Z)                | (S)<br>(Z)<br>(Z)                             | (Z)<br>(Z)                             |           |
|   | Cubic inch displacement  | 1,004.1                    | 954.5                  | 945.4                                   | 8.7                      |   | 49.6                      |   | 18.7                                   |           |
|   | Gasoline engines Less than 200   | 944.0<br>139.5             | 915.1<br>139.5         | 913.2<br>139.5                          | 1.9<br>(Z)               | (S)<br>(Z)  | 28.9<br>(Z)               | (S)<br>(Z)                                    | 18.2 (Z)                               |           |
|   | 200 to 299<br>300 to 349   | 144.1<br>243.7             | 143.8<br>238.3         | 143.8<br>238.2                          | (Z)<br>(S)<br>(S)        |   | (Z)<br>(S)<br>(S)<br>18.0 | (S)<br>(S)                                    | (S)<br>(S)                             |           |
| l | 350 to 399   | 311.3<br>25.8<br>79.7      | 293.3<br>20.9          | 292.7<br>20.3                           | .6                       | .5<br>(S)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(S) | (S)                       | (S)<br>(Z)<br>(S)<br>(S)<br>(S)<br>(Z)<br>(S) | (Z)<br>(S)<br>(S)<br>(S)<br>(S)<br>(S) |           |
|   | Not reported   | 47.6                       | 79.3<br>27.0           | 78.6<br>19.9                            | .6<br>6.7                | .4  | 20.7                      |   | (5)                                    |           |
| l | Diesel engines<br>Less than 400<br>400 to 599                            | 14.9                       | (S)<br>3.8             | (S)<br>2.3                              | .3<br>1.4                | (S)   | 1.0                       | (S)<br>(Z)<br>(Z)<br>(S)<br>(S)<br>(S)        |  |           |
| ĺ | 600 to 799<br>800 or more  | 8.4<br>6.7                 | 3.7                    | 1.2                                     | 2.4                      | (S)<br>(S)<br>(S)<br>(S)<br>(S)                     | 4.7<br>6.0                | (8)   | (Z)<br>(Z)<br>(S)<br>(S)               |           |
| 1 | Not reported   | 10.8                       | 4.9                    | (S)<br>2.7                              | 2.0                      |   | 5.9                       |   | ·.4                                    |           |
| l | Other engines  | 12.5<br>12.0               | 12.4<br>12.0           | 12.3<br>11.9                            | (S)<br>(S)<br>(S)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)                            | (S)<br>(S)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)<br>(Z)               |           |
| l | Not reported   | (S)<br>(S)                 | (S)<br>(S)             | (S)<br>(S)                              | (S)<br>(Z)               | (Z)<br>(Z)  | (Z)<br>(Z)                | (Z)<br>(Z)                                    | (Z)<br>(Z)                             |           |
| l | Horsepower   | 1,004.1<br>944.0           | 954.5<br>915.1         | 945.4<br>913.2                          | 8.7<br>1.9               | .5<br>(S)   | 49.6<br>28.9              | (S)<br>(S)                                    | 18.7<br>18.2                           |           |
| I | Less than 100  | 123.0<br>668.9             | 122.9<br>654.1         | 122.9<br>653.8                          | (Z)<br>.3                |   | (S)<br>14.8               | (S)<br>(S)                                    |  |           |
| l | 200 to 249<br>250 or more  | 57.5                       | 48.0                   | 47.2                                    | .8                       | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(S)                     | (S)<br>(S)<br>.5          | (S)<br>(Z)<br>(S)                             | (2)<br>(S)<br>(S)<br>(Z)<br>(S)        |           |
| ۱ | Not reported   | (S)<br>84.9                | (S)<br>84.4            | (S)<br>83.8                             | (S)<br>.6                | (S)   |                           |   |  |           |
| l | Diesel engines<br>Less than 250  | 47.6<br>23.6               | 27.0<br>17.7           | 19.9<br>13.4                            | 6.7<br>4.1               | .4<br>(S)<br>(S)<br>(Z)<br>(Z)<br>(S)               | 20.7<br>5.9               | (S)<br>(S)<br>(S)<br>(S)<br>(Z)<br>(Z)        | .5<br>.2                               |           |
| İ | 250 to 349<br>350 to 449   | 9.9<br>3.3                 | 1.2                    | 13.4<br>(S)<br>(S)<br>(S)<br>(Z)<br>(S) | .9<br>(S)                | (S)<br>(Z)  | 8.7<br>3.0                | (S)<br>(S)                                    | .2<br>(S)<br>(Z)<br>(Z)<br>(S)         |           |
| l | 450 or moreNot reported  | .4<br>10.5                 | (S)<br>(S)<br>(S)      | (Z)<br>(S)                              | (S)<br>(S)<br>1.4        | (Z)<br>(S)  | .2<br>2.8                 | (Z)<br>(Z)                                    | (Z)<br>(S)                             |           |
|   | Other enginesLess than 250   | 12.5                       | 124                    | 12.3                                    |                          |   | (S)                       |   |  |           |
| l | 250 or more  | 12.5<br>12.0<br>(S)<br>(S) | 11.9<br>(S)<br>(S)     | 12.3<br>11.8<br>(S)<br>(S)              | (S)<br>(S)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)                            | (S)<br>(S)<br>(Z)<br>(Z)  | (Z)<br>(Z)<br>(Z)<br>(Z)                      | (Z)<br>(Z)<br>(Z)<br>(Z)               |           |
| ļ | Not reported   | (3)                        | (5)                    | (5)                                     | (2)                      | (2)   | (2)                       | (2)   | (2)                                    |           |
| ı | POWERED AXLES  |                            |                        |   |                          |   |                           |   |  |           |
|   | Powered axles 1  | 1,004.1<br>879.2           | 954.5<br>842.1<br>89.2 | 945.4<br>840.8                          | 8.7<br>1.3<br>4.6        | .5<br>(Z)   | 49.6<br>37.1              | (S)<br>(S)                                    | 18.7<br>18.6                           |           |
| ı | 2<br>3 or more   | 100.2<br>3.1               | 2.6                    | 84.3<br>(S)                             | 4.6<br>2.4               | .5<br>(Z)<br>.4<br>(S)<br>(S)                       | 11.0<br>.5<br>1.0         | (S)<br>(S)<br>(S)<br>(Z)<br>(S)               | (S)<br>(S)<br>(Z)                      |           |
| l | Not reported   | 21.6                       | 20.6                   | (S)<br>20.2                             | .3                       | (S)   | 1.0                       | (S)   | (Z)                                    |           |
| ļ | CAB TYPE⁴  |                            |                        |   |                          |   |                           |   |  |           |
|   | Cab forward of engine  | 3.9                        | 3.3<br>10.1            | 3.2<br>8.9                              | (S)                      | (Z)   | .7<br>9.4                 | (Z)<br>(S)                                    | (S)                                    |           |
| ı | Cab over engineShort-hood conventionalMedium-hood conventional           | 19.6<br>27.3<br>41.4       | 22.8<br>34.5           | 21 1                                    | (S)<br>1.2<br>1.6<br>3.9 | (Z)<br>(Z)<br>(S)<br>.3<br>(S)                      | 4.5<br>7.0                | (Z)<br>(S)<br>(S)<br>(S)<br>(S)               | .7                                     |           |
|   | Long-hood conventional   | 15.0                       | 12.4                   | 30.2<br>11.2                            | 1.1                      | (S)   | 2.6                       | (S)   | (S)                                    |           |
|   | Cab beside engineOther   | 1.2<br>15.1                | 1.0<br>15.0            | .9<br>14.8                              | (S)<br>(S)<br>3          | (Z)<br>(Z)<br>(Z)                                   | (S)<br>(S)<br>25.1        | (S)<br>(Z)<br>(S)                             | (Z)<br>(Z)<br>16.3                     |           |
|   | Not reported   | 880.5                      | 855.4                  | 855.1                                   | .3                       | (ž)   | 25.1                      | (s)   | 16.3                                   |           |

|   |  |   |  | Truck type ar  | nd axle arrangem                       | nent-Con.                                   |  |  |   |   |   |
|---|--|---|--|--|--|---|--|--|---|---|---|
|   | Т  | nick-tractor  |  |  | mbinations—Con.                        |   | Truck-                                 | tractor  |   |   |   |
|   | wit  | ruck-tractor<br>h single trailer  |  | wi   | Truck-tractor<br>th double trailers    |   | with tripl                             | e trailers                                     | T!!   | Relative standard   |   |
| - | 3 axles  | 4 axles   | 5 axles or more  | 5 axles  | 6 axles                                | 7 axles or more                             | 7 axles                                | 8 axles or more                                | Trailer not specified   | Relative standard<br>error of estimate<br>(percent) for total   |   |
|   | .2<br>.5<br>(S)<br>(S)<br>(S)<br>.2<br>(Z)<br>(Z)<br>(S)   | 1.4<br>3.9<br>.3<br>(Z)<br>1.4<br>(Z)<br>(S)  | 4.0<br>6.4<br>.7<br>.2<br>2.2<br>(S)<br>(S)<br>.4                                  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                 | SOSOS SOSOS                            | 2000 SQ | SOS SOSSOS                             | NOWN NOWN C                                    |   | 5.0<br>13.3<br>17.0<br>28.4<br>9.5<br>74.4<br>47.8<br>30.4  | 12345 678   |
|   | (S)<br>.3<br>.2<br>(S)<br>.2   | 2.6<br>1.1<br>(Z)<br>1.8  | 5.7<br>1.7<br>.2<br>2.8  | (Z)<br>(Z)<br>.2<br>(Z)<br>(Z)                         | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)             | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(S)<br>(S)<br>(Z)<br>(S)                | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                        | 16.3<br>21.4<br>28.4<br>10.1  | 9<br>10<br>11<br>12<br>13   |
|   | (S)<br>(Z)<br>.3   | 1.8 (S) (S) (S) 1.2   | 2.8<br>(S)<br>(S)<br>1.3   | (Z)<br>(Z)<br>(Z)<br>(Z)                               | (Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(Z)<br>(Z)                    | (Z)<br>(Z)<br>(Z)<br>(Z)               | (S)<br>(Z)<br>(Z)<br>(Z)                       | (Z)<br>(Z)<br>(Z)<br>(Z)                                      | 10.1<br>29.5<br>91.0<br>7.1   | 13<br>14<br>15<br>16  |
|   | 1.3 (S) 1.2 (Z) (Z) 1.3 (S) 7.5 (Z) (Z) (S) (S) (S) (S) (S) (Z) (Z) 1.3 (S) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z | 6.8.8.5.9.0.0.8.8.0.0.0.0.0.0.4.4.5.4.9.1.4.1.1.9. 9.9.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0.0. | 12.2 (S) 12.1 (Z) (Z) 12.2 (S) 9.6 (2.4 (S) Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) | ගහන හයගැන්ය හතහන්ම නැත්තම හැක්තමය තහන්ගන්නය හත්යමය නහත | <u> </u>                               | නහනන නහනගනන නහනන නහනනන නහනගනන නහනගනන නහනගන  | හතහන හතහනහන හතනහන හනහනහන හතහනහන හතහනහන | SESS SESSES SESSES SESSES SESSES SESSES SESSES | ପରରର ଅଧନ୍ୟରଣ ଅଧନ୍ୟର ଅଧନ୍ୟର ଅଧନ୍ୟର ଅଧନ୍ୟର ଅଧନ୍ୟର ଅଧନ୍ୟର ଅଧନ୍ୟର | (Z) 1.0 14.8 46.3 (Z) (Z) 14.3 9.6 5.1 75.4 57.4 57.4 57.4 1.0 15.0 15.0 14.5 10.8 9 35.0 19.7 14.8 47.0 8.5 7.1 7.4 6.8 46.3 47.9 52.6 99.5 (Z) 1.0 16.8 4.0 23.0 23.0 23.0 24.6 58.7 19.0 14.8 24.6 58.8 11.5 37.3 39.2 46.3 48.2 99.5 51.3 | 17 189 201 223 245 627 2890 312 333 345 367 839 441 423 444 45 467 489 5512 345 555 556 558 590 662 |
|   | 1.3<br>1.2<br>(Z)<br>(Z)<br>(S)  | 6.8<br>5.9<br>.6<br>(S)   | 12.2<br>1.7<br>9.9<br>.2<br>.3   | .2<br>(Z)<br>(Z)<br>(Z)<br>(Z)                         | (X)<br>(X)<br>(X)<br>(X)<br>(X)        | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)             | (X)(X)(X)(X)                           | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z)                | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                               | (Z)<br>2.1<br>17.3<br>13.7<br>32.7  | 63<br>64<br>65<br>66<br>67  |
|   | (S)<br>.4<br>.5<br>.2<br>(Z)<br>(Z)<br>(Z)<br>(S)  | (S)<br>1.5<br>1.6<br>2.6<br>.7<br>(Z)<br>(S)  | .2<br>6.6<br>1.4<br>2.5<br>1.0<br>(S)<br>(Z)                                       | (Z) <sup>2</sup> (Z)(Z)(Z)<br>(Z)(Z)(Z)<br>(Z)(Z)(Z)   |  |   | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | NOUNCE NEWS                                    | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z)                 | 15.3<br>5.4<br>5.1<br>3.8<br>27.6<br>28.6<br>37.7<br>.8   | 68<br>69<br>70<br>71<br>72<br>73<br>74<br>75  |

#### Table 7. Trucks by Truck Type and Axle Arrangement: 1982—Con.

[ Thousands. Data relate to State of registration. Detail may not add to total because of rounding. For meaning of abbreviations and symbols, see introductory text]

|                       |   |   |   |   | Tru                             | ick type and axl                | e arrangement                     |                                 |                                  |                                 |  |
|-----------------------|---|---|---|---|---------------------------------|---------------------------------|-----------------------------------|---------------------------------|----------------------------------|---------------------------------|--|
|                       |   |   | Single-unit trucks                      |   |                                 |                                 |                                   | Combinations                    |                                  |                                 |  |
|                       | Vehicular and operational characteristics             |   |   |   |                                 |                                 |                                   | Single-unit truck with trailer  |                                  |                                 |  |
|                       |   | Total                                   | Total                                   | 2 axles                                 | 3 axles                         | 4 axles or more                 | Total                             | 3 axles                         | 4 axles                          | 5 axles or more                 |  |
|                       | PICKUPS, PANELS, VANS, UTILITIES, AND STATION WAGONS  |   |   |   |                                 |                                 |                                   |                                 |                                  |                                 |  |
| 1<br>2<br>3<br>4<br>5 | Total Pickups Panels or vans Utilities Station wagons | 882.4<br>573.8<br>231.6<br>48.8<br>28.2 | 858.0<br>557.5<br>227.6<br>48.8<br>24.2 | 858.0<br>557.5<br>227.6<br>48.8<br>24.2 | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 24.3<br>16.3<br>(S)<br>(Z)<br>(S) | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z) | 16.2<br>(S)<br>(S)<br>(Z)<br>(S) | (S)<br>(S)<br>(Z)<br>(Z)<br>(Z) |  |
| 6<br>7<br>8<br>9      | Driving wheels  | 878.0<br>77.0<br>788.7<br>(S)           | 853.6<br>77.0<br>764.4<br>(S)           | 853.6<br>77.0<br>764.4<br>(S)           | (Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>(Z)        | 24.3<br>(Z)<br>24.3<br>(Z)        | (S)<br>(Z)<br>(S)<br>(Z)        | 16.2<br>(Z)<br>16.2<br>(Z)       | (S)<br>(Z)<br>(S)<br>(Z)        |  |

NOTE: Because the sample is designed to measure the number of trucks and not all of the specific vehicular and operational characteristics of those trucks, some data cells may have high relative standard errors of estimate (RSEs). For Florida, 42.4 of the cells have RSEs greater than 10 percent, and 31.7 of the cells have RSEs greater than 25 percent.


<sup>&</sup>lt;sup>1</sup>When no response was obtained for annual miles, data were imputed.

<sup>2</sup>Detail does not add to totals because items were not applicable or multiple responses were possible.

<sup>3</sup>When no response was obtained, one truck was imputed based on body type of sampled vehicle.

<sup>4</sup>Pickups, panels, and vans are not included.

|                    | Truck type and axle arrangement—Con.  Combinations—Con. |                                 |  |                                       |                                 |            |                        |                                 |   |             |
|--------------------|---|---------------------------------|--|---------------------------------------|---------------------------------|------------|------------------------|---------------------------------|---|-------------|
|                    |   |                                 |  |                                       |                                 |            |                        |                                 |   |             |
|                    | Truck-tractor<br>with single trailer                    |                                 |  | Truck-tractor<br>with double trailers |                                 |            | tractor<br>le trailers |                                 |   |             |
| 3 axles            | 4 axies   | 5 axles or more                 | 5 axles                                | 6 axles                               | 7 axles or more                 | 7 axles    | 8 axles or more        | Trailer not specified           | Relative standard<br>error of estimate<br>(percent) for total |             |
|                    |   |                                 |  |                                       |                                 |            |                        |                                 |   |             |
| (Z)                | (Z)<br>(Z)  | (Z)                             | (Z)<br>(Z)                             | (Z)<br>(Z)                            | (Z)<br>(Z)                      | (Z)<br>(Z) | (Z)<br>(Z)             | (Z)<br>(Z)                      | .7<br>1.4   | 1 2         |
| SSSSS              | NONNN   | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | (Z)<br>(X)<br>(X)<br>(X)<br>(X)<br>(X) | N N N N N N N N N N N N N N N N N N N | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | NNNNN      | NNNNN                  | (Z)<br>(Z)<br>(Z)<br>(Z)<br>(Z) | 1.4<br>6.6<br>26.8<br>36.2                                    | 3<br>4<br>5 |
| \(\overline{\pi}\) | Z)<br>Z)<br>Z)<br>Z)                                    | (Z)<br>(Z)<br>(Z)<br>(Z)        | (Z)<br>(Z)<br>(Z)<br>(Z)               | (Z)<br>(Z)<br>(X)                     | (Z)<br>(Z)<br>(Z)<br>(Z)        |            | NNNN                   | (Z)<br>(Z)<br>(Z)<br>(Z)        | .8<br>22.0<br>2.4   | 6 7         |
| (z)                | (Z)   | (2)                             | (z)                                    |                                       | (Z)<br>(Z)                      | (Z)<br>(Z) | (Z)<br>(Z)             | (z)<br>(z)                      | 57.3  | 9           |



# APPENDIX A. Survey Forms



#### 1982 CENSUS OF TRANSPORTATION

TRUCK INVENTORY AND USE SURVEY

| TC-9501   .   |          |  |  | O.M.B. APPRO  | VAL NO. 00   | 07-0390' EXPIRES 12/   |  |  |
|---|----------|--|--|---|--|--|--|--|
| NOTICE—Response to this inquiry is required by law (tittle 13, U.S. Code). By the same law, your report to the Census Bureau is confidential. It may be seen only be sworn Census employees and may be used only for stallistical purposes. The lar also provides that copies retained in your files are Immune from legal process.   | y please | In correspondence pertaining to this report, please refer to this Census File Number (CFN)   |  |   |  |  |  |  |
| Please complete this form and RETURN TO  BUREAU OF THE CENSUS 1201 East Tenth Street Jeftersonville, Indiana 47134  |          |  |  |   |  |  |  |  |
| DUE DATE: 15 days after receipt of form   |          |  |  |   |  |  |  |  |
| Important — Please read   |          |  |  |   |  |  |  |  |
| All questions on this form refer to the vehicle described below and its use during the past 12 months (or the last 12 months you operated it). If there are errors the vehicle registration information, consult the instruction sheet before continuing with the questionnaire.  | in       |  |  |   |  |  |  |  |
| ESTIMATES ARE ACCEPTABLE.   | Pleas    | se correct errors in nam   | ne, eddress, a   | and ZIP code. ENTER   | R street and   | number if not shown.   |  |  |
| CENSUS USE  | MOLTAGE  | INFORMATION  |  |   |  | ľ  |  |  |
| Make of vehicle Year of model State   |          | License number   |  | Vehicle ide   | ntification i  | number (VIN)   |  |  |
| 102 103   | 104      |  |  | 105   |  |  |  |  |
| Item 1 – Is this vehicle still in your possession?  |          | Item 7a - What was   | the average  | weight of this vehicle  | as it  | Pounds   |  |  |
| 201 1 TYES - Are you the - 202 1 Downer? 2 Lessee? 2 NO - Please continue with this questionnaire, answering each   | ıtem     | was most   | often operate  | ed?   |  | 316  |  |  |
| according to how you used the vehicle during the last 12 you owned (or leased) it. Continue with items 1e and b.  | months   | b, How often was t   | this vehicle c   | arrying payloads That   | filled -   |  |  |  |
| a. When did you dispose of this vehicle? Month  | Year     |  |  |   |  | Percent<br>317   |  |  |
| Enter figures only————  |          | Less Iha   | n half its ma  | ximum cargo size  |  | 318  |  |  |
| b. How did you dispose of this vehicle?  204 1 Sold II (or gave it away)  |          | Less tha   | n half its ma  | ximum cargo weight .  |  | 318  |  |  |
| 2 Junked or scrapped it<br>3 Returned to leasing company  |          | 304 1 [ ] YE   |  | did you attach any trai<br>with items 8a, b, end  |  | vehicle?   |  |  |
| Item 2 — When did you obtain this vehicle?  Month 208   | Year     |  |  |   |  | Percent  |  |  |
| Enter figures only  |          | <ul> <li>a. What percent of pull a trailer?</li> </ul>   | the time did   | this vehicle  |  | 30\$   |  |  |
| ftem 3 — How did you obtain this vehicle?   |          | h Haw many avisa   | ware on the  | trailes unitbisha   |  | Number<br>307  |  |  |
| 206 1 Purchased if new  | 14       | attached most fi   |  | trailer unit which you<br>he vehicle?   |  | 307  |  |  |
| 3 Leased or rented it from someone else – Continue with Items 3   | a and b  | c. What was the lo   |  |   |  | Pounds<br>319  |  |  |
| a. How was this vehicle leased or rented?   |          | often attached I<br>An estimate is a   |  | ?   |  |  |  |  |
| 207 1 Without a driver 2 With a driver 3 With an owner-operator as driver  b. Was this a long-term lease or rental agreement (12 months or more)?   |          | Item 9 — What kind<br>321 1 [ Ga<br>2 [ On   | soline<br>esel   |   | 4 COther   | - Specify fuel   |  |  |
| 208 1 YES — What type was it? 2 Financing (no maintenance)  |          |  | ny cylinders   | does this vehicle have  | .?   |  |  |  |
| 3 ☐ Financing and full maintenance<br>4 ☐ Other<br>5 ☐ NO   |          | 322 1 [] 4 6<br>2 [] 6 6   | cylinders<br>cylinders<br>cylinders  |   | 4 □ Olher  | - Specify unit   |  |  |
| 4 ☐ Other s ☐ NO  Item 4 — Did you lease or rent out this vehicle to anyone else?   |          | 322 1 4 6 2 6 6 3 8 6  | cylinders<br>cylinders<br>the size (disp   | otacement) of your eng  | ine? Boter o   |  |  |  |
| 4 Other<br>s NO   |          | 322 1 1 4 4 2 6 6 3 8 6 8 6 1 1 - What is centime:  Cubic inches (i  | cylinders<br>cylinders<br>the size (displers, or liters,   | ptacement) of your eng<br>whichever is applice<br>Cubic centimeters IC  | ine? Boter o   | cubic inches, cubic  |  |  |
| s \ NO    No   No   No      No   No   No      No   No   |          | 322 1 3 4 6 2 6 6 3 8 6 8 11 — What is centime   | cylinders<br>cylinders<br>the size (displers, or liters,   | tacement) of your eng   | ine? Boter o   | cubic inches, cubic  |  |  |
| A Other   Other   Other   NO   NO   No   No   No   No   No   No   |          | 322 1 4 2 6 6 3 8 6 1 1 1 - What is centime:  Cubic inches (1 323  | cylinders cylinders the size (displers, or liters, CI)  OR   | otacement) of your eng, whichever is epplice  Cubic centimeters IC  | ine? Boter o   | Cubic inches, cubic  Lilers (L)  32s  Horsepower   |  |  |
| A Other   Other   Other   NO   NO   |          | 322 1 4 2 6 6 3 8 6 1 1 1 - What is centime:  Cubic inches (1 323  | cylinders the size (displeters, or liters, OR  | otacement) of your eng, whichever is epplice  Cubic centimeters IC  | ine? Boter o   | cubic inches, cubic Lilers (L) 325   |  |  |
| Item 4 - Did you lease or rent out this vehicle to anyone else?   209   1   |          | 322 1 4 2 6 2 6 3 2 6 8 2 6 8 2 6 8 2 6 8 2 6 8 2 6 8 2 6 8 2 6 8 2 8 2  | the size (displayed of the size of | otacement) of your eng, whichever is epplice  Cubic centimeters IC  | ine? Bater of  | Cubic inches, cubic  Lilers (L)  32s  Horsepower   |  |  |
| A Other  S NO  Them 4 — Did you lease or rent out this vehicle to anyone else?  209 1  YES — Continue with items 4a and b  2  NO — SKIP to item 5  a. How was it leased or rented out?  210 1  Wilhout a driver  2  With a driver  3  With an owner-operator as driver  b. Was this a long-term lease or rental agreement (12 months or more)?  211 1  YES — What type was it?  2  Financing (no maintenance)   |          | 322 1 4 4 2 6 3 6 6 3 6 6 6 9 11 - What is centime:  Cubic inches (1323 vehicle)  Item 12 - What is vehicle  Item 13 - What king 327 1 6 Mm  | the size (dispers)  OR  OR  the horsepow s engine?   | obtacement) of your engine, whichever is applice  Cubic centimeters IC  324  er rating of this  | ine? Bater of  | Cubic inches, cubic  Lilers (L)  32s  Horsepower   |  |  |
| Time 4 — Did you lease or rent out this vehicle to anyone else?   209   1   |          | 322 1 4 2 6 3 8 6 3 8 6 8 11 = What is centime:  Cubic inches (1 323 vehicle:  Item 12 - What is vehicle:  Item 13 - What king 327 1 6 Mark king 327 1 6 Mar | the size (dispersion of the size (dispersion of the size (dispers, or liters, | obtacement) of your eng<br>, whichever is applice<br>Cubic centimeters IC<br>324<br>er rating of this   | OR  De have?   | Cubic inches, cubic  Lilers (L)  32s  Horsepower   |  |  |
| Them 4 - Did you lease or rent out this vehicle to anyone else?   |          | 322 1 4 2 6 3 6 3 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8  | the size (dispersion of the size (dispersion of the size (dispers, or liters, | otacement) of your eng, whichever is opplice  Cubic centimeters IC  324  er rating of this  sion does this vehicle  ve any of the following   | OR  De have?   | Cubic inches, cubic  Lilers (L)  32s  Horsepower   |  |  |
| Title   A   Dither  |          | 322   1   4   2   6   6   3   6   6   9   6   6   9   6   6   9   6   6  | the size (dispers) the size (dispers) OR the horsepow s engine? do I transmis mual allomatic is vehicle hat as many as   | otacement) of your eng, whichever is applice  Cubic centimeters IC  324  er rating of this  ssion does this vehicle we any of the following apply.  | OR  OR  4-wh   | Lifers (L) 325 Horsepower  |  |  |
| The series of |          | 322   1   4   2   6   6   3   6   6   8   6   6   8   6   6   8   6   6  | the size (displayed)  OR  the horsepow s engine?  OR  of transmis must indicate is vehicle hat a many as observed the conditioning or conditioning   | otacement) of your eng whichever is applice  Cubic centimeters IC 324  er rating of this sistent does this vehicle we any of the following apply.   | on over General major over Gener | Liters (L) 325  Horsepower 326  Horsepower 41  Horsepower 426  Horsepower 431  Major 432  Major 431    |  |
| Item 4 — Did you lease or rent out this vehicle to anyone else?   209   |          | 1  | by linders by linders by linders by linders by linders.  OR  The horsepow s engine?  Ind of transmis must be linder by linders by li | otacement) of your eng whichever is applice  Cubic centimeters IC 324  er rating of this sistent does this wehicle we any of the foffowing apply.   | color over Generalists   | Liters (L)  325  Horsepower  326  eel drive t-wheel drive hauls on this vehicle? ral overhauts 331   |  |  |
| A   |          | 322   1   4   2   6   6   3   6   6   3   6   6   6   7   6   6   7   6   6   7   6   6  | the size (dispired to  | otacement) of your eng whichever is applice  Cubic centimeters IC 324  er rating of this sistent does this vehicle we any of the following apply.  Be neral maintenance and apply ce facilities | oR  o  | eel drive t-wheel drive hauls on this vehicle?  ral Major overhauts 331 2  |  |  |
| A   | I this   | 1  | cylinders ylinders ylinders ylinders ters, or filers, CI)  OR  the horsepow s engine?  Ind of transmis innual allomatic is vehicle hat a as many as adial tires ower stering or conditioning formed the ge as many as when maintenance departmen who maintenance departmen e or private in e or private in   | otacement) of your eng whichever is applice  Cubic centimeters IC 324  er rating of this sistent does this vehicle we any of the following apply.  Real maintenance and apply ce facilities     | c) OR  | Liters (L)  325  Horsepower  326  All  All  All  All  All  All  All  A  |  |  |


|   |   | Page 2                |
|---|---|-----------------------|
| Item 16 — How many miles was this vehicle driven during the past 12 months?   | Item 25 - From the following list of products, materials, and equipment, ind  | licate which          |
| An estimate is acceptable.  NDTE — If driven less than 12 months, please estimate   | item or items this vehicle carried. Write in the approximate perce<br>vehicle's annual mileage that was accounted for white carrying to                   |                       |
| mileage for a full year   | while empty (backhauls, etc.). Be sure that percentages add up t  |                       |
| ttem 17 — How many miles has this vehicle been driven since it was new?   | (See instruction sheet for further explanation and examples.)   |                       |
| NOTE - If it is no longer in your possession, please estimate the   |   | Percentage            |
| total lifetime mileage at the time you last operated it. If the odometer/speedometer is bloken, please give your  | a. PRDOUCTS, EQUIPMENT, MATERIALS, ETC.   | of annual<br>mileage  |
| best estimate. If the odometer has turned over (100,000 + miles),   | 177 - 2 - 10 - 10 - 10 - 10 - 10 - 10 - 10  | 415                   |
| please enter the total figure.  | (a) Live animals — cattle, horses, poultry, hogs, etc   | 416                   |
| tlem 18 – How many miles-per-gatton (MPG) did this vehicle average during the   | (b) Fresh farm products — grain, crops, flowers, nursery stock, raw milk, raw tobacco, etc.   | 00                    |
| last year? (Use tenths, if available.)  Miles Tenths  |   | 417                   |
| Example: 10.5 MPG should be entered as 10 5   | (c) Processed foods — canned goods, prepared meats, frozen foods, beverages, dairy products, tobacco products, etc.                                       | ٩                     |
|   | (2) Mining Products, Unrefined – crude oil, coal, metal cres  | 418                   |
| Miles Tenths 334 Enter miles  |   | 419                   |
| per gallon  | (3) Building Materials — gravel, sand, concrete, glass, etc. (except cut lumber — see "Lumber")   | 00                    |
| ttem 19 — Where was the home base of this vehicle?  |   | 420                   |
| 350 City  | (a) Logs and forest products — except cut lumber and fabricated wood products (see below)   | 00                    |
| 350 City  |   | 421                   |
| 351 County 352 State 353 ZIP code   | (b) Lumber and fabricated wood products — except furniture (see (7) below).   | 00                    |
|   |   | 422                   |
| Item 20 — What percent of annual mileage was driven OUTSIDE Percent   | (c) Paper and paper products  | 423                   |
| the home base state? An estimate is acceptable.   | (5) Chemicals, Petroleum, and Affied Products   |                       |
| Item 21 - What PERCENTAGE of this vehicle's ANNUAL MILEAGE was accounted for  | (a) Chemicals and 'or drugs (including fertilizers, pesticides, cosmetics, paints, etc.)  | 00                    |
| by the type of trips listed below? (If all trips were within one range, enter 100%  |   | 424                   |
| If more than one range is applicable, be sure that percentages add up to 100%.)   | (b) Petroleum and petroleum products  | 9 <sub>0</sub>        |
| Trips off-the-road, little travel on public roads   | (c) Plastics and/or rubber products   | 425<br>0 <sub>0</sub> |
| Trips within a 50 mile radius of vehicle's home base  |   | 426                   |
| Trips within a 50–200 mile radius of vehicle's home base 362 %  | (a) Primary metal products - pipes, ingots, billets, sheets, etc.   | 427                   |
| Trips beyond a 200 mile radius of vehicle's home base 363 4 <sub>o</sub> TOTAL – Should equal 100% 100%   | (b) Fabricated metal products — except machinery or transportation equipment (see below)  | 427                   |
| Hem 22 — Which of the following best describes the primary way this vehicle was operated?   |   | 428                   |
| 401 NEVER FOR HIRE  | (c) Machinery — electrical or nonelectrical   | 00                    |
| 1 T BUSINESS USE - Operated by and for a private  |   | 429                   |
| business (including self-employers) or a company;<br>used in related activities of that business (including   | (d) Transportation equipment and parts  | 430                   |
| transportation of personnel)  | (7) Other Manufactured Products (a) Furniture (wood and nonwood) and/or hardware — not  |                       |
| personal-use vehicle in place of an automobile for pleasure driving, travel to work, etc. (NO BUSINESS  | involved in household moving  | 40                    |
| USE)  | (b) Textiles and apparels — fibers, leather goods, carpets, clothing, etc.  | 431                   |
| 3 MIXEO – A mixture of both business use and personal transportation  |   | 432                   |
| personal transportation  Percent business   | (8) Miscelfaneous (a) Moving of household and office furniture — from home,   |                       |
| 411 ALWAYS FOR HIRE - ICC regulated?  | offices, etc., under contract   | 00                    |
| 1 TYES  | (b) Miscellaneous tools and or parts for specialized use, as in a craftsman's vehicle — traveling workshop for plumbers,                                  | 433                   |
| 2 NO  | in a craftsman's vehicle – traveling workshop for plumbers, carpenters, road service crews, etc   | 00                    |
| FOR HIRE — Indicate below the type of for hire operation (SEE INSTRUCTION SHEET FOR FURTHER INFORMATION.)   |   | 434                   |
| 401 a. Operation type   | (c) Mixed cargo, general freight  | 00                    |
| 406 b. Jurisdiction served  |   | 435                   |
| 400 0. Julisticitori scree  | (d) Scrap, garbage, trash   |                       |
| 407 c. Kind of carrier  | (3) Street (not 6:35miles 6:233miles) — France Sessions in Section  |                       |
|   |   |                       |
| Item 23 — Which of the following best describes your business (or the part of your business in which the vehicle was used)? If vehicle was teased,          |   | 436                   |
| indicate business of lessee.  |   | 437                   |
| 414 01 AGRICULTURAL ACTIVITIES 10 MINING OR QUARRY ACTIVITIES – used to   | b. NO LOAD CARRIED - Vehicle empty  | 00                    |
| assist in the extraction of   | TOTAL - Should equal 100%   | 100%                  |
| haviar resources of in  |   | dans                  |
| OA CONTRACTOR ACTIVITIES OR 11 CDAILY RENTAL -  | Item 26 - Please enter below the number of any additional trucks and or tra<br>own and/or operate at the same home base you listed in item 19.            | ileiz you             |
|   |   |                       |
| masonry, carpentry, etc.) or short-term basis   | Pickups, small vans.  | Number<br>443         |
| os MANUFACTURING, REFINING. 12 GOVERNMENTAL OR PROCESSING ACTIVITIES OPERATIONS   | Straight trucks   | 444                   |
| OS TI WHOLESALE TRACE 13 TI NOT IN USE - vehicle idle.  | Truck-tractors (power-units)  | 445                   |
| or RETAIL TRADE wrecked, awaiting repair, etc., for more than 90 days.  |   | 446                   |
| OB PERSONAL SERVICES - hotel  |   |                       |
| (except plumbing, electrical TATION - includes small  | Item 27 - REMARKS - Please use this space for any explanations that may essential in understanding your reported data.                                    | 50                    |
|   |   |                       |
| in detail   |   |                       |
| og UTILITIES - operations or service of public utilities (telephone, gas,   |   |                       |
| electric, etc.)   |   |                       |
| Ilem 24 – At any lime during the past 12 months, was this vehicle (or combination) used to haut hazardous materials in quantities large enough to require a |   |                       |
| special placard placed on the vehicle due to the Code of Federat Regulations,   | Item 28 - Person to contact regarding this report.  |                       |
| litle 49, Transportation?  438 1 YES - Continue with items 24a and b  | Does this person have records on (or knowledge of) the daily activities of driver (stops, weight of individual shipments, destinations of shipments, etc. | :.)?                  |
| 2 NO - SKIP to item 25  | 1 []   YES 2 [ ] NO   |                       |
| a. What type(s) of hazardous materials were carried by this vehicte?  |   |                       |
| Mark (X) as many as apply.  | Name  |                       |
| 439 1 Flammables of combustibles 4 Radioactive materials  | Address (Number and street)   |                       |
| z'_ Acids, poisons, caustics, etc. s   Hazardous waste  | Dia land  | )t                    |
| 3 Explosives 6 Hazardous materials not listed above   | City State ZIF  | code                  |
|   | Cayttile telephone  | ension                |
| b. Approximately what percent of this vehicle's annual miteage was accounted for by<br>carrying these hazardous materials?                                  | number  |                       |
| 440 1 Below 25% 2 25-49% 3 50-74% 4 75-100%   | If this vehicle has a fleet number, please enter it here  |                       |
| FORM TC-0501  |   |                       |



| NOTICE – Response to this inquiry is required by law (title 13, U.S. Code). By the same law, your report to the Census Bureau is confidential. It may be seen only by sworn Census employees and may be used only for statistical purposes. The law also provides that copies retained in your files are Immune from legal process. | O.M.B. APPROVAL NO. 0607-0390: EXPIRES In correspondence pertaining to this report, please refer to this Census File Number (CFN)   |
|---|---|
| Please complete this 1201 East Tenth Street Jeffersonville, Indiana 47134  OUE DATE: 15 days after receipt of form  |   |
| Important — Please read   |   |
| All questions on this form refer to the vehicle described below and its use during the past 12 months (or the last 12 months you operated it). If there are errors in the vehicle registration information, consult the instruction sheet before continuing with the questionnaire.   |   |
| ESTIMATES ARE ACCEPTABLE.   | Please correct errors in name, address, and ZIP code. ENTER street and number if not shown.   |
| CENSUS USE  | 6 7   |
| REGI  | RATION INFORMATION  |
| Make of vehicle         Year of model         State           101         102         103   | License number Vehicle identification number (VIN)  |
| Item I — Is this vehicle still in your possession?  | Item 5 — How many axles are on this vehicle and how many of them are driving axles?   |
| 201 1 YES - Are you the - 202 1 Owner? 2 Lessee? SKIP to item 2 and co. with questionnaire 2 NO - Please continue with this guestionnaire, answering each its according to how you used the vehicle during the last 12 m you owned for leasedy it. Continue with items 1a and b.  | (Do not include axles on any trailers pulled.)  a. Total number of axles on truck or truck-tractor (power unit):  300 1 Two axles (4 tires)  2 Two axles (6 tires)  3 Three axles   |
| a. When did you dispose of this vehicle? Month  | Year How many, tF ANY, are liftable axles?  |
| 2 03  | <ul> <li>b. Number of driving (powered) axles on truck or truck-tractor (power unit);</li> <li>302 1  One driving axle</li> </ul>   |
| b. How did you dispose of this vehicle?   | 2 Two driving axles 3 "1 Three or more driving axles  |
|   |   |
| 204 1 ∭ Sold It (or gave It away)<br>2 ∭ Junked or scrapped it<br>3 ∭ Returned to leasing company   | Item 6 — How would you best describe this vehicle as it was most often operated?  (If the vehicle is a pickup, compact van, or panel truck, enter body type on the "Other" line.)   |
| Item 2 — When did you obtain this vehicle?  Month   | Year 2 ☐ Straight truck 4 ☐ Other — Specify   |
| Enter figures only —  | 3 Truck-tractor (power unit) pulling trailer(s)  Item 7 – If you indicated in item 6 that you operated this vehicle with trailer(s)   |
| Item 3 — How did you obtain this vehicle?   | attached, indicate below the kind of trailer(s) you most often putted.  Mark (X) one box only.  |
| 206 1 Purchased it new  | a. One semi-trailer, used with truck-tractor (power unit).  |
| SKIP to item 4  | 307 1 ☐ One axle on trailer<br>2 ☐ Two axles on trailer   |
| 3 Leased or rented it from someone else — Continue with items 3a ar   | 3 Three or more axles on trailer  |
|   | How many, IF ANY, of the trailer's axtes are liftable?  |
| a. How was this vehicle leased or rented?   | <ul> <li>b. Two trailers, one semi- and one full *used with truck-tractor (power unit):</li> <li>308 1 Three axies on two trailers</li> <li>2 Four axies on two trailers</li> </ul>   |
| 2   With a driver 3   With an owner-operator as driver  | 3 Tieve axles on two trailers 4 Six or more axles on two trailers   |
| b. Was this a long-term lease or rentat agreement (12 months or more)?  | How many, IF ANY, of the trailer's axles are liftable?  |
| zoe 1  YES — What type was it? 2  Financing (no maintenance) 3  Financing and full maintenance  | c. Three trailers, one semi- and two full *used with truck-tractor (power unit):  309 t Five axles on three trailers  2 Sx axles on three trailers  3 Seven axles on three trailers   |
| 4 Other   | 4 Eight or more axles on three trailers  How many, IF ANY, of the trailer's axtes are liftable?   |
| s [] NO   | d. One full trailer * used with straight truck  |
| Item 4 — Oid you lease or rent out this vehicle to anyone else?   | 310 1 ☐ Two axles on trailer<br>2 ☐ Three axles on trailer  |
| 209 1 YES - Continue with items 4a and b  | 3 Four or more axles on trailer   |
| 2 NO - SKIP to Item 5   | How many, IF ANY, of the trailer's axles are liftable?  |
| a. How was it leased or rented out?   | Other Please describe in detail the number of trailers and axles on those trailers. Also give number of any littable axles on trailer(s).   |
| 210 1 Without a driver 2 With a driver 3 With an owner-operator as driver   | * or Semi-trailer with converter dolly  |
| b. Was this a long-term tease or rental agreement (12 months or more)?  | Item 8 — What type of cab does this vehicle have?   |
|   |   |
| 211 1 YES — What type was it? 2   | a12 1 ☐ Cab forward of engine 2 ☐ Cab over engine 3 ☐ Short hood/nose conventional (less than 97 in, bumper to back of cab—E 4 ☐ Medium hood/nose conventional (97–114 in, bumper to back of cab—BB( 5 ☐ Long hood/nose conventional (more than 114 in, bumper to back of cab—6 ☐ Cab beside engine |

| Item 9a — Please indicate the body type which most closely resembles this vehicle or, the trailer most often attached to it, if the power-unit is a truck-tractor. | Item 20 — Who performed the general maintenance and major overhauls on this vehicle?  Mark (X) as many as apply.   |
|--|--|
| 200 200 200 200 200 200  | General Major<br>maintenance overhauls   |
| PLATFORM TYPES SPECIALIZED USE TRUCKS — Cor  | Yourself 330 1([) 331 1([)   |
| os Dow boy (gooseneck) - platform so Garbage truck or Diversity truck, including   | Your company's own maintenance facilities  |
| os [] Basic platform — including flatbed, stake, etc. 27 [] Ollfield truck — service equip   | Leasing company  |
| o4 [ Platform with devices permanently ment permanently mounted on bed of truck — such as wehicle  | Component distributorship  |
| high lift, lift gate, hoist, etc. 17 Pole, logging, or pipe truck  | Other - Specify 7 7  |
| VAN TYPES  22 Service truck or "craftsman's vehicle" — body equipped for vehicle" — body equipped for  | Item 21 - How many miles was this vehicle driven during the past 12 months?  An estimate is acceptable.  |
| 12   Dasit enclosed van (u) y Calgo) mobile repair and service 10   Orop frame van – including furniture van, etc.   | NOTE — If driven less than 12 months, please estimate mileage for a full year  |
| os [] Insulated, non-refrigerated van so [] Tank truck for dry bulk  |  |
| os insulated, refrigerated van 14 intility truck – used in public utility operations (telephone line truck, etc.), body equippe                                    | NOTE - If it is no longer in your possession, please estimate the total lifetime mileage at the time you last operated it.  If the odometer 'speedometer is broken, please give your |
| 11 Open top van, including low-side for major repair (may have grain, fruit aerial lift, derrick, etc.)  | best estimate.  If the odometer has turned over (100,000 + miles),  333  |
| SPECIALIZEO USE TRUCKS  15 [] Winch or crane truck — lifting equipment (including roll on,   | please enter the total figure.   |
| 18 Automobile transport roll off) permanently mounted on vehicle   | Item 23 — How many miles-per-gallon (MPG) did this vehicle average during the last year? (Use tenths, if available,)   |
| 28 Cargo container chassis 16 [] Wrecker — for motor vehicle 70 Concrete mixer towing or lifting   | Miles Tenths   |
| 40 Oump truck 23 Yard tractor - cab and chassi   | S Example: 10.5 MPG should be entered as   |
| 25 Grant booles (noppers)  | Miles Tenths   |
| NOTE — If none of the above descriptions match the body type of this vehicle,<br>or the trailer usually attached to it, mark the "Other" box below and describe.   | Enter miles per gation   |
| ao Cther - Specify   | Item 24 - Where was the home base of this vehicle?   |
|  | aso City   |
| b. What is the overall length of this vehicle or combination (distance from front bumper to rear of truck  |  |
| or rear of the last trailer attached)?  Item 10 — What is the weight of this vehicle or Pounds   | 3s1 County 3s2 State 3s3 ZIP code  |
| An estimate is acceptable.   | h er William ( ) William ( ) Percent   |
| Item 11 – What was the average weight of the vehicle or Pounds   | home base state?   |
| vehicle/trailer combination when carrying a typical payload during the past year?  | An estimate is acceptable.   |
| An estimate is acceptable.   | by the type of trips listed below? (If all Irips were within one range, enter 100%. If more than one range is applicable, be sure that percentages add                               |
| which this vehicle or vehicle/trailer combination  | up to 100%.)   |
| was operated? An estimate is acceptable.   | Trips off-the-road, little travel on public roads  |
| Item 13 - What kind of tuel does this vehicle use?   | Trips within a <b>SO</b> mile radius of vehicle's home base  |
| 321 1 Gasoline 2 Oiesel  | Trips beyond a 200 mile radius of vehicle's home base  |
| 3 Liquefied petroleum gas (LPG) 4 Other - Specify fuel   | TOTAL – Should equal 100% 100%   |
|  | was operated?  |
| Item 14 - How many cylinders does this vehicle have?  322 1  | NEVER FOR HIRE   |
| 2 ☐ 6 cylinders<br>3 ☐ 8 cylinders   | BUSINESS USE — Operated by and for a private business (including self-employers) or a company:   |
| 4 Other - Specify unit   | used in related activities of that business (including transportation of personnel)  |
| Item 15 - What is the size (displacement) of your engine? Enter cubic inches, cubic  | personal-use vehicle in place of an automobile for pleasure driving, travel to work, etc. (NO BUSINESS   |
| centimeters, or liters, whichever is applicable.   | USE)   |
| Cubic inches (CI)         Cubic centimeters (CC)         Liters (L)           323         324         325  | and personal transportation  |
| OR OR  | Percent business   |
|  | ALWAYS FOR HIRE — ICC regulated?   |
| Item 16 — What is the horsepower rating of this vehicle's engine?  Horsepower 326  | 2 NO 4 MOTOR CARRIER — Operated by a company whose   |
|  | a   MOLOR CARRIER - Operated by a company whose primary business is to provide transportation services, carrying freight belonging to others   |
| Item 17 — What kind ot transmission does this vehicle have?  | s [   OWNER OPERATOR Operated by an independent  |
| 327 1 Manual 2 Automatic   | trucker who drives vehicle for himself or on lease to  |
| Item 18 — What type of brakes does the power unit (truck or truck-tractor) have?   | 6 [ j MIXEO — A mixture of private carriage and common and for contract carriage   |
| 328 1 Hydraulic (standard)   | Percent not for hire (private)   |
| 2 ☐ Hydraulic with power assist<br>3 ☐ Air   | Percent for hire   |
| Item 19 — Does this vehicle have any of the tollowing equipment?   | leased out to various operators and for various activities, under daily or short term rental or lease agreements   |
| Mark (X) as many as apply.   | b. What was the FOR HIRE jurisdiction in which vehicle operated?   |
| 329 01 Aerodynamic features 02 Axle or drive ratio to maximize fuel efficiency   | 406 1 Interstate 3 Local — in a single municipality, contiguous 2 Intrastate suburban area; in commercial zones  |
| o3  Fuel economy engine with low RPM, high torque rise, turbo-charge, etc.   |  |
| 04 [ Reflective materials (in addition to those required by law)   | c. In what type of carrier service was the vehicle involved?  Enter percentage of mileage.  Percent  |
| os [ Radial tires<br>os [ Road speed governor  | 407 1 Contract — offered transportation service to certain   |
| 07  Variable fan drives<br>08  Other fuel conservation features  | shippers under specific contracts  |
| o9 Power steering  | general public over regular or irregular routes  |
| 10 [ ] Air conditioning in cab 11 [ ] Engine retarder  | Exempt — transported commodities or provided types of services that were exempt from Federal regulation; provided by this exempt compactful room;                                    |
| FORM TC-9502   | operated within exempt commercial zones  |

| Item 28 — Which of the following best describes your business or the part obusiness in which the vehicle was used? If the vehicle was lea indicate business of lessee.   | of your<br>sed,   |   |
|--|-------------------|---|
| 414 01 AGRICULTURAL ACTIVITIES   |                   |   |
| 02 FORESTRY OR LUMBERING ACTIVITIES 03 CONSTRUCTION WORK - buildings, homes, roads, structur   | as atr            |   |
| 04 CONTRACTOR ACTIVITIES OR SPECIAL TRACES - paint   |                   |   |
| plumbing, electrical work, masonry, carpentry, etc. os MANUFACTURING, REFINING, OR PROCESSING ACTIVIT  | TES               |   |
| 06 WHOLESALE TRACE   | 123               |   |
| 07 RETAIL TRACE 08 PERSONAL SERVICES — used to assist in such services as  | Indaina           |   |
| operations, landscaping, repair (except plumbing, electrical etc. – see "Contractor Activities"), laundry, advertising,  | work,             |   |
| entertainment, etc.  og TUTILITIES — used to assist in operation or service of public  | -                 |   |
| utilities (telephone, gas, electric, etc.)   |                   |   |
| 10 MINING OR QUARRY ACTIVITIES — used to assist in the e   | xtraction         |   |
| 11 [] OAILY RENTAL - rented out, without a driver, to someone  | else on           |   |
| a daily or short-term basis  |                   |   |
| 13 NOT IN USE - yehicle idle, wrecked, awaiting repair, etc.,  |                   |   |
| for more than 90 days  14 TO FOR HIRE TRANSPORTATION — including small package of  | delivery          |   |
| is Other - Please describe in detail   |                   |   |
|  |                   |   |
|  | GA SCHOOL BY      |   |
|  |                   |   |
| Item 29 — From the following list of products, materials, and equipment, in item or items this vehicle carried. Write in the approximate percentage of the products of the product of the products of the product | dicate which      | Item 30 — At any time during the past 12 months, was this vehicle (or combination) used to haul hazardous materials in quantities large enough to require a |
| vehicle's annual mileage that was accounted for while carrying   | loads and         | special placard placed on the vehicle due to the Code of Federal Regulations,   |
| white empty (backhauls, etc.). Be sure that percentages add up<br>(See instruction sheet for further explanation and examples.)  | 10 100%.          | title 49, Transportation?   |
|  | Percentage        | 438 1 YES - Continue with Items a and b 2 [ NO - Go to Item 31  |
| a. PRODUCTS, EQUIPMENT, MATERIALS, ETC.  | of annual mileage | a. What type(s) of hazardous materials were carried by this vehicle?  |
| (1) Agricultural and Food Products   | 415               | Mark (X) as many as apply.  |
| (a) Live animals — cattle, horses, poultry, hogs, etc  | 416               | 439 1 Flammables or combustibles s Hazardous waste  |
| (b) Fresh farm products — grain, crops, flowers, nursery stock, raw milk, raw tobacco, etc   | 417               | 2 Acids, poisons, caustics, etc. 6 Hazardous materials not listed above   |
| (c) Processed foods – canned goods, prepared meats, frozen foods, beverages, dairy products, tobacco products, etc   | 96                | 4 Radioactive materials   |
|  | 418               | b. Approximately what percent of this vehicle's annual mileage was accounted for by<br>carrying these hazardous materials?                                  |
| (2) Mining Products, Unrefined — crude oil, coal, metal ores   | 419               |   |
| (except cut lumber - see "Lumber")   | 420               | 440 1 Below 25% 3 50-74%<br>2 25-49% 4 75-100%  |
| (4) Forestry, Wood, and Paper Products (a) Logs and forest products — except cut lumber and fabricated   | -20               | Item 31 - Please enter below the number of any ADDITIONAL trucks and/or   |
| wood products (see below)  | 421               | trailers you own and/or operate at the same home base you listed in item 24.  |
| (b) Lumber and fabricated wood products — except furniture (see (7) below)   | %                 | Number<br>443   |
| (c) Paper and paper products   | 422               | Pickups, small vans   |
| (S) Chemicals, Petroleum, and Allied Products  | 423               | Straight trucks   |
| (a) Chemicals and/or drugs (including fertilizers, pesticides, cosmetics, paints, etc.)  | 96                | 445   |
| (a) Barrie a sad saturity as the   | 424               | Truck-tractors (power units)  |
| (b) Petroleum and petroleum products   | 425               | Trailers (semi- and/or full)  |
| (c) Plastrcs and for rubber products   | 426               | Converter dollies   |
| (6) Metals and Metal Products (a) Primary metal products — pipes, ingots, billets, sheets, etc   | %                 | Item 32 - REMARKS - Please use this space for any explanations that may be  |
| (b) Fabricated metal products – except machinery or  | 427               | essential in understanding your reported data.  |
| transportation equipment (see below)   | 428               |   |
| (c) Machinery — electrical or nonelectrical  | 429               |   |
| (d) Transportation equipment (including complete vehicles) and parts   | 96                |   |
| (7) Other Manufactured Products  | 430               |   |
| (a) Furniture (wood and nonwood) and/or hardware — not involved in household moving  | ą,                |   |
| (b) Textiles and apparels — fibers, leather goods, carpets, clothing, etc.   | 431               |   |
| (8) Miscellaneous  | 432               |   |
| (a) Moving of household and office furniture — from home, offices, etc., under contract  | 96                |   |
| (b) Miscellaneous tools and/or parts for specialized use, as in  | 433               |   |
| a craftsman's vehicle – traveling workshop for plumbers, carpenters, road service crews, etc   | 96                |   |
|  | 434               | ttem 33 — Person to contact regarding this report   |
| (c) Mixed cargo, general freight   | 435               | Does this person have records on (or knowledge of) the daily activities of driver (stops, weight of individual shipments, destinations of shipments, etc.)? |
| (d) Scrap, garbage, trash  | %                 | 1 [] YES 2 [] NO  |
| (9) Other (not elsewhere classified) — Please describe in detail   |                   | Name  |
|  |                   |   |
|  |                   | Address (Number and street)   |
|  | 436               | City State ZIP code   |
|  | 437               | Oaytime telephone Area code Number Extension, if any  |
| b. NO LOAD CARRIEO - Vehicle empty   | %                 | number — →  |
|  |                   |   |



# APPENDIX B.

# Approximating Unpublished Relative Standard Errors

The relative standard errors (RSE's) are presented for only the row and column totals in tables 3 through 8. The relative standard errors of an individual table cell may be approximated by the following two-step procedure.

First calculate the standard deviation (SD) for the table cell:

$$SD(CLT) = \frac{RCT \times RSE(RCT)}{100} \sqrt{\frac{(CLT) (STT - CLT)}{(RCT) (STT - RCT)}}$$

where:

RCT = the number of trucks in the row (or column)

CLT = the number of trucks in the cell

STT = the number of trucks in the State

Now, the RSE in percent can be calculated as follows:

$$RSE(CLT) = \frac{100 \times SD(CLT)}{CLT}$$

Although either the row or column can be used, it is usually best to use the one with the fewest trucks.

Example—There are an estimated 5.5 thousand trucks in the cell for agricultural multistops or walk-ins, for which we want to approximate the RSE in percent. To approximate the RSE in percent for the agricultural multistop or walk-in cell, the following information must be extracted from the table: (1) 500.3 thousand trucks in the State, (2) 110.3 thousand trucks and an estimated RSE of 7.6 percent for the "Agriculture" column, and (3) 27.7 thousand trucks and an estimated RSE of 11.2 percent for the "Multistop or walk-in" row.

Since the row total of 27.7 thousand is less than the column total of 110.3 thousand, use the row figures to approximate the RSE in percent:

$$SD(5.5) = \frac{27.7 \times 11.2}{100} \sqrt{\frac{5.5(500.3 - 5.5)}{27.7(500.3 - 27.7)}} = 1.4$$

$$RSE(5.5) = \frac{100 \times 1.4}{5.5} = 25.5 \text{ percent}$$

Some exceptions from this procedure will yield better approximations of the relative standard error in particular cells. Certain rows and columns in the tables are composed predominately of trucks, excluding pickups and vans ("large trucks"). Because of the sample design, one obtains a better approximation of the relative standard error of the estimate for a cell within a row (column) of "large trucks" by using the row (column) total even though the column (row) total might be smaller. When both totals consist of "large trucks," use the smaller of the row or column totals.

Columns of predominately "large trucks":

Table 4-Light-heavy and Heavy-heavy

Table 5-50,000 to 74,999 miles and 75,000 miles or more

Table 7-All except Single-unit 2 axle trucks

Rows of predominately "large trucks":

Body Type—All except Pickup, Panel truck or Van, and Multistop or Walk-in

Annual Miles-50,000 to 74,999 and 75,000 or more

Range of Operation-Long range (more than 200 miles)

Gross Weight-All from 19,501 pounds and over

Lease Characteristics-Leased with driver

Hazardous Materials Carried—All carrying hazardous materials


Miles per Gallon-Less than 5 and 5 to 6.9

Equipment Type, Braking System-Air

Truck Type and Axle Arrangement—All except Single-unit


2 axle trucks


Cab Type-All



# REFERENCE MATERIALS ● ORDER FORMS ● PUBLICATION CORRECTIONS

|       | Please send me the items marked (                                 | (X) below.  |   |
|-------|---|---|---|
|       | Corrections (if there are any) for                                | or this publication— <b>Truck Inventory</b> Florida, TC82-T-  |   |
|       | you should complete this address shown below to r                 | fferent reports from the 1982 Econom<br>form from each of the reports and retu<br>eceive publication corrections. Howe<br>wing on <b>only</b> one of the forms. | urn it to the                               |
|       | Guide to the 1982 Economic C                                      | ensuses and Related Statistics  |   |
|       | Census Bureau during the previ<br>purchase publications, tapes, e |   | ns who plan to                              |
|       | Publication announcements and or                                  | rder forms — Mark (X) subjects in whi   | ch you are interested.                      |
|       | Retail Trade  | Economic Censuses of Outlying Areas (Puerto Rico,   | Governments                                 |
|       | ☐ Wholesale Trade   | Guam, Virgin Islands, and<br>Northern Mariana Islands)  | ☐ Foreign Trade                             |
|       | ☐ Service Industries  | ☐ Enterprise Statistics   | ☐ Population                                |
|       | Construction Industries   | Minority- and Women-<br>Owned Businesses  | ☐ Housing                                   |
|       | ☐ Manufacturing   | ☐ Agriculture   | ☐ International Statistics                  |
|       | ☐ Mineral Industries  | County Business Patterns  | Geography                                   |
|       | ☐ Transportation  | ☐ Quarterly Financial Report  | ☐ Guides, Catalogs, etc.                    |
|       |   |   |   |
|       |   |   |   |
|       |   |   |   |
| Name  |   |   |   |
| Organ | nization  |   | Mail completed form to                      |
|       | ess/PO Box  |   | Customer Services DUSD Bureau of the Census |
| City  |   | State ZIP Code  | Washington, D.C. 20233                      |





# A Portrait of America

The Abstract is an economical treasure trove presenting thousands of data items from hundreds of sources to profile the United States. Summary data on over 30 topics—covering the social, economic, and political organization of the U.S.—make the Abstract the premier reference volume. If you are a researcher, an economist, a librarian, a student, or a curious seeker of information, the Abstract is a valuable resource.

This 105th edition features:

- Over 1,600 tables and graphic charts based on data from over 220 government and private agencies.
- 112 entirely new tables, including the latest results of the 1982 Economic Censuses.
- A new appendix featuring selected State rankings for 50 data items presented in various tables.
- A complete listing of all metropolitan statistical areas (MSA's).
- Recent Trends—highlighting key measures of annual change in graphic and tabular form.
- A Guide to Sources—listing over 1,000 statistical publications, by subject areas, for further reference.

|  |  | subject areas, for further reference.  |
|--|--|--|
|  | Abstract of the United States, 1985 /N 003-024-06135-0 /N 003-024-06136-8 eck, Make check or | ents, U. S. Government Printing Office, Washington, D.C. 20402 Credit Card Orders Only Total charges \$Fill in the boxes below. Credit Card No. CHECK ONE VISA MASTERCARD Expiration Date Month/Year For Office Use only |
| SHIP TO:  Company or pers  Additional addres  Street address  City  (or Country) |  | Quantity Charges  Enclosed To be mailed Subscriptions Postage Foreign handling MMOB OPNR UPNS Discount Refund  |



# **PUBLICATION PROGRAM**

#### 1982 CENSUS OF TRANSPORTATION

Publications of the 1982 Census of Transportation containing data on the characteristics and use of trucks, the shipment of commodities by manufacturers, and financial and operating characteristics of selected transportation industries are described below. Publications order forms for the specific reports may be obtained from any Department of Commerce district office or from Data User Services Division, Customer Services (Publications), Bureau of the Census, Washington, D.C. 20233.

#### **Final Reports**

#### Truck Inventory and Use Survey-52 reports (TC82-T-1 to -52)

This series includes a U.S. summary and a separate report for each State and the District of Columbia. Data cover the characteristics and uses of the Nation's private and commercial truck resources, such as the number of vehicles, number of truck miles, major use of vehicle, annual miles, model year, body type, vehicle size class, type of fuel, classification of operator, engine size, and use of hazardous material.

#### Commodity Transportation Survey-1 report (TC82-CS-1)

Data for summary statistics on the volume and characteristics of shipments originated by manufactures, minerals, and wholesale (grain and petroleum bulk stations) industries in the 50 States and the District of Columbia.

#### Selected Statistics for Transportation Industries-1 report (TC82-ST-1)

The data for this program are published in one report. Establishment statistics are presented by State by kind of business on the number of establishments, first quarter and annual payroll, and number of employees for local and suburban transit and interurban highway passenger transportation, motor freight transportation, public warehousing, water transportation, transportation by air, pipeline (except natural gas), arrangement of passenger transportation and other transportation services. Also presented are data on revenue by source by type of activity for arrangement of passenger transportation, and revenue by source by kind

of business for public warehousing, as well as national totals by kind of business by employment size of establishment.

#### **Final Report Volumes**

Data for the Truck Inventory and Use Survey only will be reissued in clothbound form.

#### Microfiche

All published data are also available on microfiche.

#### **Computer Tapes**

Most tapes from the census of transportation are different from the computer tapes for the other economic censuses in that they contain microdata rather than summary data. The term microdata refers to the unaggregated records for the individual responses. The records are modified to avoid the possibility of identifying individual households or establishments.

The tapes for the Truck Inventory and Use Survey contain microdata information for each truck in the sample.

No public-use tape is planned for the Selected Statistics for Transportation Industries Program.

#### OTHER ECONOMIC CENSUSES REPORTS

Data on retail trade, wholesale trade, service industries, construction industries, manufactures, mineral industries, enterprise statistics, minority-owned businesses, and women-owned businesses also are issued as part of the 1982 Economic Censuses. A separate series of reports covers the censuses of outlying areas—Puerto Rico, Virgin Islands of the United States, Guam, and the Northern Marianas. Separate announcements describing these reports are available free of charge from Data User Services Division, Customer Services (Publications), Bureau of the Census, Washington, D.C. 20233.

